

Prices Reflect 5/1/22 Pricing

Distinction Series - D7215ST See Through

Features:

- Ceramic Glass Door
- Turn Down Gas Valve with Steppermotor
- Full Feature Proflame 2 Remote Control
- Ceramic Glass Reflective Liner, Multi-Color LED Lighting and Star Ice Fireglass
- Invisimesh Screen

MODEL NUMBER	DESCRIPTION	LIST PRICE
D7215STNI-2	72" Fully Loaded See Through Linear Direct Vent Fireplace, IPI, 57,000 btu - NG	\$16,065.00
GCA013	NG to LP Conversion Kit	\$142.00



D7215ST

Fireplace Framing Dimensions (see manual before framing) Height Width Depth 59 3/8" 95 3/4" 17 11/16"

USES 5"X8" MONTIGO VENTING (SEE PAGE 410) OR 5"X8" DURAVENT W/ PURCHASE OF ADAPTOR OR POWER VENT COMPATIBLE - TOP VENT ONLY.

D7215ST Optional Accessories

RR450SS	Designer Speckled Stones	\$748.00
LGS58*	Driftwood Log Set, 1 of 2	\$330.00
LGS59*	Driftwood Log Set, 2 of 2	\$271.00
DBKAFST 💠	Ash Fluted Liner	\$84.00
DBKTFST 🛠	Tuscan Fluted Liner	\$84.00
DLT72	1" Adjustable Trim Kit - up to 11/16" deep facing materials	\$200.00
DLT72-2	1" Adjustable Trim Kit Extra Deep - for 1 1/2" - 2" deep facing materials	\$223.00
PVA5487	10" Reducer, 5/8" to 4/7"	\$121.00
REC1493	Wall Mounted ProFlame 2 Remote	\$261.00
GR72** �	72" Wall Cavity Venting Louver	\$143.00

*INSTALLATION REQUIRES BOTH LOG SETS **STANDALONE VENTING LOUVER USED TO VENT A WALL CAVITY ABOVE A FIREPLACE

Cool Wall Advantage Accessories

HDKPD72	Cool Wall Kit, Includes: louver, plenum, collars (requires HDKPDFK)	\$1,119.00
HDKSD	Cool Wall Advantage Side Discharge Kit, Horizontal, Includes: 2 Iouvers, 2 plenums (requires HDKPDFK)	\$417.00
HDKSVD	Cool Wall Advantage Side Discharge Kit, Vertical, Includes: 2 louvers, 2 plenums (requires HDKPDFK)	\$417.00
HDKPDFK	Cool Wall Flex Kit - 5" x 24'	\$194.00

Must Use Adaptor to Vent Unit w/ DuraVent Pipe

58DVA-AD-M1	5" x 8" DuraVent Adaptor	\$101.46
-------------	--------------------------	----------



Prices Reflect 5/1/22 Pricing

Distinction Series - D6315ST See Through

Features:

- Ceramic Glass Door
- Turn Down Gas Valve with Steppermotor
- Full Feature Proflame 2 Remote Control
- Ceramic Glass Reflective Liner, Multi-Color LED Lighting and Star Ice Fireglass
- Invisimesh Screen

MODEL NUMBER	DESCRIPTION	LIST PRICE
D6315STNI-2	63" Fully Loaded See Through Linear Direct Vent Fireplace, IPI, 50,000 btu - NG	\$14,539.00
GCA009	NG to LP Conversion Kit	\$142.00

USES 5"X8" MONTIGO VENTING (SEE PAGE 410) OR 5"X8" DURAVENT W/ PURCHASE OF ADAPTOR OR POWER VENT COMPATIBLE - TOP VENT ONLY.

D6315ST Optional Accessories

RR450SS	Designer Speckled Stones	\$748.00
LGS58*	Driftwood Log Set, 1 of 2	\$330.00
LGS59*	Driftwood Log Set, 2 of 2	\$271.00
DBK63AFST 💠	Ash Fluted Liner	\$99.00
DBK63TFST 🛠	Tuscan Fluted Liner	\$99.00
DLT63	1" Adjustable Trim Kit - up to 11/16" deep facing materials	\$186.00
DLT63-2	1" Adjustable Trim Kit Extra Deep - for 1 1/2" - 2" deep facing materials	\$200.00
PVA5487	10" Reducer, 5/8" to 4/7"	\$121.00
REC1493	Wall Mounted ProFlame 2 Remote	\$261.00
GR63**	63" Wall Cavity Venting Louver	\$127.00

*INSTALLATION REQUIRES BOTH LOG SETS **STANDALONE VENTING LOUVER USED TO VENT A WALL CAVITY ABOVE A FIREPLACE

Cool Wall Advantage Accessories

HDKPD63	Cool Wall Kit, Includes: louver, plenum, collars (requires HDKPDFK)	\$993.00
HDKSD	Cool Wall Advantage Side Discharge Kit, Horizontal, Includes: 2 Iouvers, 2 plenums (requires HDKPDFK)	\$417.00
HDKSVD	Cool Wall Advantage Side Discharge Kit, Vertical, Includes: 2 louvers, 2 plenums (requires HDKPDFK)	\$417.00
HDKPDFK	Cool Wall Flex Kit - 5" x 24'	\$194.00

Must Use Adaptor to Vent Unit w/ DuraVent Pipe

58DVA-AD-M1	5" x 8" DuraVent Adaptor	\$101.46
-------------	--------------------------	----------

SOME BRANDS ARE ONLY AVAILABLE IN SELECTED AREAS, SEE MAP ON PAGE 4 OR CONTACT YOUR REGIONAL SALES MANAGER FOR MORE INFO. Pricing, model numbers and availability are subject to change without notice. Call for most current information.



D6315ST

Fireplace Framing Dimensions				
(see manual before framing)				
Height	Width	Depth		
50 3/8"	79 1/2"	18 7/16"		

107



Prices Reflect 5/1/22 Pricing

Distinction Series - D4815ST See Through

Features:

- Ceramic Glass Door
- Turn Down Gas Valve with Steppermotor
- Full Feature Proflame 2 Remote Control
- Ceramic Glass Reflective Liner, Multi-Color LED Lighting and Star Ice Fireglass
- Invisimesh Screen

MODEL NUMBER	DESCRIPTION	LIST PRICE
D4815STNI-2	48" Fully Loaded See Through Linear Direct Vent Fireplace, IPI, 40,000 btu - NG	\$7,679.00
GCA017	NG to LP Conversion Kit	\$142.00

USES 5"X8" MONTIGO VENTING (SEE PAGE 410) OR 5"X8" DURAVENT W/ PURCHASE OF ADAPTOR OR POWER VENT COMPATIBLE - TOP VENT ONLY.

D4815ST Optional Accessories

RR200SS	Designer Speckled Stones	\$337.00
LGS59*	Driftwood Log Set	\$280.00
DBKAFST 🛠	Ash Fluted Liner	\$84.00
DBKTFST 🛠	Tuscan Fluted Liner	\$84.00
DLT48	1" Adjustable Trim Kit - up to 11/16" deep facing materials	\$157.00
DLT48-2	1" Adjustable Trim Kit Extra Deep - for 1 1/2" - 2" deep facing materials	\$171.00
PVA5487	10" Reducer, 5/8" to 4/7"	\$121.00
REC1493	Wall Mounted ProFlame 2 Remote	\$261.00
GR48**	48" Wall Cavity Venting Louver	\$99.00

***INSTALLATION REQUIRES BOTH LOG SETS**

****STANDALONE VENTING LOUVER USED TO VENT A WALL CAVITY ABOVE A FIREPLACE**

Cool Wall Advantage Accessories

HDKPD48	Cool Wall Kit, Includes: louver, plenum, collars (requires HDKPDFK)	\$710.00
HDKSD	Cool Wall Advantage Side Discharge Kit, Horizontal, Includes: 2 louvers, 2 plenums (requires HDKPDFK)	\$417.00
HDKSVD	Cool Wall Advantage Side Discharge Kit, Vertical, Includes: 2 louvers, 2 plenums (requires HDKPDFK)	\$417.00
HDKPDFK	Cool Wall Flex Kit - 5" x 24'	\$194.00

Must Use Adaptor to Vent Unit w/ DuraVent Pipe

58DVA-AD-M1 5" x 8" DuraVent Adaptor \$101.46	58DVA-AD-M1	5" x 8" DuraVent Adaptor	\$101.46
---	-------------	--------------------------	----------



D4815ST

Fireplace Framing Dimensions (see manual before framing) Height Width Depth 50" 71 3/4" 17 11/16"



Prices Reflect 5/1/22 Pricing

Distinction Series - D3615ST See Through

Features:

- Ceramic Glass Door
- Turn Down Gas Valve with Steppermotor
- Full Feature Proflame 2 Remote Control
- Ceramic Glass Reflective Liner, Multi-Color LED Lighting and Star Ice Fireglass
- Invisimesh Screen

MODEL NUMBER	DESCRIPTION	LIST PRICE
D3615STNI-2	36" Fully Loaded See Through Linear Direct Vent Fireplace, IPI, 35,000 btu - NG	\$6,113.00
GCA015	NG to LP Conversion Kit	\$142.00

USES 5"X8" MONTIGO VENTING (SEE PAGE 410) OR 5"X8" DURAVENT W/ PURCHASE OF ADAPTOR OR POWER VENT COMPATIBLE - TOP VENT ONLY.

D3615ST Optional Accessories

RR150SS	Designer Speckled Stones	\$232.00
LGS59*	Driftwood Log Set	\$271.00
DBKAFST 🛠	Ash Fluted Liner	\$84.00
DBKTFST 🛠	Tuscan Fluted Liner	\$84.00
DLT36	1" Adjustable Trim Kit - up to 11/16" deep facing materials	\$134.00
DLT36-2	1" Adjustable Trim Kit Extra Deep - for 1 1/2" - 2" deep facing materials	\$146.00
PVA5487	10" Reducer, 5/8" to 4/7"	\$121.00
REC1493	Wall Mounted ProFlame 2 Remote	\$261.00
GR36** �	36" Wall Cavity Venting Louver	\$73.00

*INSTALLATION REQUIRES BOTH LOG SETS **STANDALONE VENTING LOUVER USED TO VENT A WALL CAVITY ABOVE A FIREPLACE

Cool Wall Advantage Accessories

HDKPD36	Cool Wall Kit, Includes: louver, plenum, collars (requires HDKPDFK)	\$544.00
HDKSD	Cool Wall Advantage Side Discharge Kit, Horizontal, Includes: 2 louvers, 2 plenums (requires HDKPDFK)	\$417.00
HDKSVD	Cool Wall Advantage Side Discharge Kit, Vertical, Includes: 2 louvers, 2 plenums (requires HDKPDFK-1)	\$417.00
HDKPDFK-1	Cool Wall Flex Kit - 5" x 12'	\$94.00

Must Use Adaptor to Vent Unit w/ Duravent

58DVA-AD-M1 5" x 8" DuraVent Adaptor \$101
--



D3615STNI-2

Fireplace Framing Dimensions (see manual before framing) Height Width Depth 49 15/16" 59 3/4" 17 11/16"



Prices Reflect 5/1/22 Pricing

Exemplar Series - R620ST See Through

Features:

- Frameless Design Allows for Brick or Tile Installation over the Fireplace
- Rectangular Doors with Tempered Glass
- Linear Contemporary Burner with Ice Fireglass

MODEL NUMBER	DESCRIPTION	LIST PRICE
R620STN 🛠	6' See Through Fireplace with Linear Burner, IPI, 100,000 BTU - NG	\$14,734.00
R620STL 🛠	6' See Through Fireplace with Linear Burner, IPI, 100,000 BTU - LP	\$14,734.00



R620 Accessories

RXM40VAC	Wireless Remote Control Kit - on/off only	\$330.00
IOSK6 🛠	Indoor/Outdoor Seal Kit	\$3,185.00
RR600SS	Speckled Stone	\$989.00
LGS57	Driftwood Log Set x1, 1 of 3	\$280.00
LGS58	Driftwood Log Set x2, 2 of 3	\$330.00
LGS59	Driftwood Log Set x1, 3 of 3	\$271.00

5" x 10" Power Vent Systems

PVHEX510-300	5"x10" Horizontal External Wall Mount Vent System + Mounting Frame	\$3,340.00
PVHFL510-300 �	5"x10" Flush Louvered External Wall Mount Power Vent System + Mounting Frame	\$3,793.00
PVVEX510-300	5"x10" Vertical External Roof Mount Power Vent System + Mounting Frame	\$3,535.00

EDPV Power Cords - Required with each power vent unit

EPVH-20	20' Power Vent System Power Cord	\$171.00
EPVH-40	40' Power Vent System Power Cord	\$268.00
EPVH-60	60' Power Vent System Power Cord	\$364.00
EPVH-80 🛠	80' Power Vent System Power Cord	\$457.00
EPVH-100 🛠	100' Power Vent System Power Cord	\$553.00



R620ST

Fireplace Framing Dimensions (see manual before framing) Height Width Depth 50" 90" 23 3/4"



Prices Reflect 5/1/22 Pricing

Devine Series - See Through

Features:

- Clean Face Design
- Black Square Doors with Tempered Glass
- Power Vent Compatible (PVA5487 required)
- Fiber Logset
- Heritage Fiber Brick Lining
- Iron Grate

MODEL NUMBER	DESCRIPTION	LIST PRICE
H42FSDNI	42" See Through Fireplace, ProFlame 2 IPI, 37,000 BTU - NG	\$6,002.00
H42FSDLI	42" See Through Fireplace, ProFlame 2 IPI, 37,000 BTU - LP	\$6,002.00

USES 5"X8" MONTIGO VENTING (SEE PAGE 410) OR 5"X8" DURAVENT W/ PURCHASE OF ADAPTOR OR POWER VENT COMPATIBLE - TOP VENT ONLY.

H42 Optional Accessories

H42SFPSB	Satin Black Decorative Surround - 2 required to finish both sides	\$8180.00
H42SFPSS 🛠	SS Decorative Surround - 2 required to finish both sides	\$1,543.00

MODEL NUMBER	DESCRIPTION	LIST PRICE
H38FSDNI	38" See Through Fireplace, ProFlame 2 IPI, 34,000 BTU - NG	\$4,919.00
H38FSDLI	38" See Through Fireplace,ProFlame 2 IPI, 32,000 BTU - LP	\$4,919.00

USES 5"X8" MONTIGO VENTING (SEE PAGE 411) OR 5"X8" DURAVENT W/ PURCHASE OF ADAPTOR OR POWER VENT COMPATIBLE - TOP VENT ONLY.

H38 Optional Accessories

H38SFPSB	Satin Black Decorative Surround - 2 required to finish both sides	\$728.00
H38SFPSS 🛠	SS Decorative Surround - 2 required to finish both sides	\$1,453.00

SIT IPI ProFlame 2 System Only Controls

HFK50R	Fan Kit - Requires RX100 or PF2RK	\$441.00
PF2RK	Wireless Remote Control Kit - (on/off, thermostatic control, manual override switch, emergency back-up)	\$405.00
RX100NG	Wireless Full Function Remote Control Kit - (on/off, thermostatic control, manual override switch, flame modulation, emergency battery back-up) - NG	\$538.00
RX100LP	Wireless Full Function Remote Control Kit - (on/off, thermostatic control, manual override switch, flame modulation, emergency battery back-up) - LP	\$538.00

Must Use Adaptor to Vent Unit w/ DuraVent Pipe

58DVA-AD-M1	5" x 8" DuraVent Adaptor	\$101.46

SOME BRANDS ARE ONLY AVAILABLE IN SELECTED AREAS, SEE MAP ON PAGE 4 OR CONTACT YOUR REGIONAL SALES MANAGER FOR MORE INFO. Pricing, model numbers and availability are subject to change without notice. Call for most current information.



H42FSD

H42 Fireplace Framing Dimensions				
(see ma	nual befor	e framing)		
Height	Width	Depth		
49 1/2"	45"	24"		

H36 Fireplace Framing Dimensions

(see manual before framing)			
Height	Width	Depth	
42 1/2"	40 3/4"	23 3/4"	

Prices Reflect 5/1/22 Pricing

SOME BRANDS ARE ONLY AVAILABLE IN SELECTED AREAS, SEE MAP ON PAGE 4 OR CONTACT YOUR REGIONAL SALES MANAGER FOR MORE INFO. Pricing, model numbers and availability are subject to change without notice. Call for most current information.

Exemplar Series - Indoor / Outdoor

Features:

- Indoor-Outdoor Designated Design
- Tempered Glass Door
- Door Screens
- Outside Glass with Sealing Frame
- Built In Downdraft Power Vent System that Requires No Venting
- Built In Power Vent Control Box
- 7 Bags of Ice Fireglass (HW1157) Included

MODEL NUMBER	DESCRIPTION	LIST PRICE
R324STION	See Through Indoor-Outdoor Fireplace with Linear Burner, Hot Surface Ignition, 50,000 btu - NG	\$10,702.00
R324STIOL 🛠	See Through Indoor-Outdoor Fireplace with Linear Burner, Hot Surface Ignition, 50,000 btu - LP	\$10,702.00

FRAMING DIMENSIONS - 49" H X 48" W

R324 Optional Accessories

PPR324 🛠	Porcelain Panel Kit	\$634.00
RR450SS	Designer Speckled Stone	\$748.00
LGS58	Driftwood Log Set - 2 Required	\$330.00









Prices Reflect 5/1/22 Pricing

Exemplar Series - RP424 Pier Fireplace

Features:

- Frameless and Postless Window Design
- Tempered Glass
- Standard Power Vent Control Box
- NO Mesh Screen required Glass Barrier approved
- Reflective Firebox Liner, Accent Up-Lighting

MODEL NUMBER	DESCRIPTION	LIST PRICE
RP424PFN 🗞	Peninsula Fireplace w/ Concealed Ribbon Burner, Honeywell Hot Surface Ignition, 45,000 btu - NG	\$20,158.00
RP424PFL 🛠	Peninsula Fireplace w/ Concealed Ribbon Burner, Honeywell Hot Surface Ignition, 45,000 btu - LP	\$20,158.00

USES 5"X 8" MONTIGO POWER VENT PIPE (SEE PAGE 114) - TOP/REAR VENT. NOTE: MAXIMUM VENT RUN OF 25' PLUS ONE 90 DEGREE ELBOW. SEE OWNERS MANUAL FOR FRAMING DIMENSIONS.

Must Choose Decorative Media to Complete Unit.

Decorative Media - REQUIRED (price included with unit)		
RR500SS	Speckled Stones	n/c
HW1082	Sage Firebeads - 3lb. Bag	n/c
HW1091	Ebony Firebeads - 3lb. Bag	n/c
HW1106	Quartz Firebeads - 3lb. Bag	n/c
HW1111	Ivory Fire Stones - 3lb. Bag (while supplies last)	n/c
HW1112 🛠	Frost Stones - 3lb. Bag	n/c
HW1113	Black Ice Fireglass - 3lb. Bag	n/c
HW1143	Copper Ice Fireglass - 3lb. Bag	n/c
HW1144	Platinum Fireglass - 3lb. Bag	n/c
HW1157	Ice Fireglass - 3lb. Bag	n/c

NOTE: A TOTAL OF 7 BAGS OF GLASS IS NEEDED.

RP424 Optional Accessories

LGSPSERIES	Drfitwood Log set - Must add speckled stone, firestones, or fireglass to complete	\$536.00
RXM40VAC	Wireless Remote Control Kit - on/off only	\$330.00

Continued on next page



RP424

Fireplace Framing Dimensions (see manual before framing) Height Width Depth 53" 68 1/2" 24"



Prices Reflect 5/1/22 Pricing

Exemplar Series - RP424 Pier Fireplace - Cont.

5" x 8" Power Vent Systems

Used on any R-Series, R-ST Series, RP Series

MODEL NUMBER	DESCRIPTION	LIST PRICE
PVHIN58-300-FS	5"x8" Flush Louvered Wall Mount Termination + Inline Power Vent	\$2,915.00
PVHEX58-300	5"x8" Horizontal External Wall Mount Vent System + Mounting Frame	\$3,251.00
PVVEX58-300	5"x8" Vertical External Roof Mount Power Vent System + Mounting Frame	\$3,583.00
PVHFL58-300	5"x8" Flush Louvered External Wall Mount Power Vent System + Mounting Frame	\$3,793.00

EDPV Power Cords

EPVH-20	20' Power Vent System Power Cord	\$171.00
EPVH-40	40' Power Vent System Power Cord	\$268.00
EPVH-60	60' Power Vent System Power Cord	\$364.00
EPVH-80 🛠	80' Power Vent System Power Cord	\$457.00
EPVH-100 �	100' Power Vent System Power Cord	\$553.00