

MONTLAKE™ 300 Wood Burning Insert

Features:

- Up to 100,000 btu and Heats Up To 3,000 sq ft
- GreenLine, GL, Models Have Been Certified to Meet the NSPS 2020 Requirements
- 3.0 cu ft Firebox
- TFT™ (Thermal Fin Technology) To Add More Heat To Your Home
- Airwash System

Blower Included

MAT.#	MODEL NUMBER	DESCRIPTION	LIST PRICE
F3834	ML300GL	Wood Insert	\$4,799.00

USES 6" VENTING.

Must Choose Top and Surround Panels to Complete Unit.

Top - Required			
F2028	TOP-STEEL-ML300	Steel Top	\$349.00
F2029	TOP-CASTIRON-ML300	Cast Iron Top	\$349.00

Surround Panels- Required			
F2021	ML300-FP2942	29 1/2" x 42 1/2" Black Surround/Flashing	\$349.00
F2022	ML300-FP2949	29" x 49 1/2" Black Surorund/Flashing	\$349.00
F2023	ML300-FP3342	33" x 42 1/2" Black Surround/Flashing	\$349.00
F2024	ML300-FP3349	33" x 49 1/2" Black Surround/Flashing	\$349.00
F2025	ML300-FPTRIM3450	34" x 50" Black, Trimmable Surround	\$349.00

Decorative Trim				
H8346	DRTRM-GV-ML-NKL ❖	Face Plate - Nickel	\$179.00	
H8347	DRTRM-GV-ML-BRNKL	Face Plate - Brushed Nickel	\$179.00	
H9138	LVR-ML-BRNKL �	Louver - Brushed Nickel (For Cast Iron Top Only)	\$149.00	

ML300 Optional Accessories

	•		
UZIAD	UZIAD ❖	4" Flex Adaptor	\$69.00
UZI	UZI 🌣	Outside Air Kit (4" I.D. x 10' Long Insulated Flex)	\$119.00



ML300GL

Minimum Fireplace Opening Dimensions

(Masonry Fireplace) (see manual before framing) 29 1/2" W x 23 1/2" H x 16 1/2" D x 27 1/4" RW

(ZC Fireplace) (see manual before framing) 36" W x 23 1/2" H x 16 1/2" D x 26 1/4" RW



MONTLAKE™ 230 Wood Burning Insert

Features:

- Up to 76,000 btu and Heats Up To 2,200 sq ft
- GreenLine, GL, Models Have Been Certified to Meet the NSPS 2020 Requirements
- TFT™ (Thermal Fin Technology) To Add More Heat To Your Home
- Airwash System
- **Blower Included**



MAT.#	MODEL NUMBER	DESCRIPTION	LIST PRICE
F3832	ML230GL	Wood Insert	\$3,799.00

USES 6" VENTING.

Must Choose Top and Surround Panels to Complete Unit.

Top - Required				
H8673	TOP-STEEL-ML230	Steel Top	\$249.00	
H8674	TOP-CASTIRON-ML230	Cast Iron Top	\$249.00	

Surround Panels- Required			
H8677	ML230-FP2641	26 1/2 x 41 Black Surround/Flashing	\$299.00
H8678	ML230-FP2648	26 1/2" x 48 Black Surround/Flashing	\$299.00
H8679	ML230-FP3141	31 x 41 Black Surround/Flashing	\$299.00
H8680	ML230-FP3148	31 x 48 Black Surround/Flashing	\$299.00
H8681	ML230-FPTRIM3348	33 x 48 Black Trimmable Surround	\$299.00

Decorati	Decorative Trim				
H8346	DRTRM-GV-ML-NKL ❖	Face Plate - Nickel	\$179.00		
H8347	DRTRM-GV-ML-BRNKL	Face Plate - Brushed Nickel	\$179.00		
H9138	LVR-ML-BRNKL �	Louver - Burshed Nickel (For Cast Iron Top Only)	\$149.00		

ML230 Optional Accessories

UZIAD	UZIAD ❖	4" Flex Adaptor	\$69.00
UZI	UZI 🌣	Outside Air Kit (4" I.D. x 10' Long Insulated Flex)	\$119.00



ML230GL

Minimum Fireplace Opening Dimensions

(Masonry Fireplace) (see manual before framing) 25" W x 21 1/2" H x 15 1/2" D

Minimum Fireplace Opening Dimensions

(ZC Fireplace) (see manual before framing) 36" W x 21 1/2" H x 15 1/2" D

SOME BRANDS ARE ONLY AVAILABLE IN SELECTED AREAS, SEE MAP ON PAGE 4 OR CONTACT YOUR REGIONAL SALES MANAGER FOR MORE INFO.



PERFORMER™ Wood Burning Insert

Features:

- Up to 76,000 btu and Heats Up To 1,800 sq ft
- GreenLine, GL, Models Have Been Certified to Meet the NSPS 2020 Requirements
- 2.10 cu ft Firebox

Airwash System

MAT.#	MODEL NUMBER	DESCRIPTION	LIST PRICE	
F4163	C210TGL	Wood Insert w/ Traditional Black Door	\$3,499.00	
F4162	C210AGL	Wood Insert w/ Arched Black Door	\$3,499.00	



Must Choose Surround Panels (Top & Sides) to Complete Unit.

Surround Panels - Required (Order 1 Top and 1 Side)				
71038	WFPT0740-L	Top Surround 7 1/2" X 40", Overall Surround 26 1/2" x 40"	\$149.00	
71033	WFPS0718	Side Surrounds 7 1/2" x 18 3/4", Overall Surround 26 1/2" x 40"	\$149.00	
71039	WFPT0748-L	Top Surround 7 1/2" x 48", Overall Surround 26 1/2" x 48"	\$149.00	
71034	WFPS1118	Side Surrounds 11 1/2" x 18 3/4", Overall Surround 26 1/2" x 48"	\$149.00	
71040	WFPT1140-L	Top Surround 11 1/2" x 40", Overall Surround 30 1/2" x 40"	\$149.00	
71033	WFPS0718	Side Surrounds 7 1/2" x 18 3/4", Overall Surround 30 1/2" x 40"	\$149.00	
71041	WFPT1148-L	Top Surround 11 1/2" x 48", Overall Surround 30 1/2" x 48"	\$149.00	
71034	WFPS1118	Side Surrounds 11 1/2" x 18 3/4", Overall Surround 30 1/2" x 48"	\$149.00	

C210 Optional Accessories

H6832	OFFADJFLUEBX6SM ❖	6" Offset Vent Box 0"-6 1/4" Adj	\$299.00
H6833	OFFADJFLUEBX6LG ❖	6" Offset Vent Box 6"-12" Adj	\$349.00
71161	WINS-6FC	6" Positive Flue Connector Ring Kit	\$79.00

Blowers				
H7907	WSINS-BLWR-B-SS	Blower - Black	\$649.00	
H7909	WSINS-BLWR-N-SS ❖	Blower - Nickel	\$849.00	
H7910	WSINS-BLWR-BN-SS �	Blower - Brushed Nickel	\$849.00	

NOTE: ALL BLOWERS INCLUDE A SNAP SWITCH FOR THERMAL ACTIVATION.



C210TGL

Minimum Fireplace Opening Dimensions

(Masonry Fireplace) (see manual before framing) 26" W x 19 1/4" H x 12 1/2" D

Minimum Fireplace Opening Dimensions

(ZC Fireplace) (see manual before framing) 36" W x 21" H x 12 3/4" D



STRIKER™ Wood Burning Insert

Features:

- Up to 68,000 btu and Heats Up To 1,300 sq ft
- GreenLine, GL, Models Have Been Certified to Meet the NSPS 2020 Requirements
- 1.6 cu ft Firebox

Airwash System

G	R	F	ΕN	de	H	N	F
U	Γ	С		7	ы	IΛ	С

MAT.#	MODEL NUMBER	DESCRIPTION	LIST PRICE	
F4016	C160TGL	Wood Insert w/ Traditional Black Door	\$2,699.00	
F4015	C160AGL❖	Wood Insert w/ Arched Black Door	\$2,699.00	

USES 6" VENTING.

Must Choose Surround Panels (Top & Sides) to Complete Unit.

Surround Panels - Required (Order 1 Top and 1 Side)				
71042	WFPT0740-S ❖	Top Surround 7 1/2" X 40", Overall Surround 26 1/2" x 40"	\$149.00	
71035	WFPS0819 �	Side Surrounds 8 3/8" x 19", Overall Surround 26 1/2" x 40"	\$149.00	
71043	WFPT0748-S ❖	Top Surround 7 1/2" x 48", Overall Surround 26 1/2" x 48"	\$149.00	
71036	WFPS1219 �	Side Surrounds 12 3/8" x 19", Overall Surround 26 1/2" x 48"	\$149.00	
71044	WFPT1140-S	Top Surround 11 1/2" x 40", Overall Surround 30 1/2" x 40"	\$149.00	
71035	WFPS0819	Side Surrounds 8 3/8" x 19", Overall Surround 30 1/2" x 40"	\$149.00	
71045	WFPT1148-S ❖	Top Surround 11 1/2" x 48", Overall Surround 30 1/2" x 48"	\$149.00	
71036	WFPS1219 ❖	Side Surrounds 12 3/8" x 19", Overall Surround 30 1/2" x 48"	\$149.00	

C160 Optional Accessories

H7907	WSINS-BLWR-B-SS	Blower - Black	\$649.00
H7909	WSINS-BLWR-N-SS ❖	Blower - Nickel	\$849.00
H7910	WSINS-BLWR-BN-SS ❖	Blower - Brushed Nickel	\$849.00
H6832	OFFADJFLUEBX6SM ❖	Offset Vent Box 0" - 6 1/4" Adj	\$299.00
H6833	OFFADJFLUEBX6LG ❖	Offset Vent Box 6" - 12" Adj	\$349.00
71161	WINS-6FC	6" Positive Flue Connector Ring Kit	\$79.00

NOTE: ALL BLOWERS INCLUDE A SNAP SWITCH FOR THERMAL ACTIVATION.

Minimum Fireplace Opening Dimensions

C160AGL

(Masonry Fireplace) (see manual before framing) 25 1/2" W x 19 1/2" H x 12 3/4" D

Minimum Fireplace Opening Dimensions

(ZC Fireplace) (see manual before framing) 36" W x 21" H x 12 3/4" D

SOME BRANDS ARE ONLY AVAILABLE IN SELECTED AREAS, SEE MAP ON PAGE 4 OR CONTACT YOUR REGIONAL SALES MANAGER FOR MORE INFO.