

Distinction Series - D7215ST See Through

Features:

- Ceramic Glass Door
- Turn Down Gas Valve with Steppermotor
- Full Feature Proflame 2 Remote Control
- · Ceramic Glass Reflective Liner, Multi-Color LED Lighting and Star Ice Fireglass
- Invisimesh Screen

MODEL NUMBER	DESCRIPTION	LIST PRICE
D7215STNI-2	72" Fully Loaded See Through Linear Direct Vent Fireplace, IPI, 57,000 btu - NG	\$16,065.00
GCA013	NG to LP Conversion Kit	\$142.00

USES 5"X8" MONTIGO VENTING (SEE PAGE 458) OR 5"X8" DURAVENT W/ PURCHASE OF ADAPTER OR POWER VENT COMPATIBLE - TOP VENT ONLY

Optional Accessories

_		
RR450SS	Designer Speckled Stones	\$748.00
LGS59*	Driftwood Log Set, 1 of 3	\$271.00
LGS58*	Driftwood Log Set, 2 of 3	\$330.00
LGS57*	Driftwood Log Set, 3 of 3	\$280.00
DBKAFST ❖	Ash Fluted Liner	\$84.00
DBKTFST ❖	Tuscan Fluted Liner	\$84.00
DLT72	1" Adjustable Trim Kit - up to 11/16" deep facing materials	\$200.00
DLT72-2	1" Adjustable Trim Kit Extra Deep - for 1 1/2" - 2" deep facing materials	\$223.00
REC1550	Wall Mounted ProFlame 2 Remote	\$318.00
SIT-WIFI NEW	Proflame 2 Wifi Phone App Control	\$234.00
GR72** *	72" Wall Cavity Venting Louver	\$143.00

^{*}INSTALLATION REQUIRES ALL THREE LOG SETS

Cool Wall Advantage Accessories

HDKPD72	Cool Wall Kit, Includes: louver, plenum, collars (requires HDKPDFK)	\$1,119.00
HDKSD	Cool Wall Advantage Side Discharge Kit, Horizontal, Includes: 2 louvers, 2 plenums (requires HDKPDFK)	\$417.00
HDKSVD	Cool Wall Advantage Side Discharge Kit, Vertical, Includes: 2 louvers, 2 plenums (requires HDKPDFK)	\$417.00
HDKPDFK	Cool Wall Flex Kit - 5" x 24'	\$194.00

Must Use Adapter to Vent Unit w/ DuraVent Pipe

58DVA-AD-M1	5" x 8" DuraVent Adapter	\$106.53
-------------	--------------------------	----------



D7215ST

Fireplace Framing Dimensions (see manual before framing) Height Width Depth 59 3/8" 95 3/4" 17 11/16"

^{**}STANDALONE VENTING LOUVER USED TO VENT A WALL CAVITY ABOVE A FIREPLACE



Distinction Series - D6315ST See Through

Features:

- · Ceramic Glass Door
- Turn Down Gas Valve with Steppermotor
- Full Feature Proflame 2 Remote Control
- Ceramic Glass Reflective Liner, Multi-Color LED Lighting and Star Ice Fireglass
- · Invisimesh Screen

MODEL NUMBER	DESCRIPTION	LIST PRICE
D6315STNI-2	63" Fully Loaded See Through Linear Direct Vent Fireplace, IPI, 50,000 btu - NG	\$14,539.00
GCA009	NG to LP Conversion Kit	\$142.00

USES 5"X8" MONTIGO VENTING (SEE PAGE 458) OR 5"X8" DURAVENT W/ PURCHASE OF ADAPTER OR POWER VENT COMPATIBLE - TOP VENT ONLY

Optional Accessories

RR450SS	Designer Speckled Stones	\$748.00
LGS58*	Driftwood Log Set, 1 of 2	\$330.00
LGS59*	Driftwood Log Set, 2 of 2	\$271.00
DBK63AFST ❖	Ash Fluted Liner	\$99.00
DBK63TFST ❖	Tuscan Fluted Liner	\$99.00
DLT63	1" Adjustable Trim Kit - up to 11/16" deep facing materials	\$186.00
DLT63-2	1" Adjustable Trim Kit Extra Deep - for 1 1/2" - 2" deep facing materials	\$200.00
REC1550	Wall Mounted ProFlame 2 Remote	\$318.00
SIT-WIFI NEW	Proflame 2 Wifi Phone App Control	\$234.00
GR63**	63" Wall Cavity Venting Louver	\$127.00

^{*}INSTALLATION REQUIRES BOTH LOG SETS

Cool Wall Advantage Accessories

	5	
HDKPD63	Cool Wall Kit, Includes: louver, plenum, collars (requires HDKPDFK)	\$993.00
HDKSD	Cool Wall Advantage Side Discharge Kit, Horizontal, Includes: 2 louvers, 2 plenums (requires HDKPDFK)	\$417.00
HDKSVD	Cool Wall Advantage Side Discharge Kit, Vertical, Includes: 2 louvers, 2 plenums (requires HDKPDFK)	\$417.00
HDKPDFK	Cool Wall Flex Kit - 5" x 24'	\$194.00

Must Use Adapter to Vent Unit w/ DuraVent Pipe

_	_	
58DVA-AD-M1	5" x 8" DuraVent Adapter	\$106.53



D6315ST

Fireplace Framing Dimensions (see manual before framing) Height Width Depth 50 3/8" 79 1/2" 18 7/16"

^{**}STANDALONE VENTING LOUVER USED TO VENT A WALL CAVITY ABOVE A FIREPLACE



Distinction Series - D4815ST See Through

Features:

- · Ceramic Glass Door
- Turn Down Gas Valve with Steppermotor
- Full Feature Proflame 2 Remote Control
- Ceramic Glass Reflective Liner, Multi-Color LED Lighting and Star Ice Fireglass
- Invisimesh Screen

MODEL NUMBER	DESCRIPTION	LIST PRICE
D4815STNI-2	48" Fully Loaded See Through Linear Direct Vent Fireplace, IPI, 40,000 btu - NG	\$7,679.00
GCA017	NG to LP Conversion Kit	\$142.00

USES 5"X8" MONTIGO VENTING (SEE PAGE 458) OR 5"X8" DURAVENT W/ PURCHASE OF ADAPTER OR POWER VENT COMPATIBLE - TOP VENT ONLY

Optional Accessories

RR200SS	Designer Speckled Stones	\$337.00
LGS57*	Driftwood Log Set, 1 of 3	\$280.00
LGS59*	Driftwood Log Set, 2 of 3	\$271.00
LGS61*	Driftwood Log Set, 3 of 3	\$330.00
DBKAFST ❖	Ash Fluted Liner	\$84.00
DBKTFST �	Tuscan Fluted Liner	\$84.00
DLT48	1" Adjustable Trim Kit - up to 11/16" deep facing materials	\$157.00
DLT48-2	1" Adjustable Trim Kit Extra Deep - for 1 1/2" - 2" deep facing materials	\$171.00
REC1550	Wall Mounted ProFlame 2 Remote	\$318.00
SIT-WIFI NEW	Proflame 2 Wifi Phone App Control	\$234.00
GR48**	48" Wall Cavity Venting Louver	\$99.00

^{*}INSTALLATION REQUIRES ALL LOG SETS

Cool Wall Advantage Accessories

	•	
HDKPD48	Cool Wall Kit, Includes: louver, plenum, collars (requires HDKPDFK)	\$710.00
HDKSD	Cool Wall Advantage Side Discharge Kit, Horizontal, Includes: 2 louvers, 2 plenums (requires HDKPDFK)	\$417.00
HDKSVD	Cool Wall Advantage Side Discharge Kit, Vertical, Includes: 2 louvers, 2 plenums (requires HDKPDFK)	\$417.00
HDKPDFK	Cool Wall Flex Kit - 5" x 24'	\$194.00

Must Use Adapter to Vent Unit w/ DuraVent Pipe

58DVA-AD-M1	5" x 8" DuraVent Adapter	\$106.53



D4815ST

Fireplace Framing Dimensions (see manual before framing) Height Width Depth 50" 71 3/4" 17 11/16"

^{**}STANDALONE VENTING LOUVER USED TO VENT A WALL CAVITY ABOVE A FIREPLACE



Distinction Series - D3615ST See Through

Features:

- · Ceramic Glass Door
- Turn Down Gas Valve with Steppermotor
- Full Feature Proflame 2 Remote Control
- Ceramic Glass Reflective Liner, Multi-Color LED Lighting and Star Ice Fireglass
- · Invisimesh Screen

MODEL NUMBER	DESCRIPTION	LIST PRICE
D3615STNI-2	36" Fully Loaded See Through Linear Direct Vent Fireplace, IPI, 35,000 btu - NG	\$6,113.00
GCA015	NG to LP Conversion Kit	\$142.00

USES 5"X8" MONTIGO VENTING (SEE PAGE 458) OR 5"X8" DURAVENT W/ PURCHASE OF ADAPTER OR POWER VENT COMPATIBLE - TOP VENT ONLY

Optional Accessories

RR150SS	Designer Speckled Stones	\$232.00
LGS59*	Driftwood Log Set, 1 of 2	\$271.00
LGS60*	Driftwood Log Set, 2 of 2	\$297.00
DBKAFST �	Ash Fluted Liner	\$84.00
DBKTFST ❖	Tuscan Fluted Liner	\$84.00
DLT36	1" Adjustable Trim Kit - up to 11/16" deep facing materials	\$134.00
DLT36-2	1" Adjustable Trim Kit Extra Deep - for 1 1/2" - 2" deep facing materials	\$146.00
PVA5487	10" Reducer, 5/8" to 4/7"	\$121.00
REC1550	Wall Mounted ProFlame 2 Remote	\$318.00
SIT-WIFI NEW	Proflame 2 Wifi Phone App Control	\$234.00
GR36** *	36" Wall Cavity Venting Louver	\$73.00

^{*}INSTALLATION REQUIRES BOTH LOG SETS

Cool Wall Advantage Accessories

HDKPD36	Cool Wall Kit, Includes: louver, plenum, collars (requires HDKPDFK)	\$544.00
HDKSD	Cool Wall Advantage Side Discharge Kit, Horizontal, Includes: 2 louvers, 2 plenums (requires HDKPDFK)	\$417.00
HDKSVD	Cool Wall Advantage Side Discharge Kit, Vertical, Includes: 2 louvers, 2 plenums (requires HDKPDFK-1)	\$417.00
HDKPDFK-1	Cool Wall Flex Kit - 5" x 12'	\$94.00

Must Use Adapter to Vent Unit w/ Duravent

58DVA-AD-M1	5" x 8" DuraVent Adapter	\$106.53
-------------	--------------------------	----------



D3615STNI-2

Fireplace Framing Dimensions (see manual before framing) Height Width Depth 49 15/16" 59 3/4" 17 11/16"

^{**}STANDALONE VENTING LOUVER USED TO VENT A WALL CAVITY ABOVE A FIREPLACE



Divine Series - See Through

Features:

- · Clean Face Design
- Black Square Doors with Tempered Glass
- Power Vent Compatible (PVA5487 required)
- Fiber Logset
- Heritage Fiber Brick Lining
- · Iron Grate

MODEL NUMBER	DESCRIPTION	LIST PRICE
H42FSDNI	42" See Through Fireplace, ProFlame 2 IPI, 37,000 BTU - NG	\$6,002.00
H42FSDLI	42" See Through Fireplace, ProFlame 2 IPI, 37,000 BTU - LP	\$6,002.00

USES 5"X8" MONTIGO VENTING (SEE PAGE 458) OR 5"X8" DURAVENT W/ PURCHASE OF ADAPTER OR POWER VENT COMPATIBLE - TOP VENT ONLY

H42FSD

H42 Fireplace Framing Dimensions (see manual before framing)

(500		
Height	Width	Depth
49 1/2"	45"	24"

H38 Fireplace Framing Dimensions (see manual before framing)

Width

40 3/4"

Depth

23 3/4"

Height

42 1/2"

H42 Optional Accessories

H42SFPSB	Satin Black Surround - 2 required to finish both sides	\$8180.00
H42SFPSS ❖	SS Surround - 2 required to finish both sides	\$1,543.00

MODEL NUMBER	DESCRIPTION	LIST PRICE
H38FSDNI	38" See Through Fireplace, ProFlame 2 IPI, 34,000 BTU - NG	\$4,919.00
H38FSDLI	38" See Through Fireplace,ProFlame 2 IPI, 32,000 BTU - LP	\$4,919.00

USES 5"X8" MONTIGO VENTING (SEE PAGE 458) OR 5"X8" DURAVENT W/ PURCHASE OF ADAPTER OR POWER VENT COMPATIBLE - TOP VENT ONLY.

H38 Optional Accessories

•		
H38SFPSB	Satin Black Decorative Surround - 2 required to finish both sides	\$728.00
H38SFPSS ❖	SS Decorative Surround - 2 required to finish both sides	\$1,453.00

SIT IPI ProFlame 2 System Only Controls

HFK50R	Fan Kit - Requires RX100 or PF2RK	\$441.00
PF2RK	Wireless Remote Control Kit - (on/off, thermostatic control, manual override switch, emergency back-up)	\$405.00
AF40BP	Emergency Battery Back-Up	\$25.00
REC1550	Wall Mounted ProFlame 2 Remote	\$318.00
RX100NG	Wireless Full Function Remote Control Kit - (on/off, thermostatic control, manual override switch, flame modulation, emergency battery back-up) - NG	\$538.00
RX100LP	Wireless Full Function Remote Control Kit - (on/off, thermostatic control, manual override switch, flame modulation, emergency battery back-up) - LP	\$538.00

Must Use Adapter to Vent Unit w/ DuraVent Pipe

58DVA-AD-M1	5" x 8" DuraVent Adapter	\$106.53
-------------	--------------------------	----------

SOME BRANDS ARE ONLY AVAILABLE IN SELECTED AREAS, SEE MAP ON PAGE 4 OR CONTACT YOUR REGIONAL SALES MANAGER FOR MORE INFO.



Exemplar Series - Indoor / Outdoor

Features:

- Indoor-Outdoor Designated Design
- · Tempered Glass Door
- Door Screens
- Outside Glass with Sealing Frame
- Built In Downdraft Power Vent System that Requires No Venting
- Built In Power Vent Control Box
- 7 Bags of Ice Fireglass (HW1157) Included

MODEL NUMBER	DESCRIPTION	LIST PRICE
R324STION	See Through Indoor-Outdoor Fireplace with Linear Burner, Hot Surface Ignition, 50,000 btu - NG	\$10,702.00
R324STIOL ❖	See Through Indoor-Outdoor Fireplace with Linear Burner, Hot Surface Ignition, 50,000 btu - LP	\$10,702.00

R324 Optional Accessories

RR600SS	Designer Speckled Stone	\$989.00
LGRP6N	Driftwood Log Set - NG	\$1,060.00
LGRP6L ❖	Driftwood Log Set - LP	\$832.00
RXM40VAC	Wireless Remote Control Kit - On/Off Only	\$330.00



R324STIO

Fireplace Framing Dimensions (see manual before framing) Height Width Depth 48" 49" See Manual