

Ashland 50

Features:

- · Radiant Heat
- · Outside Air Standard
- Dual Gas Knockouts
- · Steel Grate, Safety Firescreen, Attic Insulation Shield
- 50" x 38" Opening

MODEL NUMBER	DESCRIPTION	LIST PRICE
ASH50	50" Radiant Wood Burning Fireplace	\$4,259.00

USES 14" DURA-VENT DURACHIMNEY II

Must Choose a Brick Panel to Complete Installation.

Brick Panel-Required		
AMMTB50 ❖	Molded Brick Panels - Traditional	\$1,469.00
AMMHB50	Molded Brick Panels - Herringbone	\$1,819.00

Optional Accessories

ID6❖	6" Insulated Flex Duct for Outside Air, 2-42" Sections	\$92.00
UD6❖	6" Uninsulated Flex Duct for Outside Air, 2-42" Sections	\$65.00
AMMTBX	Traditional Brick Refractory Extensions	\$141.00
AMMHBX	Herringbone Brick Refractory Extensions	\$141.00
MMMORTR �	10 lbs Mortor (1 required for traditional, 2 required for herringbone)	\$91.00
DFG4050BK ❖	Glass Bi-Fold Door - Black	\$2,109.00

NOTE: ADVANCED INSTALL PRODUCT TRAINING REQUIRED BEFORE PRODUCT CAN BE ORDERED AND SHIPPED.



ASH50

Fireplace Framing Dimensions

(see man	iuai before	rraming)
Height	Width	Depth
74 1/2"	61 7/8"	28 1/2'



Ashland 42

Features:

- Transition Collar
- Safety Firescreen
- Dual Gas Knockouts
- Outside Air Kit
- Attic Insulation Shield

Brick Panel - Required

• UL Listed

HX4M ❖

DFG4042BK

MODEL NUMBER	DESCRIPTION	LIST PRICE
ASH42	42" Radiant Fireplace	\$3,549.00

USES SL1100 SERIES CHIMNEY (SEE PAGE 305)

of 5

Must Choose a Brick Panel to Complete Installation.

Glass Bi-Fold Door - Black

AMMTB42	Molded Brick Panels - Traditional	\$1,059.00
AMMHB42	Molded Brick Panels - Herringbone	\$1,499.00
Optional Access	ories	
ID6 ❖	6" Insulated Flex Duct for Outside Air - 2-42" Sections	\$92.00
UD6 ❖	6" Uninsulated Flex Duct for Outside Air - 2-42" Sections	\$65.00
AMMTBX	Traditional Brick Refractory Extensions	\$141.00
AMMHBX	Herringbone Brick Refractory Extensions	\$141.00
MMMORTR ❖	10 lbs Mortar (1 required for traditional, 2 required for herringbone)	\$91.00

Hearth Extension for 42" Models (70" x 20" x 1/2") Pack



ASH42

Fireplace Framing Dimensions (see manual before framing) Height Width Depth

53 7/8"

28 1/2"

74 1/2"

\$319.00

\$1,989.00



Ashland 36

Features:

- · Radiant Heat
- · Outside Air Standard
- Dual Gas Knockouts
- · Steel Grate, Safety Firescreen, Attic Insulation Shield

MODEL NUMBER	DESCRIPTION	LIST PRICE
ASH36	36" Radiant Wood Burning Fireplace	\$3,069.00

USES SL1100 SERIES CHIMNEY (SEE PAGE 305)

Must Choose a Brick Panels to Complete Installation.

Brick Panel - Required		
AMMTB36	Molded Brick Panels - Traditional	\$949.00
AMMHB36	Molded Brick Panels - Herringbone	\$1,279.00

Optional Accessories

ID6❖	6" Insualted Flex Duct for Outside Air, 2-42" Sections	\$92.00
UD6❖	6" Uninsulated Flex Duct fro Outside Air, 2-42" Sections	\$65.00
AMMTBX	Traditional Brick Refractory Extensions	\$141.00
AMMHBX	Herringbone Brick Refractory Extensions	\$141.00
HX4M ❖	Hearth Extension for 36" Models (70"x20"x1/2") - pack of 5	\$319.00
DFG4036BK ❖	Glass Bi-Fold Door - Black	\$1,599.00



ASH36

Fireplace Framing Dimensions (see manual before framing) Height Width Depth 74 1/2" 47 7/8" 28 1/2"



Biltmore

Features:

- Powder Coat Finish
- Safety Firescreen
- Dual Gas Knockouts

- Outside Air Kit
- Attic Insulation Kit
- UL Listed

Dual Gas KnockoutSteel Grate	 UL LISTED Uses SL1100 Series Chimney (See page 305) 		
MODEL NUMBER	DESCRIPTION	LIST PRICE	
SB100		•	
SB100HB	50" Radiant Wood Burning Fireplace w/ Herringbone Brick Pattern Liner	\$4,109.00	
SB100	50" Radiant Wood Burning Fireplace w/ Traditional Refractory Brick Pattern Liner	\$4,049.00	
SB100 Optional	Accessories		
DM100	Bi-Fold Glass Doors w/ Black trim	\$1,409.00	
GV100BK ❖	Grand Vista Cabinet Style Mesh Doors - Black	\$1,769.00	
MODEL NUMBER	DESCRIPTION	LIST PRICE	
SB80		•	
SB80HB	42" Radiant Wood Burning Fireplace w/ Herringbone Brick Pattern Liner	\$2,859.00	
SB80	42" Radiant Wood Burning Fireplace w/ Traditional Refractory Brick Pattern Liner	\$2,799.00	
SB80 Optional A	ccessories		
DM8042	Bi-Fold Glass Doors w/ Black trim	\$689.00	
GV80BK ❖	Grand Vista Cabinet Style Mesh Doors - Black	\$1,339.00	
	Grana vista cabinet style iviesii boors black	1 4.7552.55	



SB80HB

Framing Dimensions SB100

(see manual before framing) Height Width Depth 71" 61 5/8" 30 1/2"

SB80

(see manual before framing) Height Width Depth 59 3/4" 51 1/2" 28 1/2"

SB60

(see manual before framing) Height Width Depth 59 3/4" 45 1/2" 28"

Common Optional Accessories

SB60 Optional Accessories

ID4	4" Insulated Flex Duct for Outside Air - 2-42" Sections	\$80.00
UD4	4" Uninsulated Flex Duct for Outside Air - 2-42" Sections	\$52.00

Grand Vista Cabinet Style Mesh Doors - Black

36" Radiant Wood Burning Fireplace w/ Herringbone

36" Radiant Wood Burning Fireplace w/ Traditional

Brick Pattern Liner

Refractory Brick Pattern Liner

Bi-Fold Glass Doors w/ Black trim

SB60

SB60HB

DM6036

GV60BK

SB60

\$2,149.00

\$2,089.00

\$549.00

\$1,179.00



SL1100 Series CF Two-Wall Flue, Termination and Components		
MODEL NUMBER	DESCRIPTION	LIST PRICE
Intermediate Secti	ons	
SL1106	6" Chimney Section	\$98.00
SL1112	12" Chimney Section	\$107.00
SL1118	18" Chimney Section	\$144.00
SL1136	36" Chimney Section	\$208.00
SL1148	48" Chimney Section	\$286.00
CB576	Chimney Support Bracket (package of 3)	\$70.00
Offsetting Elbows		
SL1130	30° Offset and Return Elbow	\$353.00
Firestops		
FS538M	Firestop for Straight-Up Chimney	\$63.00
FS540	Firestop for 30° Offset	\$75.00
SL11 ❖	6" Chimney Stabilizer	\$159.00
Round Contempora	nry Tops	
TR11	Round Louvered Termination Cap w/ Storm Collar	\$259.00
AS10	Attic Insulation Shield, Straight Flue (Firestop not Included)	\$107.00
RF570	0-6/12 Pitch Flashing – Includes Drawband	\$175.00
RF571	6-12/12 Pitch Flashing – Includes Drawband	\$267.00
ST1175	Square Chase Termination Cap - Painted Black	\$405.00
	1	

Square Chase Termination Cap - Stainless Steel

ST1175SS

\$769.00



Sovereign

Features:

- · Traditional Refractory Lining
- Front Access Damper Handle
- Safety Firescreen
- Dual Gas Knockouts
- · Steel Grate

- Powder Coat Finish
- Ash Lip
- · Attic Insulation Shield Standard
- UL Listed
- Uses SL300 Series Chimney (See page 308)

MODEL NUMBER	DESCRIPTION	LIST PRICE
SA42R/SA42C		
SA42C	42" Heat Circulating Fireplace	\$1,919.00
SA42R	42" Radiant Fireplace	\$1,919.00
DM1742	42" Standard Bi-fold Doors Black w/ Black Trim	\$669.00
DM1742S �	42" Standard Bi-fold Doors Black w/ Stainless Steel Trim	\$729.00
GV42BK ❖	42" Grand Vista Cabinet Style Mesh Doors - Black	\$1,249.00
GGD42BK-B ❖	42" Gasketed Glass Door, Cabinet Style, Black (Not for Use on Radiant Units)	\$1,409.00

SA36R/SA36C		
SA36C	36" Heat Circulating Fireplace	\$1,489.00
SA36R	36" Radiant Fireplace	\$1,489.00
DM1736	36" Standard Bi-fold Doors Black w/ Black Trim	\$539.00
DM1736S ❖	36" Standard Bi-fold Doors Black w/ Stainless Steel Trim	\$589.00
GV36BK	36" Grand Vista Cabinet Style Mesh Doors - Black	\$1,089.00
GGD36BK-B ❖	36" Gasketed Glass Door, Cabinet Style, Black (Not for Use on Radiant Units)	\$1,289.00

Optional Accessories

FK23	Fan and Cord (160 CFM) - For Use On Circulating Models Only	\$309.00
AK22	Outside Air Kit Termination (Includes Collar and Cap)	\$66.00
ID4	4" Insulated Flex Duct for Outside Air - 2 - 42" Sections	\$80.00
UD4	4" Uninsulated Flex Duct for Outside Air - 2 - 42" Sections	\$52.00
SCVS	Speed Control Variable Speed	\$119.00



SA36C

Framing Dimensions SA42R/SA42C

(see manual before framing) Height Width Depth 41 1/2" 49" 23"

SA36R/SA36C

(see manual before framing) Height Width Depth 41 1/2" 43" 23"



Royalton

Features:

- · Traditional Refractory Lining
- Front Access Damper Handle
- Safety Screen
- Dual Gas Knockouts
- Steel Grate

- Powder Coat Finish
- Ash Lip
- Attic Insulation Shield Standard
- UL Listed
- Uses SL300 Series Chimney (See page 308)

MODEL NUMBER	DESCRIPTION	LIST PRICE
BE42	42" Radiant Wood Burning Fireplace	\$1,689.00
BE36	36" Radiant Wood Burning Fireplace	\$1,099.00

Optional Accessories

DM1042	42" Standard Bi-Fold Glass Doors with Black Trim	\$629.00
DM1042S �	42" Standard Bi-Fold Glass Doors with Stainless Steel Trim	\$679.00
DM1036	36" Standard Bi-Fold Glass Doors with Black Trim	\$509.00
DM1036S ❖	36" Standard Bi-Fold Glass Doors with Stainless Steel Trim	\$559.00
AK24	Outside Air Kit Termination (Includes Collar and Cap)	\$15.00
ID4	4" Insulated Flex Duct for Outside Air - 2 - 42" Sections	\$80.00
UD4	4" Uninsulated Flex Duct for Outside Air - 2 - 42" Sections	\$52.00



BE42

Framing Dimensions BE42

(see manual before framing) Height Width Depth 39 3/4" 48" 21 1/2"

BE36

(see manual before framing) Height Width Depth 39 3/4" 42" 21 1/2"



SL300 8" x 10" Two-Wall Wood Burning Flue Components		
MODEL NUMBER	DESCRIPTION	LIST PRICE
Chimney Sections		
SL306	6" Chimney Section	\$75.00
SL312	12" Chimney Section	\$92.00
SL318	18" Chimeny Section	\$102.00
SL324	24" Chimney Section	\$124.00
SL336	36" Chimeny Section	\$151.00
SL348	48" Chimney Section	\$181.00
SL3	6" Flue Support Section	\$109.00
Offsetting Elbows		
SL315	15º Elbow - Offset and Return	\$208.00
SL330	30º Elbow - Offset and Return	\$233.00
Firestops		
FS338M	Straight Firestop Spacer	\$37.90
FS340	Firestop for 30° Angular Flue	\$103.00

SL300 8" x 10" Two-Wall Wood Burning Termination and Components

MODEL NUMBER	DESCRIPTION	LIST PRICE
Round Contemporary Tops		
TR344	Round Louvered Termination w/ Storm Collar	\$169.00
ST375	Square Termination Cap, Painted Black	\$391.00
ST375SS	Square Termination Cap, Stainless Steel	\$659.00
RF370M	0-6/12 Pitch Roof Flashing ea.	\$88.80
RF371	6/12 - 12/12 Pitch Roof Flashing	\$249.00
CB876	Chimney Bracket (package of 3)	\$89.00
CAK4A	Chimney Air Kit	\$116.00
AS8	Attic Insulation Shield, Straight Flue (firestop not included)	\$106.00