

Forum Outdoor Linear Fireplace

- 120V, 36W, .05 amp
- Driftwood Logs, Glowing Embers, Clear Crystals
- Four Flame Colors
- Multifunction Remote
- Self-Trimming Front for Slide-In Installation



- Optimized for Outdoors with No Heater
- Accent Lighting
- 14 Ember Bed Colors
- Install Built-In or Slide-In

Model No.	Description	List Price
SF-OD55	55" Forum Outdoor Electric Fireplace	\$2,339.00
SF-OD43	43" Forum Outdoor Electric Fireplace	\$2,039.00
	·	·

Optional Accessories

SF-HDL-BIRCH	ShadowGlo High Definition Natural Birch Log Set	\$299.00
SF-HDL-TIMBER	ShadowGlo High Definition Alpine Timber Log Set	\$299.00
SF-OD55-DP	Drain Pan for SF-OD55	\$169.00
SF-OD43-DP	Drain Pan for SF-OD43	\$169.00



SF-OD55



Castlewood Outdoor Wood Burning Fireplace

- Expansive 38" High Firebox Opening
- Safety Firescreen
- Dual Gas Knockouts
- Stainless Steel Grate

- Outside Air Hoods
- Transition Collar
- 41 7/8"x38" View Area

Model No.	Description	List Price
ODCASTLEWD-42-B	42" Radiant Wood Burning Fireplace	\$3,249.00

Uses 11"x13" Venting - SL1100 Series.

Fireplace Framing Dimensions: 53 7/8"W X 74 1/2"H X 28 3/8"D

Must Choose Firebrick to Complete Installation.

Firebrick - Required

WDRAV-42T	Traditional Stacked Refractory - Antler Velvet	\$1,029.00
WDRAV-42H	Herringbone Refractory - Antler Velvet	\$1,449.00

Optional Accessories

ODGF42BZ-B ❖	Premium Outdoor Glass Bi-Fold Door w/SS Construction	\$2,419.00
ODCASTLEWD-42DP ❖	Drain Pan	\$200.00

SL1100 11"x13" Two-Wall Wood Burning Flue Components

SL1106	6" Chimney Section	\$98.00
SL1112	12" Chimney Section	\$107.00
SL1118	18" Chimney Section	\$144.00
SL1136	36" Chimney Section	\$208.00
SL1148	48" Chimney Section	\$286.00
SL1130	30° Elbow - Offset and Return	\$353.00
FS538M	Firestop for Straight-Up Chimney ea.	\$63.00
FS540	Firestop for 30° Offset	\$75.00
TR11	Round Louvered Termination Cap with Storm Collar	\$259.00
RF570	0-6/12 Pitch Roof Flashing	\$175.00
RF571	6/12-12/12 Pitch Roof Flashing	\$267.00
ST1175	Square Termination Cap-Painted Black	\$405.00



Castlewood





Cottagewood Wood 36 Burning Fireplace

- Tuckaway SS Screens for Open View
- Place Freestanding or Next to an Exterior Wall

Easy Damper Control

Model No.	Description	List Price
ODCTGWD-36H	36" Fireplace with Gray Herringbone Refractory	\$2,949.00
ODCTGWD-36	36" Fireplace with Gray Traditional Refractory	\$2,909.00

Uses 11" x 13" Venting - SL1100 Series See Page 454 Fireplace Framing Dimensions: 45 1/2"W X 59 3/4"H X 28"D

Optional Accessories

DM6036-S	36" SS Bi-Fold Doors	\$489.00
GR37SS ❖	36" SS Grate	\$749.00
ODCTGWD-DP36	36" Drip Pan	\$159.00
ODCTGWD-FSK36	Free Standing Kit - Extended Smoke Shelf for Use When Unit is Installed as a Freestanding Fireplace	\$179.00
ID4	4" Insulated Flex Duct	\$80.00
UD4	4" Uninsulated Flex Duct	\$52.00



ODCTGWD-36

Cottagewood 42 Wood Burning Fireplace

- Tuckaway SS Screens for Open View
- Place Freestanding or Next to an Exterior Wall

 Easy Damper 	Control

Model No.	Description	List Price
ODCTGWD-42H	42" Fireplace with Gray Herringbone Refractory	\$3,049.00
ODCTGWD-42	42" Fireplace with Gray Traditional Refractory	\$2,999.00

Uses 11" x 13" Venting - SL1100 Series See Page 454 Fireplace Framing Dimensions: 51 1/2"W X 59 3/4"H X 28 1/2"D

Optional Accessories

DM8042-S	42" SS Bi-Fold Doors	\$609.00
GR38SS *	42" SS Grate	\$799.00
ODCTGWD-DP42	42" Drip Pan	\$179.00
ODCTGWD-FSK42	Free Standing Kit - Extended Smoke Shelf for Use When Unit is Installed as a Freestanding Fireplace	\$199.00
ID4	4" Insulated Flex Duct	\$80.00
UD4	4" Uninsulated Fles Duct	\$52.00



Villawood Outdoor Wood Burning Fireplace

• Traditional Brick Interior

• Dual Gas Knockouts

Grate

• Outside Air Standard

• Stainless Steel Safety Firescreen

Model No.	Description	List Price
ODVILLA-36T-B	36" Outdoor Fireplace with Traditional Refractory	\$1,439.00
ODVILLA-42T-B	42" Outdoor Fireplace with Traditional Refractory	\$1,439.00

Uses 8"x10" Venting - SL300 Series

36" Fireplace Framing Dimensions: 42"W X 39 3/4"H X 21 1/2"D 42" Fireplace Framing Dimensions: 48"W X 39 3/4"H X 21 1/2"D

Optional Accessories

ODVGF-36 ❖	36" Bi-Fold Glass Doors	\$559.00
ODVGF-42 ❖	42" Bi-Fold Glass Doors	\$689.00

SL300 8"x10" Two-Wall Wood Burning Flue Components and Terminations

SL306	6" Chimney Section	\$75.00
SL312	12" Chimney Section	\$92.00
SL318	18" Chimney Section	\$102.00
SL336	36" Chimney Section	\$151.00
SL348	48" Chimney Section	\$181.00
SL3	6" Flue Support Section	\$109.00
SL315	15° Elbow - Offset and Return	\$208.00
SL330	30° Elbow - Offset and Return	\$233.00
FS338M	Straight Firestop Spacer ea.	\$51.00
FS340	Firestop for 30° Angular Flue	\$103.00
TR344	Round Louvered Termination with Storm Collar	\$169.00
ST375	Square Termination Cap, Painted Black	\$391.00
ST375SS	Square Termination Cap, Stainless Steel	\$659.00
RF370M	0-6/12 Pitch Roof Flashing ea.	\$157.00
RF371	6/12-12/12 Pitch Roof Flashing	\$249.00



Villawood





Courtyard 42 Outdoor Gas Fireplace

- Clean Face and Flush Hearth Design
- Wall Switch with Outdoor Control Box (15')
- Stainless Steel Pull Screens

Model No.	Description	List Price
ODCOUG-42NR	42" Outdoor Fireplace, 55,000 btu - NG	\$2,699.00
ODCOUG-42TS	42" Outdoor Fireplace with Traditional Stacked Concrete Refractory, 55,000 btu - NG	\$3,059.00

Must Choose Grate and Log Set to Complete Installation and Interior Panels for NR Units.

Log Sets and Grate - Required

HDLOGS-ODCOUG	High Definition Log Set, Requires GR-ODCOUG to Complete	\$769.00
SDLOGS-ODCOUG	Standard Definition Log Set, Requires GR-ODCOUG to Complete	\$409.00
GR-ODCOUG	Stainless Steel Grate	\$349.00

Interior Panels - Required for NR Units

ODCOUG-42GHR	Gray Herringbone Refractory Panels	\$569.00
ODCOUG-42GTR *	Gray Traditional Refractory Panels	\$499.00
ODCOUG-42BHR	Brown Herringbone Refractory Panels	\$569.00
ODCOUG-42BTR	Brown Traditional Refractory Panels	\$499.00
ODCOUG-42SSL *	Stainless Steel Liner	\$569.00

Optional Accessories

Framed Mesh Screen	\$689.00
NG to LP Conversion Kit	\$99.00
LP to NG Conversion Kit	\$99.00
Vent Free Pan	\$125.00
Outdoor Drain Pan	\$115.00
Outdoor Drain Pan for Flat/Level Installations	\$115.00
Wired Wall Timer	\$115.00
	NG to LP Conversion Kit LP to NG Conversion Kit Vent Free Pan Outdoor Drain Pan Outdoor Drain Pan for Flat/Level Installations



ODCOUG-42NR

Fireplace Framing Dimensions

(see manual before framing) Height Width Depth 48 1/2" 34 1/4" 20 1/4"





Courtyard 36 Outdoor Gas Fireplace

- Clean Face and Flush Hearth Design
- Wall Switch with Outdoor Control Box (15')
- Stainless Steel Pull Screens

Model No.	Description	List Price
ODCOUG-36NR	36" Outdoor Fireplace, 55,000 btu - NG	\$2,399.00
ODCOUG-36TS	36" Outdoor Fireplace with Traditional Stacked Concrete Refractory, 55,000 btu - NG	\$2,759.00

Must Choose Grate and Log Set to Complete Installation and Interior Panels for NR Units.

Log Sets and Grate - Required

HDLOGS-ODCOUG	High Definition Log Set, Requires GR-ODCOUG to Complete	\$769.00
SDLOGS-ODCOUG	Standard Definition Log Set, Requires GR-ODCOUG to Complete	\$409.00
GR-ODCOUG	Stainless Steel Grate	\$349.00

Interior Panels - Required for NR Units

ODCOUG-36GHR	Gray Herringbone Refractory Panels	\$539.00
ODCOUG-36GTR *	Gray Traditional Refractory Panels	\$469.00
ODCOUG-36BHR	Brown Herringbone Refractory Panels	\$539.00
ODCOUG-36BTR	Brown Traditional Refractory Panels	\$469.00
ODCOUG-36SSL *	Stainless Steel Liner	\$449.00

Optional Accessories

ODCOUG-36SCN	Framed Mesh Screen	\$589.00
ODCOUG-LPK	NG to LP Conversion Kit	\$99.00
ODCOUG-NGK *	LP to NG COnversion Kit	\$99.00
ODCOUG-VFP	Vent Free Pan	\$125.00
ODGSDP-36	Outdoor Drain Pan	\$100.00
ODGSDPFLT-36 ❖	Outdoor Drain Pan for Flat/Level Installations	\$100.00
WWT *	Wired Wall Timer	\$115.00



ODCOUG-36TS

Fireplace Framing Dimensions

(see manual before framing) Height Width Depth 42 1/2" 34 1/4" 20 1/4"





Vesper Outdoor Gas Fireplace

- Brick-to-Brick Opening for True Masonry Appearance
- Stainless Steel Mesh Screen

- Interior Panels in Traditional or Herringbone Brick
- Options to Convert to Vent-Free for Enclosed Applications

Model No.	Description	List Price
Outdoor Gas F	-ireplace	
VOFB42-H	42" Firebox with Herringbone Refractory	\$1,733.00
VOFB42-T	42" Firebox with Traditional Stacked Refractory	\$1,728.00
VOFB36-H	36" Firebox with Herringbone Refractory	\$1,233.00
VOFB36-T	36" Firebox with Traditional Stacked Refractory	\$1,203.00
Fireplace Framing Dimensions: 42" - 34 1/4"W X 48 1/2"H X 19 3/4"D		

Fireplace Framing Dimensions: 36" - 34 1/4"W X 42 1/2"H X 19 3/4"D

Must Choose Burner and Log Set to Complete Installation

Burner - Required

LUM-OD-NM	Lumonessen Outdoor Burner, Manual Ignition - NG	\$699.00
HBK42R	Lumonessen Outdoor Burner, Manual Ignition - LP	\$699.00
HBK42H	Herringbone Brick Liner - Brown	\$495.00

Log Set - Required

MZMRSP-30	30" Mezmer Split Log Set	\$218.00
MZMR-30	30" Mezmer Log Set	\$218.00
MTNOK-30	30" Mountain Oak Log Set	\$239.00
MZMRSP-24	24" Mezmer Split Log Set	\$198.00
MZMR-24	24" Mezmer Log Set	\$198.00
MTNOK-24	24" Mountain Oak Log Set	\$209.00

Optional Accessories

VOFBSD-42	42" SS Operable Mesh Doors	\$1,189.00
ODGSDP-42	42" Outdoor Drain Pan	\$115.00
ODGSDPFLT-42 ❖	42" Outdoor Drain Pan for Flat/Level Installations	\$115.00
VOFBSD-36	36" SS Operable Mesh Doors	\$1,069.00
ODGSDP-36	36" Outdoor Drain Pan	\$100.00
ODGSDPFLT-36 �	36" Outdoor Drain Pan for Flat/Level Installations	\$100.00

VOFB42



Lanai 60 Ventless Outdoor Gas Fireplace

• Multicolored LED Lights

- Crystal Glass Media
- Wall Control with with 15' of Wire and Junction Box
- Glass Wind Guard

Model No.	Description	List Price	
ODLANAIG-60	Outdoor Linear Fireplace with IntelliFire™ Plus Ignition System, 60,000 btu - NG	\$4,469.00	
LPK-ODLANAIG60	NG to LP Conversion Kit	\$149.00	
ODLANAIG-60 Optional Accessories			
ODLANAIG-60SCN	Framed Screen Barrier	\$459.00	
ODLANAIG-60CFT	Clean Face Trim Kit	\$279.00	
ODLANAIG-60DP	Drain Pan - adds 3" to framing height	\$229.00	



ODLANAIG-60

Lanai 48 Ventless Outdoor Gas Fireplace

• Multicolored LED Lights

- Crystal Glass Media
- Wall Control with with 15' of Wire and Junction Box
- Glass Wind Guard

Model No.	Description	List Price	
ODLANAIG-48	Outdoor Linear Fireplace with IntelliFire Plus Ignition, 55,000 btu - NG	\$4,149.00	
ODLANAIGST-48	See-Through Outdoor Linear Firpelace with Intellifire Plus Ignition, 55,000 btu - NG	\$4,679.00	
LPK-ODLANAIG48	NG to LP Conversion Kit	\$129.00	
ODLANAIG-48 Optional Accessories			
ODLANAIG-48SCN	Framed Screen Barrier	\$389.00	
ODLANAIG-48CFT	Clean Face Trim Kit	\$259.00	
ODLANAIG-48DP	Drain Pan - adds 3" to framing height	\$209.00	

ODLANAIG-60/48 Optional Accessories

CDLS	Driftwood Log Set	\$559.00
MEDIA-CLEAR-48 ❖	Crystal (transulcent white) Glass Media	\$249.00
MEDIA-RED-48 ❖	Scarlet (red) Glass Media	\$359.00
MEDIA-EBONY-48	Ebony (black) Glass Media	\$359.00
MEDIA-COBALT-48	Cobalt (blue) Glass Media	\$359.00
MEDIA-AMBER-48	Amber Glass Media	\$359.00
STONEKIT	Stone Kit	\$142.00