

Gas Fireplaces – Direct Vent Linear



Echelon II 72

MODEL NUMBER	DESCRIPTION	LIST PRICE
ECHEL72IN-C	72" Fireplace, 58,000 btu - NG	\$10,389.00
LPKECHEL72	NG to LP Conversion Kit	\$99.00

USES 5" X 8" DVP VENTING (SEE PAGE 452) - TOP VENT ONLY

Must Choose a Front to Complete Installation.

Fronts - Non-Operable - Required

CFT-72-BK-C	Clean Face Trim - Black	\$809.00
CFT-72-BZ-C ❖	Clean Face Trim - Bronze	\$869.00
CFT-72-PT-C ❖	Clean Face Trim - Pewter	\$869.00

Optional Accessories

BGK-72	Reflective Black Ceramic Glass Liner Kit	\$959.00
LOGS-DRTWOOD-72	Driftwood Log Set	\$739.00
IFT-RC150	IntelliFire Touch White Wireless Wall Switch (on/off, cold climate, battery strength indicator)	\$116.00
IFT-RC400	IntelliFire Touch Black Remote Control, Docking Station and Auxiliary Control Module.	\$379.00
IFT-WFM	IntelliFire Wi-Fi Module that Works with the IntelliFire ios and Android App. A RC400 or RC150 is Required for Thermostat Control.	\$219.00

Heat Management

PH-FRT	Passive Heat Kit for Front or Top Discharge	\$159.00
PHTRIM-72C	Vent Trim for Front Discharge Passive Heat	\$229.00
PH-SIDE	Passive Heat Kit for Side Discharge (Includes 2 Side Registers)	\$229.00
PHTRIM-MCE-72 ❖	Ducted Vent Trim for Front Discharge Using Ducted Passive Heat (PHFR-MCE-72)	\$269.00
PHFR-MCE-72 ❖	Ducted Passive Heat for Front Discharge (requires PHTRIM-MCE-72)	\$769.00
HEAT-OUT-GAS	Heat Out Kit (Includes Termination Cap, 25' of 6" Round Duct, Fireplace Adapter, Damper, Wall Switch and 350 cfm Fan at Termination)	\$1,489.00
HEAT-ZONE-GAS	Heat-Zone Kit (Includes: Fan, 20' Of 6" Round Duct, Vent, Wall Adapter and On/Off Control)	\$549.00
HZLIN-ADP	Heat Zone Adapter, Must Order for Using HEAT-ZONE-Gas	\$159.00

Media

GLASS-BZ	Bronze Glass (Comes Standard w/ Unit) (3 lbs.)	\$71.00
GLASS-SP	Sapphire Glass (3 lbs.)	\$71.00
GLASS-OY	Onyx Glass (3 lbs.)	\$71.00
GLASS-DM	Diamond Glass (3 lbs.)	\$71.00
STONES-NATURAL	Natural Stones	\$108.00

Note: If changing media, follow the required number of bags below:

Glass media - 7 bags of glass, Natural Stones - 4 bags of stones, Log Set & Stones - 1 bag of stone.

SOME BRANDS ARE ONLY AVAILABLE IN SELECTED AREAS, SEE MAP ON PAGE 4 OR CONTACT YOUR REGIONAL SALES MANAGER FOR MORE INFO.

Pricing, model numbers and availability are subject to change without notice. Call for most current information.

❖ – Non Stock Special Order - NO RETURNS or CANCELLATIONS

RMI Ph: 800-628-5044

raymurray.com



ECHEL72IN

Fireplace Framing Dimensions
(see manual before framing)

Height	Width	Depth
48"	84 1/4"	18 1/4"

Features:

- Clear LED Lights
- IntelliFire Touch Ignition System
- Optional Passive Heat
- RC400 Remote Control
- Battery Backup
- Ceramic Glass
- Standard w/ Bronze Glass Media



Echelon II 60

MODEL NUMBER	DESCRIPTION	LIST PRICE
ECHEL60IN-C	60" Fireplace, 50,000 btu - NG	\$7,909.00
LPKECHEL60	NG to LP Conversion Kit	\$99.00

USES 5" X 8" DVP VENTING (SEE PAGE 452) - TOP VENT ONLY

Must Choose a Front to Complete Installation.

Fronts - Non-Operable - Required

CFT-60-BK-C	Clean Face Trim - Black	\$759.00
CFT-60-BZ-C ❖	Clean Face Trim - Bronze	\$799.00
CFT-60-PT-C	Clean Face Trim - Pewter	\$799.00
PFF-60-CH-C ❖	Picture Frame Front - Charcoal	\$939.00

Optional Accessories

BGK-60	Reflective Black Ceramic Glass Liner Kit	\$809.00
LOGS-DRTWOOD-60	Driftwood Log Set	\$619.00
IFT-RC150	IntelliFire Touch White Wireless Wall Switch (on/off, cold climate, battery strength indicator)	\$116.00
IFT-RC400	IntelliFire Touch Black Remote Control, Docking Station and Auxiliary Control Module.	\$379.00
IFT-WFM	IntelliFire Wi-Fi Module that works with the Intellifire IOS and Android App. An RC400 or RC500 is required for thermostat control.	\$219.00

Heat Management

PH-FRT	Passive Heat Kit for Front or Top Discharge	\$159.00
PHTRIM-60C	Vent Trim for Front Discharge Passive Heat	\$229.00
PH-SIDE	Passive Heat Kit for Side Discharge (Includes 2 Side Registers)	\$229.00
PHFR-MCE-60 ❖	Ducted Passive Heat Kit for Front Discharge (requires PHTRIM-PRIMO-60 front trim)	\$719.00
PHTRIM-MCE-60 ❖	Vent Trim for Front Register Passive Heat	\$249.00
HEAT-OUT-GAS	Heat Out Kit (Includes Termination Cap, 25' of 6" Round Duct, Fireplace Adapter, Damper, Wall Switch and 350 cfm Fan at Termination)	\$1,489.00
HEAT-ZONE-GAS	Heat-Zone Kit (Includes: Fan, 20' Of 6" Round Duct, Vent, Wall Adapter and On/Off Control)	\$549.00
HZLIN-ADP	Heat Zone Adapter, Must Order for Using HEAT-ZONE-Gas	\$159.00

Media

GLASS-BZ	Bronze Glass (Comes Standard w/ Unit) (3 lbs.)	\$71.00
GLASS-SP	Sapphire Glass (3 lbs.)	\$71.00
GLASS-OY	Onyx Glass (3 lbs.)	\$71.00
GLASS-DM	Diamond Glass (3 lbs.)	\$71.00
STONES-NATURAL	Natural Stones	\$108.00

Note: If changing media, follow the required number of bags below:

Glass media - 6 bags of glass, Natural Stones - 3 bags of stones, Log Set & Stones - 1 bag of stone.



ECHEL60IN

Fireplace Framing Dimensions
(see manual before framing)

Height	Width	Depth
48"	72 1/4"	18 1/4"

Features:

- Clear LED Lights
- IntelliFire Touch Ignition System
- Optional Passive Heat
- RC400 Remote Control
- Battery Backup
- Ceramic Glass
- Standard w/ Bronze Glass Media

SOME BRANDS ARE ONLY AVAILABLE IN SELECTED AREAS, SEE MAP ON PAGE 4 OR CONTACT YOUR REGIONAL SALES MANAGER FOR MORE INFO.

Pricing, model numbers and availability are subject to change without notice. Call for most current information.

Gas Fireplaces – Direct Vent Linear



Echelon II 48

MODEL NUMBER	DESCRIPTION	LIST PRICE
ECHEL48IN-C	48" Fireplace, 40,000 btu - NG	\$5,599.00
LPKECHEL48	NG to LP Conversion Kit	\$99.00

**USES 5" X 8" DVP VENTING (SEE PAGE 452) - TOP VENT ONLY
FIREPLACE FRAMING DIMENSIONS - 60 1/4" W X 42" H X 18 1/4" D**

Must Choose a Front to Complete Installation.

Fronts - Non-Operable - Required

CFT-48-BK-C	Clean Face Trim - Black	\$449.00
CFT-48-BZ-C ❖	Clean Face Trim - Bronze	\$489.00
CFT-48-PT-C ❖	Clean Face Trim - Pewter	\$489.00
PFF-48-CH-C	Picture Frame Front - Charcoal	\$819.00

Optional Accessories

BGK-48	Reflective Black Ceramic Glass Liner Kit	\$759.00
LOGS-DRTWOOD-48	Driftwood Log Set	\$499.00
IFT-RC150	IntelliFire Touch White Wireless Wall Switch (on/off, cold climate, battery strength indicator)	\$116.00
IFT-RC400	IntelliFire Touch Black Remote Control, Docking Station and Auxiliary Control Module.	\$379.00
IFT-WFM	IntelliFire Wi-Fi Module that works with the Intellifire IOS and Android App. An RC400 or RC500 is required for thermostat control.	\$219.00

Heat Management

PH-FRT	Passive Heat Kit for Front or Top Discharge	\$159.00
PHTRIM-48C	Vent Trim for Front Discharge Passive Heat	\$209.00
PH-SIDE	Passive Heat Kit for Side Discharge (Includes 2 Side Registers)	\$229.00
PHSI-MCE ❖	Ducted Passive Heat Kit for Side Discharge (includes duct and 2 side registers)	\$539.00
PHFR-MCE-48 ❖	Ducted Passive Heat Kit for Front Discharge (requires PHTRIM-PRIMO-48 front trim)	\$649.00
PHTRIM-MCE-48 ❖	Vent Trim for Front Register Passive Heat	\$249.00
HEAT-OUT-GAS	Heat Out Kit (Includes Termination Cap, 25' of 6" Round Duct, Fireplace Adapter, Damper, Wall Switch and 350 cfm Fan at Termination)	\$1,489.00
HEAT-ZONE-GAS	Heat-Zone Kit (Includes: Fan, 20' Of 6" Round Duct, Vent, Wall Adapter and On/Off Control)	\$549.00
HZLIN-ADP	Heat Zone Adapter, Must Order for Using HEAT-ZONE-Gas	\$159.00

Media

GLASS-BZ	Bronze Glass (Comes Standard w/ Unit) (3 lbs.)	\$71.00
GLASS-SP	Sapphire Glass (3 lbs.)	\$71.00
GLASS-OY	Onyx Glass (3 lbs.)	\$71.00
GLASS-DM	Diamond Glass (3 lbs.)	\$71.00
STONES-NATURAL	Natural Stones	\$108.00

Note: If changing media, follow the required number of bags below:

Glass media - 4 bags of glass, Natural Stones - 3 bags of stones, Log Set & Stones - 1 bag of stone.

SOME BRANDS ARE ONLY AVAILABLE IN SELECTED AREAS, SEE MAP ON PAGE 4 OR CONTACT YOUR REGIONAL SALES MANAGER FOR MORE INFO.

Pricing, model numbers and availability are subject to change without notice. Call for most current information.

❖ – Non Stock Special Order - NO RETURNS or CANCELLATIONS

RMI Ph: 800-628-5044

raymurray.com



ECHEL48IN

Fireplace Framing Dimensions

(see manual before framing)

Height	Width	Depth
42"	60 1/4"	18 1/4"

Features:

- Clear LED Lights
- IntelliFire Touch Ignition System
- Optional Passive Heat
- RC400 Remote Control
- Battery Backup
- Ceramic Glass
- Standard w/ Bronze Glass Media

Gas Fireplaces – Direct Vent Linear



Echelon II 36

MODEL NUMBER	DESCRIPTION	LIST PRICE
ECHEL36IN-C	36" Fireplace, 30,000 btu - NG	\$4,439.00
LPKECHEL36	NG to LP Conversion Kit	\$99.00

USES 5" X 8" DVP VENTING (SEE PAGE 452) - TOP VENT ONLY

Must Choose a Front to Complete Installation.

Fronts - Non-Operable - Required

CFT-36-BK-C	Clean Face Trim - Black	\$419.00
CFT-36-BZ-C ❖	Clean Face Trim - Bronze	\$469.00
CFT-36-PT-C ❖	Clean Face Trim - Pewter	\$469.00
PFF-36-CH-C ❖	Picture Frame Front - Charcoal	\$719.00

Optional Accessories

BGK-36	Reflective Black Ceramic Glass Liner Kit	\$629.00
LOGS-DRTWOOD-36	Driftwood Log Set	\$379.00
IFT-RC150	IntelliFire Touch White Wireless Wall Switch (on/off, cold climate, battery strength indicator)	\$116.00
IFT-RC400	IntelliFire Touch Black Remote Control, Docking Station and Auxiliary Control Module.	\$379.00
IFT-WFM	IntelliFire Wi-Fi Module that works with the Intellifire IOS and Android App. An RC400 or RC500 is required for thermostat control.	\$219.00

Heat Management

PH-FRT	Passive Heat Kit for Front or Top Discharge	\$159.00
PHTRIM-36C	Vent Trim for Front Discharge Passive Heat	\$209.00
PH-SIDE	Passive Heat Kit for Side Discharge (Includes 2 Side Registers)	\$229.00
PHTRIM-MCE-36 ❖	Ducted Vent Trim for Front Discharge Using Ducted Passive Heat (PHFR-MCE-36)	\$229.00
PHSI-MCE ❖	Ducted Passive Heat for Side Discharge (includes duct and 2 side registers)	\$539.00
PHFR-MCE-36 ❖	Ducted Passive Heat Kit for Front Discharge (requires PHTRIM-MCE-36 front trim)	\$599.00
HEAT-OUT-GAS	Heat Out Kit (Includes Termination Cap, 25' of 6" Round Duct, Fireplace Adapter, Damper, Wall Switch and 350 cfm Fan at Termination)	\$1,489.00
HEAT-ZONE-GAS	Heat-Zone Kit (Includes: Fan, 20' Of 6" Round Duct, Vent, Wall Adapter and On/Off Control)	\$549.00
HZLIN-ADP	Heat Zone Adapter, Must Order for Using HEAT-ZONE-Gas	\$189.00

Media

GLASS-BZ	Bronze Glass (Comes Standard w/ Unit) (3 lbs.)	\$71.00
GLASS-SP	Sapphire Glass (3 lbs.)	\$71.00
GLASS-OY	Onyx Glass (3 lbs.)	\$71.00
GLASS-DM	Diamond Glass (3 lbs.)	\$71.00
STONES-NATURAL	Natural Stones	\$106.00

Note: If changing media, follow the required number of bags below:

Glass media - 3 bags of glass, Natural Stones - 2 bags of stones, Log Set & Stones - 1 bag of stone.



ECHEL36IN

Fireplace Framing Dimensions
(see manual before framing)

Height	Width	Depth
42"	48 1/4"	18 1/4"

Features:

- Clear LED Lights
- IntelliFire Touch Ignition System
- Optional Passive Heat
- RC400 Remote Control
- Battery Backup
- Ceramic Glass
- Standard w/ Bronze Glass Media

SOME BRANDS ARE ONLY AVAILABLE IN SELECTED AREAS, SEE MAP ON PAGE 4 OR CONTACT YOUR REGIONAL SALES MANAGER FOR MORE INFO.

Pricing, model numbers and availability are subject to change without notice. Call for most current information.



Jade 42

Features:

- IntelliFire Touch Ignition System
- Bronze Glass Media
- Tempered Glass

NOTE: If installing a Passive Heat kit you cannot use a fan.

NOTE: If installing a SmartWall kit you cannot use a power vent or fan.

NOTE: If ordering lights, fan or SmartWall kit, must order IFT-RC400.

MODEL NUMBER	DESCRIPTION	LIST PRICE
JADE42IN-B	42" Fireplace, 25,250 btu - NG	\$3,179.00
JADE42IL-B	42" Fireplace, 25,500 btu - NG	\$3,179.00

USES 4" X 6 5/8" SLP VENTING (SEE PAGE 451) - TOP VENT ONLY

Must Choose a Front to Complete Installation.

Fronts - Non-Operable - Required

CFTF-42-BK	Clean Face Trim - Black	\$449.00
CFTF-42-BZ ❖	Clean Face Trim - Bronze	\$489.00
CFTF-42-PT ❖	Clean Face Trim - Pewter	\$489.00
PFF-42-CH ❖	Picture Frame Front - Charcoal	\$739.00

Optional Accessories

GFK-160A	Fan Kit 160 CFM (includes rheostat and temperature sensor)	\$319.00
DRTWOOD-JADE	Driftwood Log Set	\$459.00
GLASS-42LINEAR	Fade-Resistant Reflective Black Glass Interior Panels	\$579.00
LED-LINEAR	LED Accent Lights	\$359.00

Media

GLASS-BZ	Bronze Glass (Comes Standard w/ Unit) (3 lbs.)	\$71.00
GLASS-SP	Sapphire Glass (3 lbs.)	\$71.00
GLASS-OY	Onyx Glass (3 lbs.)	\$71.00
GLASS-DM	Diamond Glass (3 lbs.)	\$71.00
STONES-NATURAL	Natural Stones	\$108.00

**NOTE: IF CHANGING MEDIA, FOLLOW THE REQUIRED NUMBER OF BAGS BELOW:
GLASS MEDIA - 3 BAGS OF GLASS, NATURAL STONES - 6 BAGS OF STONES, LOG SET & STONES - 1 BAG OF STONES.**



JADE42

Fireplace Framing Dimensions (see manual before framing)

Height	Width	Depth
32 3/4"	49"	17 3/4"

Continued on next page



Jade 42 - Cont.

MODEL NUMBER	DESCRIPTION	LIST PRICE
Heat Management		
PH-SIDETRIM ❖	Passive Heat Kit for Side Discharge (includes 2 side registers)	\$105.00
PH-LINEAR	Starting Collars for Non-Ducted Passive Heat (required when using passive heat)	\$179.00
PH-FRTRIM-42	Passive Heat Vent Trim Kit for Front Discharge, 42"	\$189.00
HEAT-OUT-GAS	Heat Out Kit (includes termination cap, 25' of 6" round duct, fireplace adapter, damper, wall switch and 350CFM fan at termination)	\$1,489.00
HEAT-ZONE GAS	Heat-Zone Kit (includes fan, 20' of 6" round duct, vent, wall adapter and on/off control)	\$549.00
Controls		
BATTERY-WSK	Battery Backup Wall Switch Kit for Units with IFT Control Systems. Includes - On/Off Wall Switch, USB-C Port, Battery Backup, Cover Plate, 12' Wire Harness	\$179.00
IFT-WFM	IntelliFire Wi-Fi Module that works with the Intellifire IOS and Android App. Use to control all the features of your fireplace via a smart device. An RC400 or RC500 is required for thermostat control.	\$219.00
IFT-ACM	IntelliFire Touch Aux Module. Must Order if Adding Fan, Lights or Power Vent and Want to Use the IFT-WFM. Do Not Need to Order if Using IFT-RC400 (includes IFT-ACM)	\$96.00
IFT-RC150	IntelliFire Touch White Wireless Wall Switch (on/off, cold climate, battery strength indicator)	\$116.00
IFT-RC400	IntelliFire Touch Black Remote Control, Docking Station and Auxiliary Control Module (on/off, flame height, thermostat mode, fan control, child lock, cold climate, timer mode, hot indicator, lights, on-screen maintenance and troubleshooting notifications)	\$379.00
LED-SWITCH	3 Toggle Wall Switch for Multi-Color Selection	\$132.00

SOME BRANDS ARE ONLY AVAILABLE IN SELECTED AREAS, SEE MAP ON PAGE 4 OR CONTACT YOUR REGIONAL SALES MANAGER FOR MORE INFO.

Pricing, model numbers and availability are subject to change without notice. Call for most current information.



Jade 32

Features:

- IntelliFire Touch Ignition System
- Bronze Glass Media
- Tempered Glass

NOTE: If installing a Passive Heat kit you cannot use a fan.

NOTE: If installing a SmartWall kit you cannot use a power vent or fan

NOTE: If ordering lights, fan or SmartWall kit, must order IFT-RC400

MODEL NUMBER	DESCRIPTION	LIST PRICE
JADE32IN-B	32" Fireplace, 19,000 btu - NG	\$2,579.00
LPK-32LINEAR	LP Conversion Kit	\$99.00

USES 4" X 6 5/8" SLP VENTING (SEE PAGE 451) - TOP VENT ONLY

Must Choose a Front to Complete Installation.

Fronts - Non-Operable - Required

CFTF-32-BK	Clean Face Trim - Black	\$419.00
PFF-32-CH	Picture Frame Front - Charcoal	\$719.00

Optional Accessories

GFK-160A	Fan Kit 160 CFM (includes rheostat and temperature sensor)	\$319.00
DRTWOOD-JADE	Driftwood Log Set	\$459.00
GLASS-32LINEAR	Fade-Resistant Reflective Black Glass Interior Panels	\$539.00
LED-LINEAR	LED Accent Lights	\$359.00

Media

GLASS-BZ	Bronze Glass (Comes Standard w/ Unit) (3 lbs.)	\$71.00
GLASS-SP	Sapphire Glass (3 lbs.)	\$71.00
GLASS-OY	Onyx Glass (3 lbs.)	\$71.00
GLASS-DM	Diamond Glass (3 lbs.)	\$71.00
STONES-NATURAL	Natural Stones	\$108.00

**NOTE: IF CHANGING MEDIA, FOLLOW THE REQUIRED NUMBER OF BAGS BELOW:
GLASS MEDIA - 2 BAGS OF GLASS, NATURAL STONES - 4 BAGS OF STONES, LOG SET &
STONES - 1/2 BAG OF STONES.**



JADE32

Fireplace Framing Dimensions
(see manual before framing)

Height	Width	Depth
36 1/2"	37"	17 3/4"

Continued on next page



Jade 32 - Cont.

MODEL NUMBER	DESCRIPTION	LIST PRICE
Heat Management		
PH-SIDETRIM ❖	Passive Heat Kit for Side Discharge (includes 2 side registers)	\$105.00
PH-FRTRIM-32	Passive Heat Vent Trim Kit for Front Discharge, 32"	\$142.00
PH-LINEAR	Starting Collars for Non-Ducted Passive Heat (required when using passive heat)	\$179.00
HEAT-OUT-GAS	Heat Out Kit (includes termination cap, 25' of 6" round duct, fireplace adapter, damper, wall switch and 350CFM fan at termination)	\$1,489.00
HEAT-ZONE GAS	Heat-Zone Kit (includes fan, 20' of 6" round duct, vent, wall adapter and on/off control)	\$549.00
Controls		
BATTERY-WSK	Battery Backup Wall Switch Kit for Units with IFT Control Systems. Includes - On/Off Wall Switch, USB-C Port, Battery Backup, Cover Plate, 12' Wire Harness	\$179.00
IFT-WFM	IntelliFire Wi-Fi Module that works with the IntelliFire IOS and Android App. Use to control all the features of your fireplace via a smart device. An RC400 or RC500 is required for thermostat control.	\$219.00
IFT-ACM	IntelliFire Touch Aux Module. Must Order if Adding Fan, Lights or Power Vent and Want to Use the IFT-WFM. Do Not Need to Order if Using IFT-RC400 (includes IFT-ACM)	\$96.00
IFT-RC150	IntelliFire Touch White Wireless Wall Switch (on/off, cold climate, battery strength indicator)	\$116.00
IFT-RC400	IntelliFire Touch Black Remote Control, Docking Station and Auxiliary Control Module (on/off, flame height, thermostat mode, fan control, child lock, cold climate, timer mode, hot indicator, lights, on-screen maintenance and troubleshooting notifications)	\$379.00
LED-SWITCH	3 Toggle Wall Switch for Multi-Color Selection	\$132.00

SOME BRANDS ARE ONLY AVAILABLE IN SELECTED AREAS, SEE MAP ON PAGE 4 OR CONTACT YOUR REGIONAL SALES MANAGER FOR MORE INFO.

Pricing, model numbers and availability are subject to change without notice. Call for most current information.



DV Linear 36

Features:

- IntelliFire Touch Ignition System
- Onxy Media
- Tempered Glass
- Black Firescreen
- Battery Backup

MODEL NUMBER	DESCRIPTION	LIST PRICE
DVLINEAR36	36" Fireplace, 16,500 btu - NG	\$2,219.00
LPK-DVLIN36	NG to LP Conversion Kit	\$99.00

USES 4" X 6 5/8" SLP VENTING (SEE PAGE 451) - TOP VENT ONLY

Optional Accessories

RCT-MLT-MAJ	IP Remote Control (on/off, fan speed, flame control, temperature readout, thermostat mode, timer mode)	\$399.00
SMART-STAT-MAJ	Remote Control - IPI or SP (on/off, temperature readout, thermostat mode, timer mode)	\$289.00
PH-SIDETRIM ❖	Passive Heat for Side Discharge (includes 2 side registers) (starting collars sold separately)	\$105.00
PH-FRTRIM-36	Passive Heat Vent Trim Kit for Front Discharge (36") (starting collars sold separately)	\$179.00
PH-LINEAR	Starting Collars for Non-Ducted Passive Heat (required when using passive heat - for use with front, side, top discharges)	\$179.00



DVLINEAR36

Fireplace Framing Dimensions

(see manual before framing)

Height	Width	Depth
32 3/4"	42"	17 3/4"

SOME BRANDS ARE ONLY AVAILABLE IN SELECTED AREAS, SEE MAP ON PAGE 4 OR CONTACT YOUR REGIONAL SALES MANAGER FOR MORE INFO.

Pricing, model numbers and availability are subject to change without notice. Call for most current information.

❖ – Non Stock Special Order - NO RETURNS or CANCELLATIONS

RMI Ph: 800-628-5044

raymurray.com