

Prodigy Series

Features:

- Frameless and Postless Window Design
- COOL-Pack Glass
- Roof, Wall or In-Line Power Vent
- Available in See-Through, Corner and Bay Configurations
- Standard LED Uplighting
- Standard Intake Dampers
- 50' of Control Cables (EC1179-50) and Damper Cables (EC1178-50)
- 25' of Wall Switch Wire (EC1019-25)
- Control Box



PC620

MODEL NUMBER	DESCRIPTION	LIST PRICE
PC820NR	8' x 20" Single Sided Fireplace, Roof Top Power Vent - NG	\$37,325.00
PC820NW	8' x 20" Single Sided Fireplace, Wall Mount Power Vent - NG	\$37,325.00
PC620NR	6' x 20" Single Sided Fireplace, Roof Top Power Vent - NG	\$26,616.00
PC620NW	6' x 20" Single Sided Fireplace, Wall Mount Power Vent - NG	\$26,616.00
PC620NI	6' x 20" Single Sided Fireplace, In Line Power Vent - NG	\$26,616.00
PC520NR	5' x 20" Single Sided Fireplace, Roof Top Power Vent - NG	\$21,749.00
PC520NW	5' x 20" Single Sided Fireplace, Wall Mount Power Vent - NG	\$21,749.00
PC520NI	5' x 20" Single Sided Fireplace, In Line Power Vent - NG	\$21,749.00
PC420NR	4' x 20" Single Sided Fireplace, Roof Top Power Vent - NG	\$17,481.00

Prodigy Fireplaces are available to order in multiple configurations (see through, corner, bay), glass height and glass width.

Combustion Air Intake Boxes

PCCALVB-12 ❖	12" Combustion Air Vent Box with Louver	\$1,628.00
PCCALVB-10	10" Combustion Air Vent Box with Louver	\$1,397.00
PCCALVB-08	8" Combustion Air Vent Box with Louver	\$1,102.00

Flue Gas Dampers

EC1495 ❖	12" Flue Gas Damper	\$862.00
EC1494	10" Flue Gas Damper	\$738.00
EC1489 ❖	8" Flue Gas Damper	\$626.00
EC1178-50	Damper Cable for Flue Gas Dampers	\$121.00

NOTE: RECOMMENDED TO USE IN COLD CLIMATES.

SOME BRANDS ARE ONLY AVAILABLE IN SELECTED AREAS, SEE MAP ON PAGE 4 OR CONTACT YOUR REGIONAL SALES MANAGER FOR MORE INFO.

Pricing, model numbers and availability are subject to change without notice. Call for most current information.

Distinction Series - D7215

Features:

- Ceramic Glass Door
- Power Vent Compatible
- Turn Down Gas Valve with Stepper Motor
- Full Feature Proflame 2 Remote Control
- Ceramic Glass Reflective Liner, Multi-Color LED Lighting and Star Ice Fireglass
- Quiet Circulating Fans with Remote Speed Adjustment
- Invisimesh Screen

MODEL NUMBER	DESCRIPTION	LIST PRICE
D7215NI-2	72" Fully Loaded Fireplace, IPI, 57,000 btu - NG	\$13,142.00
GCA013	NG to LP Conversion Kit	\$142.00

USES 5"X 8" MONTIGO VENTING (SEE PAGE 458) OR 5"X8" DURAVENT W/ PURCHASE OF ADAPTER OR POWER VENT COMPATIBLE - TOP VENT ONLY.

Optional Accessories

RR450SS	Designer Speckled Stones	\$748.00
LGS57*	Driftwood Log Set, 1 of 3	\$330.00
LGS58*	Driftwood Log Set, 2 of 3	\$271.00
LGS59*	Driftwood Log Set, 3 of 3	\$280.00
DBK72AF	Ash Fluted Liner	\$423.00
DBK72TF ❖	Tuscan Fluted Liner	\$423.00
DLT72	1" Adjustable Trim Kit - up to 11/16" deep facing materials	\$200.00
DLT72-2	1" Adjustable Trim Kit Extra Deep - for 1 1/2" - 2" deep facing materials	\$223.00
REC1550	Wall Mounted Proflame 2 Remote	\$318.00
SIT-WIFI NEW	Proflame 2 Wifi Phone App Control	\$234.00
GR72** ❖	72" Wall Cavity Venting Louver	\$143.00
GRSDH	Sidewall Cavity Venting Louver Horizontal (2 included)	\$122.00
GRSDV	Sidewall Cavity Venting Louver Vertical (2 included)	\$122.00

***INSTALLATION REQUIRES ALL 3 LOGSETS.**

****STANDALONE VENTING LOUVER USED TO VENT A WALL CAVITY ABOVE A FIREPLACE.**

Cool Wall Advantage Accessories

HDKPD72	Cool Wall Kit, Includes: louver, plenum, collars (requires HDKPDFK)	\$1,119.00
HDKSD	Cool Wall Advantage Side Discharge Kit, Horizontal, Includes: 2 louvers, 2 plenums (requires HDKPDFK)	\$417.00
HDKSVD	Cool Wall Advantage Side Discharge Kit, Vertical, Includes: 2 louvers, 2 plenums (requires HDKPDFK)	\$417.00
HDKPDFK	Cool Wall Flex Kit - 5" x 24"	\$194.00

Must Use Adapter to Vent Unit w/ Duravent

58DVA-AD-M1	5" x 8" DuraVent Adapter	\$106.53
-------------	--------------------------	----------

NOTE: REQUIRES A RISE BEFORE OFFSET. REFER TO MANUAL.



D7215

Fireplace Framing Dimensions

(see manual before framing)

Height	Width	Depth
59 3/8"	95 3/8"	18 1/2"

Distinction Series - D6315

Features:

- Ceramic Glass Door
- Power Vent Compatible
- Turn Down Gas Valve with Stepper Motor
- Full Feature Proflame 2 Remote Control
- Ceramic Glass Reflective Liner, Multi-Color LED Lighting and Star Ice Fireglass
- Quiet Circulating Fans with Remote Speed Adjustment
- Invisimesh Screen

MODEL NUMBER	DESCRIPTION	LIST PRICE
D6315NI-2	63" Fully Loaded Fireplace, IPI, 50,000 btu - NG	\$11,788.00
GCA009	NG to LP Conversion Kit	\$142.00

USES 5"X 8" MONTIGO VENTING (SEE PAGE 458) OR 5"X8" DURAVENT W/ PURCHASE OF ADAPTER OR POWER VENT COMPATIBLE - TOP VENT ONLY.

Optional Accessories

RR450SS	Designer Speckled Stones	\$748.00
LGS58*	Driftwood Log Set, 1 of 2	\$330.00
LGS59*	Driftwood Log Set, 2 of 2	\$271.00
DBK63AF	Ash Fluted Liner	\$383.00
DBK63TF ❖	Tuscan Fluted Liner	\$383.00
DLT63	1" Adjustable Trim Kit - up to 11/16" deep facing materials	\$186.00
DLT63-2	1" Adjustable Trim Kit Extra Deep - for 1 1/2" - 2" deep facing materials	\$200.00
REC1550	Wall Mounted Proflame 2 Remote	\$318.00
SIT-WIFI NEW	Proflame 2 Wifi Phone App Control	\$234.00
GR63** ❖	63" Wall Cavity Venting Louver	\$127.00
GRSDH	Sidewall Cavity Venting Louver Horizontal (2 included)	\$122.00
GRSDV	Sidewall Cavity Venting Louver Vertical (2 included)	\$122.00

***INSTALLATION REQUIRES BOTH LOGSETS.**

****STANDALONE VENTING LOUVER USED TO VENT A WALL CAVITY ABOVE A FIREPLACE.**

Cool Wall Advantage Accessories

HDKPD63	Cool Wall Kit, Includes: louver, plenum, collars (requires HDKPDKF)	\$993.00
HDKSD	Cool Wall Advantage Side Discharge Kit, Horizontal, Includes: 2 louvers, 2 plenums (requires HDKPDKF)	\$417.00
HDKSVD	Cool Wall Advantage Side Discharge Kit, Vertical, Includes: 2 louvers, 2 plenums (requires HDKPDKF)	\$417.00
HDKPDKF	Cool Wall Flex Kit - 5" x 24'	\$194.00

Must Use Adapter to Vent Unit w/ DuraVent

58DVA-AD-M1	5" x 8" DuraVent Adapter	\$106.53
-------------	--------------------------	----------

NOTE: REQUIRES A RISE BEFORE OFFSET. REFER TO MANUAL.



D6315

Fireplace Framing Dimensions

(see manual before framing)

Height	Width	Depth
50 3/8"	79 1/2"	18"

Distinction Series - D4815

Features:

- Ceramic Glass Door
- Turn Down Gas Valve with Stepper Motor
- Full Feature Proflame 2 Remote Control
- Ceramic Glass Reflective Liner, Multi-Color LED Lighting and Star Ice Fireglass
- Quiet Circulating Fans with Remote Speed Adjustment
- Invisimesh Screen

MODEL NUMBER	DESCRIPTION	LIST PRICE
D4815NI-2	48" Fully Loaded Fireplace, IPI, 40,000 btu - NG	\$6,074.00
GCA017	NG to LP Conversion Kit	\$142.00

USES 5"X 8" MONTIGO VENTING (SEE PAGE 458) OR 5"X8" DURAVENT W/ PURCHASE OF ADAPTER OR POWER VENT COMPATIBLE - TOP VENT ONLY. CAN USE 4X7 VENTING WITH REDUCER, PVA5487.

Optional Accessories

RR200SS	Designer Speckled Stones	\$337.00
LGS57*	Driftwood Log Set, 1 of 3	\$280.00
LGS59*	Driftwood Log Set, 2 of 3	\$271.00
LGS61*	Driftwood Log Set, 3 of 3	\$214.00
DBK48AF	Ash Fluted Liner	\$312.00
DBK48TF ❖	Tuscan Fluted Liner	\$312.00
DLT48	1" Adjustable Trim Kit - up to 11/16" deep facing materials	\$157.00
DLT48-2	1" Adjustable Trim Kit Extra Deep - for 1 1/2" - 2" deep facing materials	\$171.00
PVA5487	10" Reducer, 5/8 to 4/7	\$121.00
REC1550	Wall Mounted Proflame 2 Remote	\$318.00
SIT-WIFI NEW	Proflame 2 Wifi Phone App Control	\$234.00
GR48** ❖	48" Wall Cavity Venting Louver	\$99.00
GRSDH	Sidewall Cavity Venting Louver Horizontal (2 included)	\$122.00
GRSDV	Sidewall Cavity Venting Louver Vertical (2 included)	\$122.00

***INSTALLATION REQUIRES ALL 3 LOGSETS.**

****STANDALONE VENTING LOUVER USED TO VENT A WALL CAVITY ABOVE A FIREPLACE.**

Cool Wall Advantage Accessories

HDKPD48	Cool Wall Kit, Includes: louver, plenum, collars (requires HDKPDFK)	\$710.00
HDKSD	Cool Wall Advantage Side Discharge Kit, Horizontal, Includes: 2 louvers, 2 plenums (requires HDKPDFK)	\$417.00
HDKSVD	Cool Wall Advantage Side Discharge Kit, Vertical, Includes: 2 louvers, 2 plenums (requires HDKPDFK)	\$417.00
HDKPDFK	Cool Wall Flex Kit - 5" x 24"	\$194.00

Must Use Adapter to Vent Unit w/ DuraVent

58DVA-AD-M1	5" x 8" DuraVent Adapter	\$106.53
-------------	--------------------------	----------

NOTE: REQUIRES A RISE BEFORE OFFSET. REFER TO MANUAL.



D4815

Fireplace Framing Dimensions

(see manual before framing)

Height	Width	Depth
50"	71 3/4"	17 1/2"

SOME BRANDS ARE ONLY AVAILABLE IN SELECTED AREAS, SEE MAP ON PAGE 4 OR CONTACT YOUR REGIONAL SALES MANAGER FOR MORE INFO.

Pricing, model numbers and availability are subject to change without notice. Call for most current information.

❖ – Non Stock Special Order - NO RETURNS or CANCELLATIONS

RMI Ph: 800-628-5044

raymurray.com

Distinction Series - D3615

Features:

- Ceramic Glass Door
- Turn Down Gas Valve with Stepper Motor
- Full Feature Proflame 2 Remote Control
- Ceramic Glass Reflective Liner, Multi-Color LED Lighting and Star Ice Fireglass
- Quiet Circulating Fans with Remote Speed Adjustment
- Invisimesh Screen

MODEL NUMBER	DESCRIPTION	LIST PRICE
D3615NI-2	36" Fully Loaded Fireplace, IPI, 35,000 btu - NG	\$4,781.00
GCA015	NG to LP Conversion Kit	\$142.00

USES 5"X 8" MONTIGO VENTING (SEE PAGE 458) OR 5"X8" DURAVENT W/ PURCHASE OF ADAPTER OR POWER VENT COMPATIBLE - TOP VENT ONLY. CAN USE 4X7 VENTING WITH REDUCER, PVA5487.

Optional Accessories

RR150SS	Designer Speckled Stones	\$232.00
LGS59*	Driftwood Log Set, 1 of 2	\$271.00
LGS60*	Driftwood Log Set, 2 of 2	\$297.00
DBK36AF	Ash Fluted Liner	\$244.00
DBK36TF ❖	Tuscan Fluted Liner	\$244.00
DLT36	1" Adjustable Trim Kit - up to 11/16" deep facing materials	\$134.00
DLT36-2	1" Adjustable Trim Kit Extra Deep - for 1 1/2" - 2" deep facing materials	\$146.00
PVA5487	10" Reducer, 5/8 to 4/7	\$121.00
REC1550	Wall Mounted Proflame 2 Remote	\$318.00
SIT-WIFI NEW	Proflame 2 Wifi Phone App Control	\$234.00
GR36** ❖	36" Wall Cavity Venting Louver	\$73.00
GRSDH	Sidewall Cavity Venting Louver Horizontal (2 included)	\$122.00
GRSDV	Sidewall Cavity Venting Louver Vertical (2 included)	\$122.00

***INSTALLATION REQUIRES BOTH LOGSETS.**

****STANDALONE VENTING LOUVER USED TO VENT A WALL CAVITY ABOVE A FIREPLACE.**

Cool Wall Advantage Accessories

HDKPD36	Cool Wall Kit, Includes: louver, plenum, collars (requires HDKPDFK)	\$544.00
HDKSD	Cool Wall Advantage Side Discharge Kit, Horizontal, Includes: 2 louvers, 2 plenums (requires HDKPDFK)	\$417.00
HDKSVD	Cool Wall Advantage Side Discharge Kit, Vertical, Includes: 2 louvers, 2 plenums (requires HDKPDFK-1)	\$417.00
HDKPDFK-1	Cool Wall Flex Kit - 5" x 12'	\$94.00

Must Use Adapter to Vent Unit w/ DuraVent

58DVA-AD-M1	5" x 8" DuraVent Adapter	\$106.53
-------------	--------------------------	----------

NOTE: REQUIRES A RISE BEFORE OFFSET. REFER TO MANUAL.



D3615

Fireplace Framing Dimensions

(see manual before framing)

Height	Width	Depth
49 15/16"	59 1/4"	17 1/2"

DelRay Series DRL6013



Features:

- Concealed Ribbon Burner with Ice Fireglass
- Simple Field Conversion Kit
- Finish Materials Right Up to the Fireplaces' Edges for a Clean Finish

MODEL NUMBER	DESCRIPTION	LIST PRICE
DRL6013NI-2	60" Fireplace, Proflame 2 IPI, Reflective Glass Panels, Downlighting, Remote Control, Fan Kit, Invisimesh Screen, 28,000 btu - NG	\$5,695.00
GCA048	NG to LP Conversion Kit	\$95.00
DRL6013NI	60" Fireplace, Proflame 2 Basic IPI, 28,000 btu - NG	\$3,995.00
GCA047	NG to LP Conversion Kit	\$95.00



DRL6013

Fireplace Framing Dimensions
(see manual before framing)
Height Width Depth
33 11/16" 68 15/16" 14 1/4"

USES 4"X 7" MONTIGO VENTING (SEE PAGE 455) OR 4"X6 5/8" DURAVENT W/ PURCHASE OF ADAPTER - TOP VENT ONLY.

Optional Accessories

RR300SS	Designer Speckled Stones	\$496.00
LGS77 *	Driftwood Log Set, 1 of 2	\$284.00
LGS59 *	Driftwood Log Set, 2 of 2	\$271.00
DRLT60	1" Adjustable Trim Kit (for up to 11/16" deep facing material)	\$169.00
DRLT60-2	1" Adjustable Trim Kit (for up to 1 1/2" - 2" deep facing material)	\$240.00
MVK05	Wall Penetration Flex Kit. Includes: RHS100 Wall Heat Shield, 5' Flex Pipe (with spacers), and MTO4 Termination	\$320.00
MVK05F	Wall Penetration Flex Kit. Includes: RHS100 Wall Heat Shield, 5' Flex Pipe (with spacers), and MTO4F Termination with Frame	\$320.00
MVTK1SS	4" x 7" Montigo Vertical Termination	\$280.00

*** INSTALLATION REQUIRES BOTH LOGSETS.**

DelRay Full Load Accessories

REC1550	Wall Mounted Proflame 2 Remote	\$318.00
SIT-WIFI NEW	Proflame 2 Wifi App Control	\$234.00

DelRay Basic Accessories

AF40BP	Emergency Battery Back-Up	\$25.00
RX40	Wireless Remote Control Kit (on/off only)	\$312.00
RX60	Wireless Remote Control Kit (on/off & thermostat Control)	\$398.00
DRFK1	DelRay Fan Kit (on/off, heat sensor fan, manual fan speed control)	\$383.00
RBGDRL60 ❖	Reflective Glass Panel Kit	\$886.00
SCRIDRL60 ❖	Invisimesh Screen	\$487.00

MUST USE ADAPTER TO VENT UNIT W/DURAVENT PIPE, 46DVA-AD-M1, 4" X 6 5/8" DURAVENT APPLIANCE ADAPTER

NOTE: SEE PAGE 90 FOR COOL WALL ADVANTAGE OPTIONS.

SOME BRANDS ARE ONLY AVAILABLE IN SELECTED AREAS, SEE MAP ON PAGE 4 OR CONTACT YOUR REGIONAL SALES MANAGER FOR MORE INFO.

Pricing, model numbers and availability are subject to change without notice. Call for most current information.

❖ – Non Stock Special Order - NO RETURNS or CANCELLATIONS

RMI Ph: 800-628-5044

raymurray.com

DelRay Series DRL4813

Features:

- Concealed Ribbon Burner with Ice Fireglass
- Simple Field Conversion Kit
- Finish Materials Right up to the Fireplace's Edges for a Clean Finish

MODEL NUMBER	DESCRIPTION	LIST PRICE
DRL4813NI-2	48" Fireplace, Proflame 2 IPI, Reflective Glass Panels, Downlighting, Remote Control, Fan Kit, Invisimesh Screen, 21,000 btu - NG	\$4,561.00
DRL4813NI	48" Linear Direct Vent Fireplace, Proflame 2 Basic IPI, 21,000 btu - NG	\$3,192.00
GCA019	NG to LP Conversion Kit	\$95.00

USES 4"X 7" MONTIGO VENTING (SEE PAGE 455) OR 4"X6 5/8" DURAVENT W/ PURCHASE OF ADAPTER - TOP VENT ONLY.

Optional Accessories

RR200SS	Designer Speckled Stones	\$337.00
LGS77	Driftwood Log Set	\$284.00
DRLT48	1" Adjustable Trim Kit (for up to 11/16" deep facing material)	\$146.00
DRLT48-2	1" Adjustable Trim Kit (for up to 1 1/2" - 2" deep facing material)	\$206.00
MVK05	Wall Penetration Flex Kit. Includes-RHS100 wall heat shield, 5' flex pipe (with spacers), and MTO4 termination	\$320.00
MVK05F	Wall Penetration Flex Kit. Includes-RHS100 wall heat shield, 5' flex pipe (with spacers), and MTO4F termination with frame.	\$320.00
MVTK1SS	4" x 7" Montigo Vertical Termination	\$280.00

Delray Full Load Accessories

REC1550	Wall Mounted Proflame 2 Remote	\$318.00
SIT-WIFI NEW	Proflame 2 Wifi Phone App Control	\$234.00

Delray Basic Accessories

AF40BP	Emergency Battery Back-Up	\$25.00
RX40	Wireless Remote Control Kit (on/off Only)	\$312.00
RX60	Wireless Remote Control Kit (on/off & thermostat control)	\$398.00
DRFK1	Delray Fan Kit (on/off, heat sensor fans, manual fan speed control)	\$398.00
RBGDRL48 ❖	Reflective Glass Panel Kit	\$693.00
SCRIDRL48 ❖	Invisimesh Screen	\$390.00

Must Use Adapter to Vent Unit w/ DuraVent Pipe

46DVA-AD-M1	4" x 6 5/8" DuraVent Appliance Adapter	\$66.47
-------------	--	---------

NOTE: SEE PAGE 91 FOR COOL WALL ADVANTAGE OPTIONS.



DRL4813-2

Fireplace Framing Dimensions

(see manual before framing)

Height	Width	Depth
34"	55 3/8"	14 1/4"

SOME BRANDS ARE ONLY AVAILABLE IN SELECTED AREAS, SEE MAP ON PAGE 4 OR CONTACT YOUR REGIONAL SALES MANAGER FOR MORE INFO.

Pricing, model numbers and availability are subject to change without notice. Call for most current information.

DelRay Series DRL3613

Features:

- Concealed Ribbon Burner with Ice Fireglass
- Simple Field Conversion Kit
- Finish Materials Right up to the Fireplace's Edges for a Clean Finish

MODEL NUMBER	DESCRIPTION	LIST PRICE
DRL3613NI-2	36" Linear Direct Vent Fireplace, Proflame 2 IPI, Reflective Glass Panels, Downlighting, Remote Control, Fan Kit, Invisimesh Screen, 16,000 btu - NG	\$3,471.00
DRL3613NI	36" Linear Direct Vent Fireplace, IPI, 16,000 btu - NG	\$2,426.00
GCA010	NG to LP Conversion Kit	\$95.00

USES 4"X 7" MONTIGO VENTING (SEE PAGE 455) OR 4"X6 5/8" DURAVENT W/ PURCHASE OF ADAPTER - TOP VENT ONLY.

Optional Accessories

RR150SS	Designer Speckled Stones	\$232.00
LGS76	Driftwood Log Set	\$223.00
DRLT36	1" Adjustable Trim Kit (for up to 11/16" deep facing material)	\$123.00
DRLT36-2	1" Adjustable Trim Kit (for up to 1 1/2" - 2" deep facing material)	\$172.00
MVK05	Wall Penetration Flex Kit. Includes-RHS100 wall heat shield, 5' flex pipe (with spacers), and MTO4 termination.	\$320.00
MVK05F	Wall Penetration Flex Kit. Includes-RHS100 wall heat shield, 5' flex pipe (with spacers), with frame and MTO4F termination.	\$320.00
MVTK1SS	4" x 7" Montigo Vertical Termination	\$280.00

Delray Full Load Accessories

REC1550	Wall Mounted Proflame 2 Remote	\$318.00
SIT-WIFI NEW	Proflame 2 Wifi Phone App Control	\$234.00

Delray Basic Accessories

AF40BP	Emergency Battery Back-Up	\$25.00
RX40	Wireless Remote Control Kit (on/off Only)	\$312.00
RX60	Wireless Remote Control Kit (on/off & thermostat control)	\$398.00
DRFK1	Delray Fan Kit (on/off, heat sensor fans, manual fan speed control)	\$398.00
RBGDRL36 ❖	Reflective Glass Panel Kit	\$500.00
SCRIDRL36 ❖	Invisimesh Screen	\$293.00

Must Use Adapter to Vent Unit w/ DuraVent Pipe

46DVA-AD-M1	4" x 6 5/8" DuraVent Appliance Adapter	\$66.47
-------------	--	---------

NOTE: SEE PAGE 92 FOR COOL WALL ADVANTAGE OPTIONS.



DRL3613

Fireplace Framing Dimensions

(see manual before framing)
 Height Width Depth
 33 11/16" 43 3/8" 14 1/4"

SOME BRANDS ARE ONLY AVAILABLE IN SELECTED AREAS, SEE MAP ON PAGE 4 OR CONTACT YOUR REGIONAL SALES MANAGER FOR MORE INFO.

Pricing, model numbers and availability are subject to change without notice. Call for most current information.

❖ – Non Stock Special Order - NO RETURNS or CANCELLATIONS

RMI Ph: 800-628-5044

raymurray.com

Phenom Series - P52

Features:

- Clean Face Design
- Snap-Lock Door for Access to the Firebox
- Remote Flame Level Adjustment
- Full Feature Proflame II Remote Control
- Remote Controlled Fan
- Concealed Ribbon Burner, Reflective Black Porcelain Panels and Up-Lighting
- 12 lbs of Quartz Firestones (HW1106)

MODEL NUMBER	DESCRIPTION	LIST PRICE
P52DFNI-2 ❖	52" Fireplace, IPI, 40,000 btu - NG	\$7,365.00
P52DFLI-2 ❖	52" Fireplace, IPI, 40,000 btu - LP	\$7,365.00

USES 5" X 10" MONTIGO VENTING SEE PAGE 461 OR POWER VENT COMPATIBLE (REQUIRES LVA54107) - TOP/REAR VENT. CAN USE 5"X8" VENTING WITH REDUCER, RVA 108.

Optional Accessories

P52SFPSB ❖	Satin Black Decorative Surround	\$911.00
P52SFPS ❖	Stainless Steel Decorative Surround	\$1,637.00
RR350SS ❖	Designer Specked Stones	\$580.00
LGSPSERIES	Driftwood Log Set	\$536.00
REC1550	Wall Mounted Proflame 2 Remote	\$318.00
SIT-WIFI NEW	Proflame 2 Wifi Phone App Control	\$234.00

5" x 10" Power Vent Systems

PVHEX510-300	5"x10" Horizontal External Wall Mount Vent System + Mounting Frame	\$3,340.00
PVHFL510-300 ❖	5"x10" Flush Louvered External Wall Mount Power Vent System + Mounting Frame	\$3,793.00
PVVEX510-300	5"x10" Vertical External Roof Mount Power Vent System + Mounting Frame	\$3,535.00

EDPV Power Cords - Required with each power vent unit

EPVH-20	20' Power Vent System Power Cord	\$171.00
EPVH-40	40' Power Vent System Power Cord	\$268.00
EPVH-60	60' Power Vent System Power Cord	\$364.00
EPVH-80	80' Power Vent System Power Cord	\$457.00
EPVH-100	100' Power Vent System Power Cord	\$553.00



P52

Fireplace Framing Dimensions

(see manual before framing)

Height	Width	Depth
37 1/2"	52"	24 1/2"

Phenom Series - P42

Features:

- Clean Face Design
- Snap-Lock Door for Access to the Firebox
- Remote Flame Level Adjustment
- Full Feature Proflame II Remote Control
- Remote Controlled Fan
- Concealed Ribbon Burner, Reflective Black Porcelain Panels and Up-Lighting
- 12 lbs of Quartz Firestones (HW1106)

MODEL NUMBER	DESCRIPTION	LIST PRICE
P42DFNI-2 ❖	42" Fireplace, IPI 32,000 btu - NG	\$6,527.00
P42DFLI-2 ❖	42" Fireplace, IPI, 32,000 btu - LP	\$6,527.00

USES 5"X 8" MONTIGO VENTING (SEE PAGE 458) OR 5"X8" DURAVENT W/ PURCHASE OF ADAPTER - TOP/REAR VENT

Optional Accessories

P42SFPSB ❖	Satin Black Decorative Surround	\$818.00
P42SFPSS ❖	Stainless Steel Decorative Surround	\$1,543.00
RR300SS	Designer Specked Stones	\$496.00
LGSPSERIES	Driftwood Log Set	\$536.00

Must Use Adapter to Vent Unit w/ DuraVent Pipe

58DVA-AD-M1	5" x 8" DuraVent Adapter	\$106.53
-------------	--------------------------	----------



P42

Fireplace Framing Dimensions

(see manual before framing)
 Height 35" Width 42" Depth 21 7/8"

Phenom Series - P38

Features:

- Clean Face Design
- Snap-Lock Door for Access to the Firebox
- Remote Flame Level Adjustment
- Full Feature Proflame II Remote Control
- Remote Controlled Fan
- Concealed Ribbon Burner, Reflective Black Porcelain Panels, Up-Lighting
- 9 lbs of Quartz Firestones (HW1106)

MODEL NUMBER	DESCRIPTION	LIST PRICE
P38DFNI-2 ❖	38" Fireplace, IPI, 25,000 btu - NG	\$5,859.00
P38DFLI-2 ❖	38" Fireplace, IPI, 25,000 btu - LP	\$5,859.00

USES 5"X 8" MONTIGO VENTING (SEE PAGE 458) OR 5"X8" DURAVENT W/ PURCHASE OF ADAPTER - TOP/REAR VENT

Optional Accessories

P38SFPSB ❖	Satin Black Decorative Surround	\$728.00
P38SFPSS ❖	Stainless Steel Decorative Surround	\$1,453.00
RR250SS	Designer Specked Stones	\$422.00
LGSPSERIES	Driftwood Log Set	\$536.00

Must Use Adapter to Vent Unit w/ DuraVent Pipe

58DVA-AD-M1	5" x 8" DuraVent Adapter	\$106.53
-------------	--------------------------	----------



P38

Fireplace Framing Dimensions

(see manual before framing)
 Height 34 1/4" Width 37 3/4" Depth 20 1/8"

SOME BRANDS ARE ONLY AVAILABLE IN SELECTED AREAS, SEE MAP ON PAGE 4 OR CONTACT YOUR REGIONAL SALES MANAGER FOR MORE INFO.

Pricing, model numbers and availability are subject to change without notice. Call for most current information.

❖ – Non Stock Special Order - NO RETURNS or CANCELLATIONS

RMI Ph: 800-628-5044

raymurray.com

Phenom Series - PL52

Features:

- Clean Face Design
- Snap-Lock Door for Access to the Firebox
- Concealed Ribbon Burner and Firestones
- Proflame II Basic Control Module

MODEL NUMBER	DESCRIPTION	LIST PRICE
PL52DFNI ❖	52" Fireplace, IPI, 40,000 btu - NG	\$5,579.00
PL52DFLI ❖	52" Fireplace, IPI, 40,000 btu - LP	\$5,579.00

USES 5"X10" MONTIGO VENTING SEE PAGE 461 OR POWER VENT COMPATIBLE - TOP/REAR VENT.

Optional Accessories


P52SFPSB ❖	Satin Black Decorative Surround	\$911.00
P52SFPS ❖	Stainless Steel Decorative Surround	\$1,637.00
RR350SS ❖	Designer Specked Stones	\$580.00
LGSPSERIES	Driftwood Log Set	\$536.00
PPL52 ❖	Porcelain Panel Kit	\$799.00
HFK50R	Fan Kit - Requires RX200 with PL52	\$441.00
RX200NG	Wireless Full Load Remote Control Kit - NG	\$791.00
RX200LP	Wireless Full Load Remote Control Kit - LP	\$791.00
HFK50	Fan Kit - (on/off, heat, sensor fans, manual speed control)	\$530.00
REC1550	Wall Mounted Proflame 2 Remote	\$318.00
AF40BP	Emergency Battery Back-Up	\$25.00

5" x 10" Power Vent Systems

PVHEX510-300	5"x10" Horizontal External Wall Mount Vent System + Mounting Frame	\$3,340.00
PVHFL510-300 ❖	5"x10" Flush Louvered External Wall Mount Power Vent System + Mounting Frame	\$3,793.00
PVVEX510-300	5"x10" Vertical External Roof Mount Power Vent System + Mounting Frame	\$3,535.00

EDPV Power Cords - Required with each power vent unit

EPVH-20	20' Power Vent System Power Cord	\$171.00
EPVH-40	40' Power Vent System Power Cord	\$268.00
EPVH-60	60' Power Vent System Power Cord	\$364.00
EPVH-80	80' Power Vent System Power Cord	\$457.00
EPVH-100	100' Power Vent System Power Cord	\$553.00



PL52

Fireplace Framing Dimensions

(see manual before framing)

Height	Width	Depth
37 1/2"	52"	24 1/2"

SOME BRANDS ARE ONLY AVAILABLE IN SELECTED AREAS, SEE MAP ON PAGE 4 OR CONTACT YOUR REGIONAL SALES MANAGER FOR MORE INFO.

Pricing, model numbers and availability are subject to change without notice. Call for most current information.

Phenom Series - PL42

Features:

- Clean Face Design
- Snap-Lock Door for Access to the Firebox
- Concealed Ribbon Burner and Firestones
- Proflame II Basic Control Module

MODEL NUMBER	DESCRIPTION	LIST PRICE
PL42DFNI ❖	42" Fireplace, IPI, 32,000 btu - NG	\$4,782.00
PL42DFLI ❖	42" Fireplace, IPI 32,000 btu - LP	\$4,782.00

USES 5"X 8" MONTIGO VENTING (SEE PAGE 458) OR 5"X8" DURAVENT W/ PURCHASE OF ADAPTER - TOP/REAR VENT

Optional Accessories

P42SFPSB ❖	Satin Black Decorative Surround	\$818.00
P42SFPSS ❖	Stainless Steel Decorative Surround	\$1,543.00
RR300SS	Designer Specked Stones	\$496.00
LGSPSERIES	Driftwood Log Set	\$536.00
PPL42 ❖	Porcelain Panel Kit	\$673.00
HFK50R	Fan Kit - Requires RX200 with PL42	\$411.00
RX200NG	Wireless Full Load Remote Control Kit - NG	\$791.00
RX200LP	Wireless Full Load Remote Control Kit - LP	\$791.00
HFK50	Fan Kit - (on/off, heat, sensor fans, manual speed control)	\$530.00
REC1550	Wall Mounted Proflame 2 Remote	\$318.00
AF40BP	Emergency Battery Back-Up	\$25.00

Must Use Adapter to Vent Unit w/ DuraVent Pipe

58DVA-AD-M1	5" x 8" DuraVent Adapter	\$106.53
-------------	--------------------------	----------



PL42

Fireplace Framing Dimensions (see manual before framing)

Height	Width	Depth
42"	42"	21 7/8"

Exemplar Series - RP620

Features:

- Frameless Window Design
- Rock or Tile can be installed over the frame
- Rectangular Door with Tempered Glass
- Standard Power Vent Control Box
- Reflective Black Porcelain Panels, Accent Up-Lighting, 8 Bags of Quartz Firestones

MODEL NUMBER	DESCRIPTION	LIST PRICE
RP620N ❖	6' Fireplace w/ Concealed Ribbon Burner, Honeywell Hot Surface Ignition, 75,000 btu - NG	\$19,513.00
RP620L ❖	6' Fireplace w/ Concealed Ribbon Burner, Honeywell Hot Surface Ignition, 75,000 btu - LP	\$19,513.00



RP620 with Logs and Stones

USES 5" X 8" MONTIGO POWER VENT PIPE (SEE BELOW) - TOP/REAR VENT

FRAMING DIMENSIONS (TOP VENT)- 66" H X 96" W X 26" D

FRAMING DIMENSIONS (REAR VENT)- 55 1/2" H X 90 11/16" W X 26" D

Optional Accessories

RXM40VAC	Wireless Remote Control Kit - on/off only	\$330.00
RR600SS ❖	Designer Speckled Stones	\$989.00
LGRP6N ❖	Driftwood Log Set for NG Fireplace	\$1,060.00
LGRP6L ❖	Driftwood Log Set for LP Fireplace	\$832.00

5" x 8" Power Vent Systems

Used on any R-Series, R-ST Series, RP Series

PVHIN58-300-FS	5"x8" Flush Louvered Wall Mount Termination + Inline Power Vent	\$2,915.00
PVHEX58-300	5"x8" Horizontal External Wall Mount Vent System + Mounting Frame	\$3,251.00
PVVEX58-300	5"x8" Vertical External Roof Mount Power Vent System + Mounting Frame	\$3,583.00
PVHFL58-300	5"x8" Flush Louvered External Wall Mount Power Vent System + Mounting Frame	\$3,793.00
TMHIN58-40	5"x8" Flush Termination for PVHIN58-300-FS	\$1,732.00

EDPV Power Cords

EPVH-20	20' Power Vent System Power Cord	\$171.00
EPVH-40	40' Power Vent System Power Cord	\$268.00
EPVH-60	60' Power Vent System Power Cord	\$364.00
EPVH-80	80' Power Vent System Power Cord	\$457.00
EPVH-100	100' Power Vent System Power Cord	\$553.00

SOME BRANDS ARE ONLY AVAILABLE IN SELECTED AREAS, SEE MAP ON PAGE 4 OR CONTACT YOUR REGIONAL SALES MANAGER FOR MORE INFO.

Pricing, model numbers and availability are subject to change without notice. Call for most current information.