

## Prodigy Series

### Features:

- Frameless and Postless Window Design
- COOL-Pack Glass
- Roof, Wall or In-Line Power Vent
- Available in See-Through, Corner and Bay Configurations
- Standard LED Uplighting
- Standard Intake Dampers
- 50' of Control Cables (EC1179-50) and Damper Cables (EC1178-50)
- 25' of Wall Switch Wire (EC1019-25)
- Control Box



**PC620**

| MODEL NUMBER | DESCRIPTION   | LIST PRICE  |
|--------------|---|-------------|
| PC820NR ❖    | 8' x 20" Single Sided Fireplace, Roof Top Power Vent - NG   | \$37,239.00 |
| PC820NW ❖    | 8' x 20" Single Sided Fireplace, Wall Mount Power Vent - NG | \$37,329.00 |
| PC620NR      | 6' x 20" Single Sided Fireplace, Roof Top Power Vent - NG   | \$26,619.00 |
| PC620NW      | 6' x 20" Single Sided Fireplace, Wall Mount Power Vent - NG | \$26,619.00 |
| PC620NI      | 6' x 20" Single Sided Fireplace, In Line Power Vent - NG    | \$26,619.00 |
| PC520NR      | 5' x 20" Single Sided Fireplace, Roof Top Power Vent - NG   | \$21,749.00 |
| PC520NW      | 5' x 20" Single Sided Fireplace, Wall Mount Power Vent - NG | \$21,749.00 |
| PC520NI      | 5' x 20" Single Sided Fireplace, In Line Power Vent - NG    | \$21,749.00 |
| PC420NR      | 4' x 20" Single Sided Fireplace, Roof Top Power Vent - NG   | \$17,489.00 |

**Prodigy Fireplaces are available to order in multiple configurations (see through, corner, bay), glass height and glass width.**

### Combustion Air Intake Boxes

|              |   |            |
|--------------|---|------------|
| PCCALVB-12 ❖ | 12" Combustion Air Vent Box with Louver | \$1,629.00 |
| PCCALVB-10   | 10" Combustion Air Vent Box with Louver | \$1,399.00 |
| PCCALVB-08   | 8" Combustion Air Vent Box with Louver  | \$1,109.00 |

### Flue Gas Dampers

|           |                                   |          |
|-----------|-----------------------------------|----------|
| EC1495 ❖  | 12" Flue Gas Damper               | \$869.00 |
| EC1494    | 10" Flue Gas Damper               | \$739.00 |
| EC1489 ❖  | 8" Flue Gas Damper                | \$629.00 |
| EC1178-50 | Damper Cable for Flue Gas Dampers | \$129.00 |

**NOTE: RECOMMENDED TO USE IN COLD CLIMATES.**

**SOME BRANDS ARE ONLY AVAILABLE IN SELECTED AREAS, CONTACT YOUR REGIONAL SALES MANAGER FOR MORE INFO.**

Pricing, model numbers and availability are subject to change without notice. Call for most current information.

## Distinction Series - D7215

### Features:

- Ceramic Glass Door
- Power Vent Compatible
- Turn Down Gas Valve with Stepper Motor
- Full Feature Proflame 2 Remote Control
- Ceramic Glass Reflective Liner, Multi-Color LED Lighting and 15 lbs. of Ice Fireglass (HW1157)
- Quiet Circulating Fans with Remote Speed Adjustment
- Invisimesh Screen

| MODEL NUMBER | DESCRIPTION                                      | LIST PRICE  |
|--------------|--|-------------|
| D7215NI-2    | 72" Fully Loaded Fireplace, IPI, 57,000 btu - NG | \$13,471.00 |
| GCA013       | NG to LP Conversion Kit                          | \$146.00    |

**USES 5"X 8" MONTIGO VENTING (SEE PAGE 461) OR 5"X8" DURAVENT W/ PURCHASE OF ADAPTER OR POWER VENT COMPATIBLE - TOP VENT ONLY.**

### Optional Accessories

|           |   |          |
|-----------|---|----------|
| RR450SS   | Designer Speckled Stones  | \$767.00 |
| LGS57*    | Driftwood Log Set, 1 of 3   | \$287.00 |
| LGS58*    | Driftwood Log Set, 2 of 3   | \$339.00 |
| LGS59*    | Driftwood Log Set, 3 of 3   | \$278.00 |
| DBK72AF   | Ash Fluted Liner  | \$434.00 |
| DBK72TF ❖ | Tuscan Fluted Liner   | \$434.00 |
| DLT72     | 1" Adjustable Trim Kit - up to 11/16" deep facing materials               | \$205.00 |
| DLT72-2   | 1" Adjustable Trim Kit Extra Deep - for 1 1/2" - 2" deep facing materials | \$229.00 |
| REC1550   | Wall Mounted Proflame 2 Remote  | \$326.00 |
| SIT-WIFI  | Proflame 2 WiFi Phone App Control   | \$240.00 |
| GR72**    | 72" Wall Cavity Venting Louver  | \$147.00 |
| GRSDH     | Sidewall Cavity Venting Louver Horizontal (2 included)                    | \$126.00 |
| GRSDV     | Sidewall Cavity Venting Louver Vertical (2 included)                      | \$126.00 |

**\*INSTALLATION REQUIRES ALL 3 LOGSETS.**

**\*\*STANDALONE VENTING LOUVER USED TO VENT A WALL CAVITY ABOVE A FIREPLACE.**

### Cool Wall Advantage Accessories

|         |   |            |
|---------|---|------------|
| HDKPD72 | Cool Wall Kit, Includes: louver, plenum, collars (requires HDKPDFK)                                   | \$1,147.00 |
| HDKSD   | Cool Wall Advantage Side Discharge Kit, Horizontal, Includes: 2 louvers, 2 plenums (requires HDKPDFK) | \$428.00   |
| HDKSVD  | Cool Wall Advantage Side Discharge Kit, Vertical, Includes: 2 louvers, 2 plenums (requires HDKPDFK)   | \$428.00   |
| HDKPDFK | Cool Wall Flex Kit - 5" x 24"   | \$199.00   |

### Must Use Adapter to Vent Unit w/ Duravent

|             |                          |          |
|-------------|--------------------------|----------|
| 58DVA-AD-M1 | 5" x 8" DuraVent Adapter | \$109.73 |
|-------------|--------------------------|----------|

**NOTE: REQUIRES A RISE BEFORE OFFSET. REFER TO MANUAL.**



**D7215**

### Fireplace Framing Dimensions

(see manual before framing)

|         |         |         |
|---------|---------|---------|
| Height  | Width   | Depth   |
| 59 3/8" | 95 3/8" | 18 1/2" |

**SOME BRANDS ARE ONLY AVAILABLE IN SELECTED AREAS, CONTACT YOUR REGIONAL SALES MANAGER FOR MORE INFO.**

Pricing, model numbers and availability are subject to change without notice. Call for most current information.

❖ – Non Stock Special Order - NO RETURNS or CANCELLATIONS

**RMI Ph: 800-628-5044**

[raymurray.com](http://raymurray.com)

## Distinction Series - D6315

### Features:

- Ceramic Glass Door
- Power Vent Compatible
- Turn Down Gas Valve with Stepper Motor
- Full Feature Proflame 2 Remote Control
- Ceramic Glass Reflective Liner, Multi-Color LED Lighting and 12 lbs. of Ice Fireglass (HW1157)
- Quiet Circulating Fans with Remote Speed Adjustment
- Invisimesh Screen

| MODEL NUMBER | DESCRIPTION                                      | LIST PRICE  |
|--------------|--|-------------|
| D6315NI-2    | 63" Fully Loaded Fireplace, IPI, 50,000 btu - NG | \$12,083.00 |
| GCA009       | NG to LP Conversion Kit                          | \$146.00    |

**USES 5"X 8" MONTIGO VENTING (SEE PAGE 461) OR 5"X8" DURAVENT W/ PURCHASE OF ADAPTER OR POWER VENT COMPATIBLE - TOP VENT ONLY.**

### Optional Accessories

|           |   |          |
|-----------|---|----------|
| RR450SS   | Designer Speckled Stones  | \$767.00 |
| LGS58*    | Driftwood Log Set, 1 of 2   | \$339.00 |
| LGS59*    | Driftwood Log Set, 2 of 2   | \$278.00 |
| DBK63AF   | Ash Fluted Liner  | \$393.00 |
| DBK63TF ❖ | Tuscan Fluted Liner   | \$393.00 |
| DLT63     | 1" Adjustable Trim Kit - up to 11/16" deep facing materials               | \$191.00 |
| DLT63-2   | 1" Adjustable Trim Kit Extra Deep - for 1 1/2" - 2" deep facing materials | \$205.00 |
| REC1550   | Wall Mounted Proflame 2 Remote  | \$326.00 |
| SIT-WIFI  | Proflame 2 WiFi Phone App Control   | \$240.00 |
| GR63**    | 63" Wall Cavity Venting Louver  | \$131.00 |
| GRSDH     | Sidewall Cavity Venting Louver Horizontal (2 included)                    | \$126.00 |
| GRSDV     | Sidewall Cavity Venting Louver Vertical (2 included)                      | \$126.00 |

**\*INSTALLATION REQUIRES BOTH LOGSETS.**

**\*\*STANDALONE VENTING LOUVER USED TO VENT A WALL CAVITY ABOVE A FIREPLACE.**

### Cool Wall Advantage Accessories

|         |   |            |
|---------|---|------------|
| HDKPD63 | Cool Wall Kit, Includes: louver, plenum, collars (requires HDKPDFK)                                   | \$1,018.00 |
| HDKSD   | Cool Wall Advantage Side Discharge Kit, Horizontal, Includes: 2 louvers, 2 plenums (requires HDKPDFK) | \$428.00   |
| HDKSVD  | Cool Wall Advantage Side Discharge Kit, Vertical, Includes: 2 louvers, 2 plenums (requires HDKPDFK)   | \$428.00   |
| HDKPDFK | Cool Wall Flex Kit - 5" x 24'   | \$199.00   |

### Must Use Adapter to Vent Unit w/ DuraVent

|             |                          |          |
|-------------|--------------------------|----------|
| 58DVA-AD-M1 | 5" x 8" DuraVent Adapter | \$109.73 |
|-------------|--------------------------|----------|

**NOTE: REQUIRES A RISE BEFORE OFFSET. REFER TO MANUAL.**



**D6315**

### Fireplace Framing Dimensions

(see manual before framing)

| Height  | Width   | Depth |
|---------|---------|-------|
| 50 3/8" | 79 1/2" | 18"   |

**SOME BRANDS ARE ONLY AVAILABLE IN SELECTED AREAS, CONTACT YOUR REGIONAL SALES MANAGER FOR MORE INFO.**

Pricing, model numbers and availability are subject to change without notice. Call for most current information.

## Distinction Series - D4815

### Features:

- Ceramic Glass Door
- Turn Down Gas Valve with Stepper Motor
- Full Feature Proflame 2 Remote Control
- Ceramic Glass Reflective Liner, Multi-Color LED Lighting and 9 lbs. of Ice Fireglass (HW1157)
- Quiet Circulating Fans with Remote Speed Adjustment
- Invisimesh Screen

| MODEL NUMBER | DESCRIPTION                                      | LIST PRICE |
|--------------|--|------------|
| D4815NI-2    | 48" Fully Loaded Fireplace, IPI, 40,000 btu - NG | \$6,499.00 |
| GCA017       | NG to LP Conversion Kit                          | \$146.00   |

**USES 5"X 8" MONTIGO VENTING (SEE PAGE 461) OR 5"X8" DURAVENT W/ PURCHASE OF ADAPTER OR POWER VENT COMPATIBLE - TOP VENT ONLY. CAN USE 4X7 VENTING WITH REDUCER, PVA5487.**

### Optional Accessories

|           |   |          |
|-----------|---|----------|
| RR200SS   | Designer Speckled Stones  | \$346.00 |
| LGS57*    | Driftwood Log Set, 1 of 3   | \$287.00 |
| LGS59*    | Driftwood Log Set, 2 of 3   | \$278.00 |
| LGS61*    | Driftwood Log Set, 3 of 3   | \$220.00 |
| DBK48AF   | Ash Fluted Liner  | \$320.00 |
| DBK48TF ❖ | Tuscan Fluted Liner   | \$320.00 |
| DLT48     | 1" Adjustable Trim Kit - up to 11/16" deep facing materials               | \$161.00 |
| DLT48-2   | 1" Adjustable Trim Kit Extra Deep - for 1 1/2" - 2" deep facing materials | \$176.00 |
| PVA5487   | 10" Reducer, 5/8 to 4/7   | \$124.00 |
| REC1550   | Wall Mounted Proflame 2 Remote  | \$326.00 |
| SIT-WIFI  | Proflame 2 WiFi Phone App Control   | \$240.00 |
| GR48**    | 48" Wall Cavity Venting Louver  | \$102.00 |
| GRSDH     | Sidewall Cavity Venting Louver Horizontal (2 included)                    | \$126.00 |
| GRSDV     | Sidewall Cavity Venting Louver Vertical (2 included)                      | \$126.00 |

**\*INSTALLATION REQUIRES ALL 3 LOGSETS.**

**\*\*STANDALONE VENTING LOUVER USED TO VENT A WALL CAVITY ABOVE A FIREPLACE.**

### Cool Wall Advantage Accessories

|         |   |          |
|---------|---|----------|
| HDKPD48 | Cool Wall Kit, Includes: louver, plenum, collars (requires HDKPDFK)                                   | \$728.00 |
| HDKSD   | Cool Wall Advantage Side Discharge Kit, Horizontal, Includes: 2 louvers, 2 plenums (requires HDKPDFK) | \$428.00 |
| HDKSVD  | Cool Wall Advantage Side Discharge Kit, Vertical, Includes: 2 louvers, 2 plenums (requires HDKPDFK)   | \$428.00 |
| HDKPDFK | Cool Wall Flex Kit - 5" x 24"   | \$199.00 |

### Must Use Adapter to Vent Unit w/ DuraVent

|             |                          |          |
|-------------|--------------------------|----------|
| 58DVA-AD-M1 | 5" x 8" DuraVent Adapter | \$109.73 |
|-------------|--------------------------|----------|

**NOTE: REQUIRES A RISE BEFORE OFFSET. REFER TO MANUAL.**



**D4815**

### Fireplace Framing Dimensions

(see manual before framing)

|        |         |         |
|--------|---------|---------|
| Height | Width   | Depth   |
| 50"    | 71 3/4" | 17 1/2" |

**SOME BRANDS ARE ONLY AVAILABLE IN SELECTED AREAS, CONTACT YOUR REGIONAL SALES MANAGER FOR MORE INFO.**

Pricing, model numbers and availability are subject to change without notice. Call for most current information.

❖ – Non Stock Special Order - NO RETURNS or CANCELLATIONS

**RMI Ph: 800-628-5044**

[raymurray.com](http://raymurray.com)

## Distinction Series - D3615

### Features:

- Ceramic Glass Door
- Turn Down Gas Valve with Stepper Motor
- Full Feature Proflame 2 Remote Control
- Ceramic Glass Reflective Liner, Multi-Color LED Lighting and 6 lbs. of Ice Fireglass (HW1157)
- Quiet Circulating Fans with Remote Speed Adjustment
- Invisimesh Screen

| MODEL NUMBER | DESCRIPTION                                      | LIST PRICE |
|--------------|--|------------|
| D3615NI-2    | 36" Fully Loaded Fireplace, IPI, 35,000 btu - NG | \$5,499.00 |
| GCA015       | NG to LP Conversion Kit                          | \$148.00   |

**USES 5"X 8" MONTIGO VENTING (SEE PAGE 461) OR 5"X8" DURAVENT W/ PURCHASE OF ADAPTER OR POWER VENT COMPATIBLE - TOP VENT ONLY. CAN USE 4X7 VENTING WITH REDUCER, PVA5487.**

### Optional Accessories

|           |   |          |
|-----------|---|----------|
| RR150SS   | Designer Speckled Stones  | \$238.00 |
| LGS59*    | Driftwood Log Set, 1 of 2   | \$278.00 |
| LGS60*    | Driftwood Log Set, 2 of 2   | \$305.00 |
| DBK36AF   | Ash Fluted Liner  | \$251.00 |
| DBK36TF ❖ | Tuscan Fluted Liner   | \$251.00 |
| DLT36     | 1" Adjustable Trim Kit - up to 11/16" deep facing materials               | \$138.00 |
| DLT36-2   | 1" Adjustable Trim Kit Extra Deep - for 1 1/2" - 2" deep facing materials | \$150.00 |
| PVA5487   | 10" Reducer, 5/8 to 4/7   | \$124.00 |
| REC1550   | Wall Mounted Proflame 2 Remote  | \$326.00 |
| SIT-WIFI  | Proflame 2 WiFi Phone App Control   | \$240.00 |
| GR36**    | 36" Wall Cavity Venting Louver  | \$75.00  |
| GRSDH     | Sidewall Cavity Venting Louver Horizontal (2 included)                    | \$126.00 |
| GRSDV     | Sidewall Cavity Venting Louver Vertical (2 included)                      | \$126.00 |

**\*INSTALLATION REQUIRES BOTH LOGSETS.**

**\*\*STANDALONE VENTING LOUVER USED TO VENT A WALL CAVITY ABOVE A FIREPLACE.**

### Cool Wall Advantage Accessories

|           |   |          |
|-----------|---|----------|
| HDKPD36   | Cool Wall Kit, Includes: louver, plenum, collars (requires HDKPDFK)                                   | \$558.00 |
| HDKSD     | Cool Wall Advantage Side Discharge Kit, Horizontal, Includes: 2 louvers, 2 plenums (requires HDKPDFK) | \$428.00 |
| HDKSVD    | Cool Wall Advantage Side Discharge Kit, Vertical, Includes: 2 louvers, 2 plenums (requires HDKPDFK-1) | \$428.00 |
| HDKPDFK-1 | Cool Wall Flex Kit - 5" x 12'   | \$97.00  |

### Must Use Adapter to Vent Unit w/ Duravent

|             |                          |          |
|-------------|--------------------------|----------|
| 58DVA-AD-M1 | 5" x 8" DuraVent Adapter | \$109.73 |
|-------------|--------------------------|----------|

**NOTE: REQUIRES A RISE BEFORE OFFSET. REFER TO MANUAL.**



**D3615**

### Fireplace Framing Dimensions

(see manual before framing)

| Height    | Width   | Depth   |
|-----------|---------|---------|
| 49 15/16" | 59 1/4" | 17 1/2" |

**SOME BRANDS ARE ONLY AVAILABLE IN SELECTED AREAS, CONTACT YOUR REGIONAL SALES MANAGER FOR MORE INFO.**

Pricing, model numbers and availability are subject to change without notice. Call for most current information.



## DelRay Linear Series - DRL7213

### Features:

- Concealed Ribbon Burner with 9 lbs. of Ice Fireglass (HW1157)
- Simple Field Conversion Kit
- Finish Materials Right up to the Fireplace's Edge for a Clean Finish

| MODEL NUMBER | DESCRIPTION   | LIST PRICE |
|--------------|---|------------|
| DRL7213NI-2  | 72" Fireplace, Proflame 2 IPI, Reflective Glass Panels, Downlighting, Remote Control, Fan Kit, Invisimesh Screen, 35,000 btu - NG | \$6,995.00 |
| GCA053       | NG to LP Conversion Kit   | \$98.00    |
| DRL7213NI    | 72" Fireplace, Proflame 2 Basic IPI, 32,000 btu - NG  | \$4,995.00 |
| GCA052       | NG to LP Conversion Kit   | \$98.00    |

**USES 5" X 8" MONTIGO VENTING (SEE PAGE 461 OR 5" X 8" DURAVENT W/PURCHASE OF ADAPTER OR POWER VENT COMPATIBLE - TOP VENT ONLY)**

### Optional Accessories

|         |                                     |          |
|---------|-------------------------------------|----------|
| RR400SS | Designer Speckled Stones            | \$691.00 |
| LGS77*  | Driftwood Kit, 1 of 3               | \$292.00 |
| LGS59*  | Driftwood Kit Small, 2 of 3         | \$278.00 |
| LGS57*  | Driftwood Kit Large, 3 of 3         | \$287.00 |
| DRL72   | 1" Adjustable Tim Kit               | \$209.00 |
| DRL72-2 | 1" Adjustable Trim Kit - Extra Deep | \$296.00 |
| BVK35   | Direct Vent Adapter to 5" B-Vent    | \$267.00 |

**\*INSTALLATION REQUIRES ALL 3 LOGSETS**

### DelRay Full Load Accessories

|          |                                |          |
|----------|--------------------------------|----------|
| REC1550  | Wall Mounted Proflame 2 Remote | \$326.00 |
| SIT-WIFI | Proflame 2 WiFi App Control    | \$240.00 |

### DelRay Basic Accessories

|             |  |            |
|-------------|--|------------|
| AF40BP      | Emergency Battery Back-Up  | \$26.00    |
| RX40        | Wireless Remote Control Kit (on/off only)                          | \$320.00   |
| RX60        | Wireless Remote Control Kit (on/off & thermostat control)          | \$408.00   |
| DRFK1       | DelRay Fan Kit (on/off, heat sensor fan, manual fan speed control) | \$393.00   |
| RBGDRL72 ❖  | Reflective Glass Panel Kit   | \$1,090.00 |
| SCRIDRL72 ❖ | Invisimesh Screen  | \$599.00   |

### Must Use Adapter to Vent Unit w/ DuraVent

|             |                          |          |
|-------------|--------------------------|----------|
| 58DVA-AD-M1 | 5" x 8" DuraVent Adapter | \$109.73 |
|-------------|--------------------------|----------|

**NOTE: SEE PAGE 89 FOR COOL WALL ADVANTAGE OPTIONS**



### DRL7213

#### Fireplace Framing Dimensions

(see manual before framing)

| Height    | Width | Depth |
|-----------|-------|-------|
| 33 11/16" | 81"   | 16"   |

**SOME BRANDS ARE ONLY AVAILABLE IN SELECTED AREAS, CONTACT YOUR REGIONAL SALES MANAGER FOR MORE INFO.**

Pricing, model numbers and availability are subject to change without notice. Call for most current information.

❖ – Non Stock Special Order - NO RETURNS or CANCELLATIONS

**RMI Ph: 800-628-5044**

[raymurray.com](http://raymurray.com)

## DelRay Linear Series- DRL6013

### Features:

- Concealed Ribbon Burner with 9 lbs. of Ice Fireglass (HW1157)
- Simple Field Conversion Kit
- Finish Materials Right up to the Fireplaces' Edges for a Clean Finish

| MODEL NUMBER | DESCRIPTION   | LIST PRICE |
|--------------|---|------------|
| DRL6013NI-2  | 60" Fireplace, Proflame 2 IPI, Reflective Glass Panels, Downlighting, Remote Control, Fan Kit, Invisimesh Screen, 28,000 btu - NG | \$5,979.00 |
| GCA048       | NG to LP Conversion Kit   | \$98.00    |
| DRL6013NI    | 60" Fireplace, Proflame 2 Basic IPI, 28,000 btu - NG  | \$4,189.00 |
| GCA047       | NG to LP Conversion Kit   | \$98.00    |

**USES 4"X 7" MONTIGO VENTING (SEE PAGE 458) OR 4"X6 5/8" DURAVENT W/ PURCHASE OF ADAPTER OR POWER VENT COMPATIBLE - TOP VENT ONLY.**

### Optional Accessories

|          |   |          |
|----------|---|----------|
| RR300SS  | Designer Speckled Stones  | \$509.00 |
| LGS77 *  | Driftwood Log Set, 1 of 2   | \$292.00 |
| LGS59 *  | Driftwood Log Set, 2 of 2   | \$278.00 |
| DRLT60   | 1" Adjustable Trim Kit (for up to 11/16" deep facing material)      | \$174.00 |
| DRLT60-2 | 1" Adjustable Trim Kit (for up to 1 1/2" - 2" deep facing material) | \$246.00 |
| BVK35    | Direct Vent Adapter to 5" B-Vent                                    | \$267.00 |

**\* INSTALLATION REQUIRES BOTH LOGSETS.**

### DelRay Full Load Accessories

|          |                                |          |
|----------|--------------------------------|----------|
| REC1550  | Wall Mounted Proflame 2 Remote | \$326.00 |
| SIT-WIFI | Proflame 2 WiFi App Control    | \$240.00 |

### DelRay Basic Accessories

|             |  |          |
|-------------|--|----------|
| AF40BP      | Emergency Battery Back-Up  | \$26.00  |
| RX40        | Wireless Remote Control Kit (on/off only)                          | \$320.00 |
| RX60        | Wireless Remote Control Kit (on/off & thermostat Control)          | \$408.00 |
| DRFK1       | DelRay Fan Kit (on/off, heat sensor fan, manual fan speed control) | \$383.00 |
| RBGDRL60 ❖  | Reflective Glass Panel Kit   | \$909.00 |
| SCRIDRL60 ❖ | Invisimesh Screen  | \$500.00 |

### Must Use Adapter to Vent Unit w/ DuraVent Pipe

|             |  |         |
|-------------|--|---------|
| 46DVA-AD-M1 | 4" x 6 5/8" DuraVent Appliance Adapter | \$68.46 |
|-------------|--|---------|

**NOTE: SEE PAGE 90 FOR COOL WALL ADVANTAGE OPTIONS.**



**DRL6013**

### Fireplace Framing Dimensions

(see manual before framing)  
 Height    Width    Depth  
 33 11/16"    68 15/16"    14 1/4"

**SOME BRANDS ARE ONLY AVAILABLE IN SELECTED AREAS, CONTACT YOUR REGIONAL SALES MANAGER FOR MORE INFO.**

Pricing, model numbers and availability are subject to change without notice. Call for most current information.

## DelRay Linear Series - DRL4813

### Features:

- Concealed Ribbon Burner with 9 lbs. of Ice Fireglass (HW1157)
- Simple Field Conversion Kit
- Finish Materials Right up to the Fireplace's Edges for a Clean Finish

| MODEL NUMBER | DESCRIPTION   | LIST PRICE |
|--------------|---|------------|
| DRL4813NI-2  | 48" Fireplace, Proflame 2 IPI, Reflective Glass Panels, Downlighting, Remote Control, Fan Kit, Invisimesh Screen, 21,000 btu - NG | \$4,789.00 |
| DRL4813NI    | 48" Linear Direct Vent Fireplace, Proflame 2 Basic IPI, 21,000 btu - NG   | \$3,349.00 |
| GCA019       | NG to LP Conversion Kit   | \$98.00    |

**USES 4"X 7" MONTIGO VENTING (SEE PAGE 458) OR 4"X6 5/8" DURAVENT W/ PURCHASE OF ADAPTER OR POWER VENT COMPATIBLE - TOP VENT ONLY.**

### Optional Accessories

|          |   |          |
|----------|---|----------|
| RR200SS  | Designer Speckled Stones  | \$346.00 |
| LGS77    | Driftwood Log Set   | \$292.00 |
| DRLT48   | 1" Adjustable Trim Kit (for up to 11/16" deep facing material)      | \$150.00 |
| DRLT48-2 | 1" Adjustable Trim Kit (for up to 1 1/2" - 2" deep facing material) | \$212.00 |
| BVK35    | Direct Vent Adapter to 5" B-Vent                                    | \$267.00 |

### Delray Full Load Accessories

|          |                                   |          |
|----------|-----------------------------------|----------|
| REC1550  | Wall Mounted Proflame 2 Remote    | \$326.00 |
| SIT-WIFI | Proflame 2 WiFi Phone App Control | \$240.00 |

### Delray Basic Accessories

|             |   |          |
|-------------|---|----------|
| AF40BP      | Emergency Battery Back-Up   | \$26.00  |
| RX40        | Wireless Remote Control Kit (on/off Only)                           | \$320.00 |
| RX60        | Wireless Remote Control Kit (on/off & thermostat control)           | \$408.00 |
| DRFK1       | Delray Fan Kit (on/off, heat sensor fans, manual fan speed control) | \$393.00 |
| RBGDRL48 ❖  | Reflective Glass Panel Kit  | \$711.00 |
| SCRIDRL48 ❖ | Invisimesh Screen   | \$400.00 |

### Must Use Adapter to Vent Unit w/ DuraVent Pipe

|             |  |         |
|-------------|--|---------|
| 46DVA-AD-M1 | 4" x 6 5/8" DuraVent Appliance Adapter | \$68.46 |
|-------------|--|---------|

**NOTE: SEE PAGE 91 FOR COOL WALL ADVANTAGE OPTIONS.**



**DRL4813-2**

### Fireplace Framing Dimensions

(see manual before framing)

| Height | Width   | Depth   |
|--------|---------|---------|
| 34"    | 55 3/8" | 14 1/4" |

**SOME BRANDS ARE ONLY AVAILABLE IN SELECTED AREAS, CONTACT YOUR REGIONAL SALES MANAGER FOR MORE INFO.**

Pricing, model numbers and availability are subject to change without notice. Call for most current information.

❖ – Non Stock Special Order - NO RETURNS or CANCELLATIONS

**RMI Ph: 800-628-5044**

[raymurray.com](http://raymurray.com)



## DelRay Linear Series - DRL3613

### Features:

- Concealed Ribbon Burner with 6 lbs. of Ice Fireglass (HW1157)
- Simple Field Conversion Kit
- Finish Materials Right up to the Fireplace's Edges for a Clean Finish

| MODEL NUMBER | DESCRIPTION  | LIST PRICE |
|--------------|--|------------|
| DRL3613NI-2  | 36" Linear Direct Vent Fireplace, Proflame 2 IPI, Reflective Glass Panels, Downlighting, Remote Control, Fan Kit, Invisimesh Screen, 16,000 btu - NG | \$3,639.00 |
| DRL3613NI    | 36" Linear Direct Vent Fireplace, IPI, 16,000 btu - NG   | \$2,549.00 |
| GCA010       | NG to LP Conversion Kit  | \$98.00    |

**USES 4"X 7" MONTIGO VENTING (SEE PAGE 458) OR 4"X6 5/8" DURAVENT W/ PURCHASE OF ADAPTER OR POWER VENT COMPATIBLE - TOP VENT ONLY.**

### Optional Accessories

|          |   |          |
|----------|---|----------|
| RR150SS  | Designer Speckled Stones  | \$238.00 |
| LGS76    | Driftwood Log Set   | \$229.00 |
| DRLT36   | 1" Adjustable Trim Kit (for up to 11/16" deep facing material)      | \$127.00 |
| DRLT36-2 | 1" Adjustable Trim Kit (for up to 1 1/2" - 2" deep facing material) | \$177.00 |
| BVK35    | Direct Vent Adapter to 5" B-Vent                                    | \$267.00 |

### Delray Full Load Accessories

|          |                                   |          |
|----------|-----------------------------------|----------|
| REC1550  | Wall Mounted Proflame 2 Remote    | \$326.00 |
| SIT-WIFI | Proflame 2 WiFi Phone App Control | \$240.00 |

### Delray Basic Accessories

|             |   |          |
|-------------|---|----------|
| AF40BP      | Emergency Battery Back-Up   | \$26.00  |
| RX40        | Wireless Remote Control Kit (on/off Only)                           | \$320.00 |
| RX60        | Wireless Remote Control Kit (on/off & thermostat control)           | \$408.00 |
| DRFK1       | Delray Fan Kit (on/off, heat sensor fans, manual fan speed control) | \$393.00 |
| RBGDRL36 ❖  | Reflective Glass Panel Kit  | \$513.00 |
| SCRIDRL36 ❖ | Invisimesh Screen   | \$301.00 |

### Must Use Adapter to Vent Unit w/ DuraVent Pipe

|             |  |         |
|-------------|--|---------|
| 46DVA-AD-M1 | 4" x 6 5/8" DuraVent Appliance Adapter | \$68.46 |
|-------------|--|---------|

**NOTE: SEE PAGE 92 FOR COOL WALL ADVANTAGE OPTIONS.**



**DRL3613**

### Fireplace Framing Dimensions

(see manual before framing)  
 Height    Width    Depth  
 33 11/16"    43 3/8"    14 1/4"