

# Gas Fireplaces – Direct Vent Linear



## Echelon II 72

MODEL NUMBER	DESCRIPTION	LIST PRICE
ECHEL72IN-C	72" Fireplace, 58,000 btu - NG	\$10,709.00
LPKECHEL72	NG to LP Conversion Kit	\$99.00

**USES 5" X 8" DVP VENTING (SEE PAGE 466) - TOP VENT ONLY**

**Must Choose a Front to Complete Installation.**

### Fronts - Non-Operable - Required

CFT-72-BK-C	Clean Face Trim - Black	\$839.00
CFT-72-NB-C ❖	Clean Face Trim - New Bronze	\$899.00
CFT-72-GM-C ❖	Clean Face Trim - Gun Metal	\$899.00

### Optional Accessories

BGK-72	Reflective Black Ceramic Glass Liner Kit	\$1,019.00
LOGS-DRTWOOD-72	Driftwood Log Set	\$779.00
IFT-RC150U	White Wireless Wall Switch for On/Off and Cold Climate Control. Universally compatible with IntelliFire Touch and IntelliFire Touch 2.0 systems.	\$121.00
IFT-WFM	IntelliFire Wi-Fi Module that Works with the IntelliFire ios and Android App. A RC400 or RC150 is Required for Thermostat Control.	\$229.00
BATTERY-WSK	Battery Backup Wall Switch kit	\$189.00

### Heat Management

PH-MCE	Starting Collars for Non-Ducted Passive Heat (Required when using passive heat - for use with front, side, top discharges)	\$179.00
PH-SIDETRIM	Passive Heat Trim Kit for Side Discharge – Includes 2 side registers (starting collars sold separately)	\$110.00
PH-FRTTRIM-72	Passive Heat Vent Trim Kit for Front Discharge (starting collars sold separately)	\$239.00
PHTRIM-MCE-72 ❖	Ducted Vent Trim for Front Discharge using Ducted Passive Heat (PHFR-MCE-36)	\$289.00
PHFR-MCE-72 ❖	Ducted Passive Heat Kit for Front Discharge (Requires PHTRIM-MCE-72 vent trim)	\$809.00
HEAT-OUT-GAS	Heat Out Kit (Includes Termination Cap, 25' of 6" Round Duct, Fireplace Adapter, Damper, Wall Switch and 350 cfm Fan at Termination)	\$1,529.00
HEAT-ZONE-GAS	Heat-Zone Kit (Includes: Fan, 20' Of 6" Round Duct, Vent, Wall Adapter and On/Off Control)	\$569.00
HZLIN-ADP	Heat Zone Adapter, Must Order for Using HEAT-ZONE-Gas	\$179.00

### Media

GLASS-BZ	Bronze Glass (Comes Standard w/ Unit) (3 lbs.)	\$72.00
GLASS-SP	Sapphire Glass (3 lbs.)	\$72.00
GLASS-OY	Onyx Glass (3 lbs.)	\$72.00
GLASS-DM	Diamond Glass (3 lbs.)	\$72.00
STONES-NATURAL	Natural Stones	\$113.00

**Note: If changing media, follow the required number of bags below:**

**Glass media - 7 bags of glass, Natural Stones - 4 bags of stones, Log Set & Stones - 1 bag of stone.**

**SOME BRANDS ARE ONLY AVAILABLE IN SELECTED AREAS, SEE MAP ON PAGE 4 OR CONTACT YOUR REGIONAL SALES MANAGER FOR MORE INFO.**

Pricing, model numbers and availability are subject to change without notice. Call for most current information.

❖ – Non Stock Special Order - NO RETURNS or CANCELLATIONS

**RMI Ph: 800-628-5044**

**raymurray.com**



**ECHEL72IN**

### Fireplace Framing Dimensions

(see manual before framing)

Height	Width	Depth
48"	84 1/4"	18 1/4"

### Features:

- Clear LED Dimmable Lights
- IntelliFire Touch Ignition System
- Optional Passive Heat
- RC400 Remote Control
- Battery Backup
- Ceramic Glass
- Standard w/ Bronze Glass Media

# Gas Fireplaces – Direct Vent Linear



## Echelon II 60

MODEL NUMBER	DESCRIPTION	LIST PRICE
ECHEL60IN-C	60" Fireplace, 50,000 btu - NG	\$8,149.00
LPKECHEL60	NG to LP Conversion Kit	\$99.00

USES 5" X 8" DVP VENTING (SEE PAGE 466) - TOP VENT ONLY

**Must Choose a Front to Complete Installation.**

### Fronts - Non-Operable - Required

CFT-60-BK-C	Clean Face Trim - Black	\$789.00
CFT-60-NB-C ❖	Clean Face Trim - New Bronze	\$829.00
CFT-60-GM-C ❖	Clean Face Trim - Gun Metal	\$829.00
PFF-60-BK-C ❖	Picture Frame Front - Black	\$969.00

### Optional Accessories

BGK-60	Reflective Black Ceramic Glass Liner Kit	\$869.00
LOGS-DRTWOOD-60	Driftwood Log Set	\$659.00
IFT-RC150U	White Wireless Wall Switch for On/Off and Cold Climate Control. Universally compatible with IntelliFire Touch and IntelliFire Touch 2.0 systems.	\$121.00
IFT-WFM	IntelliFire Wi-Fi Module that works with the Intellifire IOS and Android App. An RC400 or RC500 is required for thermostat control.	\$229.00
BATTERY-WSK	Battery Backup Wall Switch kit	\$189.00

### Heat Management

PH-SIDETRIM	Passive Heat Trim Kit for Side Discharge – Includes 2 side registers (starting collars sold separately)	\$110.00
PH-MCE	Starting Collars for Non-Ducted Passive Heat (Required when using passive heat - for use with front, side, top discharges)	\$179.00
PH-FRTTRIM-60	Passive Heat Vent Trim Kit for Front Discharge (starting collars sold separately)	\$229.00
PHFR-MCE-60 ❖	Ducted Passive Heat Kit for Front Discharge (Requires PHTRIM-MCE-72 vent trim)	\$759.00
PHTRIM-MCE-60 ❖	Ducted Vent Trim for Front Discharge using Ducted Passive Heat (PHFR-MCE-36)	\$279.00
HEAT-OUT-GAS	Heat Out Kit (Includes Termination Cap, 25' of 6" Round Duct, Fireplace Adapter, Damper, Wall Switch and 350 cfm Fan at Termination)	\$1,529.00
HEAT-ZONE-GAS	Heat-Zone Kit (Includes: Fan, 20' Of 6" Round Duct, Vent, Wall Adapter and On/Off Control)	\$569.00
HZLIN-ADP	Heat Zone Adapter, Must Order for Using HEAT-ZONE-Gas	\$179.00

### Media

GLASS-BZ	Bronze Glass (Comes Standard w/ Unit) (3 lbs.)	\$72.00
GLASS-SP	Sapphire Glass (3 lbs.)	\$72.00
GLASS-OY	Onyx Glass (3 lbs.)	\$72.00
GLASS-DM	Diamond Glass (3 lbs.)	\$72.00
STONES-NATURAL	Natural Stones	\$113.00

**Note: If changing media, follow the required number of bags below:**

Glass media - 6 bags of glass, Natural Stones - 3 bags of stones, Log Set & Stones - 1 bag of stone.

**SOME BRANDS ARE ONLY AVAILABLE IN SELECTED AREAS, SEE MAP ON PAGE 4 OR CONTACT YOUR REGIONAL SALES MANAGER FOR MORE INFO.**

Pricing, model numbers and availability are subject to change without notice. Call for most current information.



## ECHEL60IN

**Fireplace Framing Dimensions**  
(see manual before framing)

Height	Width	Depth
48"	72 1/4"	18 1/4"

### Features:

- Clear LED Dimmable Lights
- IntelliFire Touch Ignition System
- Optional Passive Heat
- RC400 Remote Control
- Battery Backup
- Ceramic Glass
- Standard w/ Bronze Glass Media

# Gas Fireplaces – Direct Vent Linear



## Echelon II 48

MODEL NUMBER	DESCRIPTION	LIST PRICE
ECHEL48IN-C	48" Fireplace, 40,000 btu - NG	\$5,779.00
LPKECHEL48	NG to LP Conversion Kit	\$99.00

**USES 5" X 8" DVP VENTING (SEE PAGE 466) - TOP VENT ONLY**  
**FIREPLACE FRAMING DIMENSIONS - 60 1/4" W X 42" H X 18 1/4" D**

**Must Choose a Front to Complete Installation.**

### Fronts - Non-Operable - Required

CFT-48-BK-C	Clean Face Trim - Black	\$469.00
CFT-48-NB-C ❖	Clean Face Trim - New Bronze	\$509.00
CFT-48-GM-C ❖	Clean Face Trim - Gun Metal	\$509.00
PFF-48-BK-C ❖	Picture Frame Front - Black	\$849.00

### Optional Accessories

BGK-48	Reflective Black Ceramic Glass Liner Kit	\$819.00
LOGS-DRTWOOD-48	Driftwood Log Set	\$529.00
IFT-RC150U	White Wireless Wall Switch for On/Off and Cold Climate Control. Universally compatible with IntelliFire Touch and IntelliFire Touch 2.0 systems.	\$121.00
IFT-WFM	IntelliFire Wi-Fi Module that works with the Intellifire IOS and Android App. An RC400 or RC500 is required for thermostat control.	\$229.00
BATTERY-WSK	Battery Backup Wall Switch kit	\$189.00

### Heat Management

PH-SIDETRIM	Passive Heat Trim Kit for Side Discharge – Includes 2 side registers (starting collars sold separately)	\$110.00
PH-MCE	Starting Collars for Non-Ducted Passive Heat (Required when using passive heat - for use with front, side, top discharges)	\$179.00
PH-FRTTRIM-48	Passive Heat Vent Trim Kit for Front Discharge (starting collars sold separately)	\$219.00
PHFR-MCE-48 ❖	Ducted Passive Heat Kit for Front Discharge (Requires PHTRIM-MCE-48 vent trim)	\$689.00
PHSI-MCE	Ducted Passive Heat Kit for Side Discharge – Includes duct and 2 side registers	\$569.00
PHTRIM-MCE-48 ❖	Ducted Vent Trim for Front Discharge using Ducted Passive Heat (PHFR-MCE-36)	\$269.00
HEAT-OUT-GAS	Heat Out Kit (Includes Termination Cap, 25' of 6" Round Duct, Fireplace Adapter, Damper, Wall Switch and 350 cfm Fan at Termination)	\$1,529.00
HEAT-ZONE-GAS	Heat-Zone Kit (Includes: Fan, 20' Of 6" Round Duct, Vent, Wall Adapter and On/Off Control)	\$569.00
HZLIN-ADP	Heat Zone Adapter, Must Order for Using HEAT-ZONE-Gas	\$179.00

### Media

GLASS-BZ	Bronze Glass (Comes Standard w/ Unit) (3 lbs.)	\$71.00
GLASS-SP	Sapphire Glass (3 lbs.)	\$71.00
GLASS-OY	Onyx Glass (3 lbs.)	\$71.00
GLASS-DM	Diamond Glass (3 lbs.)	\$71.00
STONES-NATURAL	Natural Stones	\$111.00

**Note: If changing media, follow the required number of bags below:**

**Glass media - 4 bags of glass, Natural Stones - 3 bags of stones, Log Set & Stones - 1 bag of stone.**

**SOME BRANDS ARE ONLY AVAILABLE IN SELECTED AREAS, SEE MAP ON PAGE 4 OR CONTACT YOUR REGIONAL SALES MANAGER FOR MORE INFO.**

Pricing, model numbers and availability are subject to change without notice. Call for most current information.

❖ – Non Stock Special Order - NO RETURNS or CANCELLATIONS

**RMI Ph: 800-628-5044**

**raymurray.com**



## ECHEL48IN

### Fireplace Framing Dimensions

(see manual before framing)

Height	Width	Depth
42"	60 1/4"	18 1/4"

### Features:

- Clear LED Dimmable Lights
- IntelliFire Touch Ignition System
- Optional Passive Heat
- RC400 Remote Control
- Battery Backup
- Ceramic Glass
- Standard w/ Bronze Glass Media

# Gas Fireplaces – Direct Vent Linear



## Echelon II 36

MODEL NUMBER	DESCRIPTION	LIST PRICE
ECHEL36IN-C	36" Fireplace, 30,000 btu - NG	\$4,579.00
LPKECHL36	NG to LP Conversion Kit	\$99.00

USES 5" X 8" DVP VENTING (SEE PAGE 466) - TOP VENT ONLY

**Must Choose a Front to Complete Installation.**

### Fronts - Non-Operable - Required

CFT-36-BK-C	Clean Face Trim - Black	\$439.00
CFT-36-NB-C ❖	Clean Face Trim - New Bronze	\$489.00
CFT-36-GM-C ❖	Clean Face Trim - Gun Metal	\$489.00
PFF-36-BK-C ❖	Picture Frame Front - Black	\$749.00

### Optional Accessories

BGK-36	Reflective Black Ceramic Glass Liner Kit	\$689.00
LOGS-DRTWOOD-36	Driftwood Log Set	\$399.00
IFT-RC150U	White Wireless Wall Switch for On/Off and Cold Climate Control. Universally compatible with IntelliFire Touch and IntelliFire Touch 2.0 systems.	\$121.00
IFT-WFM	IntelliFire Wi-Fi Module that works with the IntelliFire IOS and Android App. An RC400 or RC500 is required for thermostat control.	\$229.00
BATTERY-WSK	Battery Backup Wall Switch kit	\$189.00

### Heat Management

PH-SIDETRIM	Passive Heat Trim Kit for Side Discharge – Includes 2 side registers (starting collars sold separately)	\$110.00
PH-MCE	Starting Collars for Non-Ducted Passive Heat (Required when using passive heat - for use with front, side, top discharges)	\$179.00
PH-FRTTRIM-36	Passive Heat Vent Trim Kit for Front Discharge (starting collars sold separately)	\$209.00
PHSI-MCE	Ducted Passive Heat for Side Discharge (includes duct and 2 side registers)	\$569.00
PHFR-MCE-36 ❖	Ducted Passive Heat Kit for Front Discharge (Requires PHTRIM-MCE-36 vent trim)	\$629.00
PHTRIM-MCE-36 ❖	Ducted Vent Trim for Front Discharge using Ducted Passive Heat (PHFR-MCE-36)	\$249.00
HEAT-OUT-GAS	Heat Out Kit (Includes Termination Cap, 25' of 6" Round Duct, Fireplace Adapter, Damper, Wall Switch and 350CFM Fan at Termination)	\$1,529.00
HEAT-ZONE-GAS	Heat-Zone Kit (Includes: Fan, 20' Of 6" Round Duct, Vent, Wall Adapter and On/Off Control)	\$569.00
HZLIN-ADP	Heat Zone Adapter, Must Order for Using HEAT-ZONE-Gas	\$179.00

### Media

GLASS-BZ	Bronze Glass (Comes Standard w/ Unit) (3 lbs.)	\$72.00
GLASS-SP	Sapphire Glass (3 lbs.)	\$72.00
GLASS-OY	Onyx Glass (3 lbs.)	\$72.00
GLASS-DM	Diamond Glass (3 lbs.)	\$72.00
STONES-NATURAL	Natural Stones	\$113.00

**Note: If changing media, follow the required number of bags below:**

Glass media - 3 bags of glass, Natural Stones - 2 bags of stones, Log Set & Stones - 1 bag of stone.

**SOME BRANDS ARE ONLY AVAILABLE IN SELECTED AREAS, SEE MAP ON PAGE 4 OR CONTACT YOUR REGIONAL SALES MANAGER FOR MORE INFO.**

Pricing, model numbers and availability are subject to change without notice. Call for most current information.



## ECHEL36IN

### Fireplace Framing Dimensions

(see manual before framing)

Height	Width	Depth
42"	48 1/4"	18 1/4"

### Features:

- Clear LED Dimmable Lights
- IntelliFire Touch Ignition System
- Optional Passive Heat
- RC400 Remote Control
- Battery Backup
- Ceramic Glass
- Standard w/ Bronze Glass Media

## Jade 42

### Features:

- IntelliFire Touch Ignition System
- Bronze Glass Media
- Tempered Glass

**NOTE: If installing a Passive Heat kit you cannot use a fan.**

**NOTE: If ordering lights or fan, must order IFT-RC400.**

MODEL NUMBER	DESCRIPTION	LIST PRICE
JADE42IN-B	42" Fireplace, 25,250 btu - NG	\$3,349.00
JADE42IL-B	42" Fireplace, 25,500 btu - NG	\$3,349.00

**USES 4" X 6 5/8" SLP VENTING (SEE PAGE 465) - TOP VENT ONLY**

### Must Choose a Front to Complete Installation.

#### Fronts - Non-Operable - Required

CFTF-42-BK	Clean Face Trim - Black	\$469.00
CFTF-42-NB ❖	Clean Face Trim - New Bronze	\$539.00
CFTF-42-GM ❖	Clean Face Trim - Gun Metal	\$539.00
PFF-42-BK ❖	Picture Frame Front - Black	\$779.00

### Optional Accessories

GFK-160C	Fan Kit 160 CFM (fan only)	\$259.00
DRTWOOD-JADE	Driftwood Log Set	\$479.00
GLASS-42LINEAR	Fade-Resistant Reflective Black Glass Interior Panels	\$629.00
LED-LINEAR	LED Accent Lights (must order LED-SWITCH for multi-color selection)	\$379.00

#### Media

GLASS-BZ	Bronze Glass (Comes Standard w/ Unit) (3 lbs.)	\$72.00
GLASS-SP	Sapphire Glass (3 lbs.)	\$72.00
GLASS-OY	Onyx Glass (3 lbs.)	\$721.00
GLASS-DM	Diamond Glass (3 lbs.)	\$72.00
STONES-NATURAL	Natural Stones	\$113.00

**NOTE: IF CHANGING MEDIA, FOLLOW THE REQUIRED NUMBER OF BAGS BELOW:**

**GLASS MEDIA - 3 BAGS OF GLASS, NATURAL STONES - 6 BAGS OF STONES, LOG SET & STONES - 1 BAG OF STONES.**



### JADE42

#### Fireplace Framing Dimensions

(see manual before framing)

Height	Width	Depth
32 3/4"	49"	17 3/4"

**Continued on next page**



## Jade 42 - Cont.

MODEL NUMBER	DESCRIPTION	LIST PRICE
<b>Heat Management</b>		
PH-SIDETRIM	Passive Heat Trim Kit for Side Discharge – Includes 2 side registers (starting collars sold separately)	\$110.00
PH-LINEAR	Starting Collars for Non-Ducted Passive Heat (required when using passive heat)	\$199.00
PH-FRTTRIM-42	Passive Heat Vent Trim Kit for Front Discharge (starting collars sold separately)	\$209.00
HEAT-OUT-GAS	Heat Out Kit (includes termination cap, 25' of 6" round duct, fireplace adapter, damper, wall switch and 350CFM fan at termination)	\$1,529.00
HEAT-ZONE GAS	Heat-Zone Kit (includes fan, 20' of 6" round duct, vent, wall adapter and on/off control)	\$569.00
<b>Controls</b>		
BATTERY-WSK	Battery Backup Wall Switch Kit for Units with IFT Control Systems. Includes - On/Off Wall Switch, USB-C Port, Battery Backup, Cover Plate, 12' Wire Harness	\$189.00
IFT-WFM	IntelliFire Wi-Fi Module that works with the IntelliFire IOS and Android App. Use to control all the features of your fireplace via a smart device. An RC400 or RC500 is required for thermostat control.	\$229.00
IFT-ACM	IntelliFire Touch Aux Module. Must Order if Adding Fan, Lights or Power Vent and Want to Use the IFT-WFM. Do Not Need to Order if Using IFT-RC400 (includes IFT-ACM )	\$98.00
IFT-RC150U	White Wireless Wall Switch for On/Off and Cold Climate Control. Universally compatible with IntelliFire Touch and IntelliFire Touch 2.0 systems.	\$121.00
IFT-RC400	IntelliFire Touch Black Remote Control, Docking Station and Auxiliary Control Module (on/off, flame height, thermostat mode, fan control, child lock, cold climate, timer mode, hot indicator, lights, on-screen maintenance and troubleshooting notifications)	\$389.00
LED-SWITCH	3 Toggle Wall Switch for Multi-Color Selection	\$141.00

**SOME BRANDS ARE ONLY AVAILABLE IN SELECTED AREAS, SEE MAP ON PAGE 4 OR CONTACT YOUR REGIONAL SALES MANAGER FOR MORE INFO.**

Pricing, model numbers and availability are subject to change without notice. Call for most current information.

## Jade 32

### Features:

- IntelliFire Touch Ignition System
- Bronze Glass Media
- Tempered Glass

**NOTE: If installing a Passive Heat kit you cannot use a fan.**

**NOTE: If installing a SmartWall kit you cannot use a power vent or fan**

**NOTE: If ordering lights or fan, must order IFT-RC400**

MODEL NUMBER	DESCRIPTION	LIST PRICE
JADE32IN-B	32" Fireplace, 19,000 btu - NG	\$2,719.00
LPK-32LINEAR	LP Conversion Kit	\$99.00

**USES 4" X 6 5/8" SLP VENTING (SEE PAGE 465) - TOP VENT ONLY**

**Must Choose a Front to Complete Installation.**

### Fronts - Non-Operable - Required

CFTF-32-BK	Clean Face Trim - Black	\$439.00
CFTF-32-NB ❖	Clean Face Trim - New Bronze	\$509.00
CFTF-32-GM ❖	Clean Face Trim - Gun Metal	\$509.00
PFF-32-BK ❖	Picture Frame Front - Black	\$759.00

### Optional Accessories

GFK-160C	Fan Kit 160 CFM (fan only)	\$259.00
DRTWOOD-JADE	Driftwood Log Set	\$479.00
GLASS-32LINEAR	Fade-Resistant Reflective Black Glass Interior Panels	\$589.00
LED-LINEAR	LED Accent Lights (must order LED-SWITCH for multi-color selection)	\$379.00

### Media

GLASS-BZ	Bronze Glass (Comes Standard w/ Unit) (3 lbs.)	\$72.00
GLASS-SP	Sapphire Glass (3 lbs.)	\$72.00
GLASS-OY	Onyx Glass (3 lbs.)	\$72.00
GLASS-DM	Diamond Glass (3 lbs.)	\$72.00
STONES-NATURAL	Natural Stones	\$113.00

**NOTE: IF CHANGING MEDIA, FOLLOW THE REQUIRED NUMBER OF BAGS BELOW:  
GLASS MEDIA - 2 BAGS OF GLASS, NATURAL STONES - 4 BAGS OF STONES, LOG SET & STONES - 1/2 BAG OF STONES.**



### JADE32

**Fireplace Framing Dimensions**  
(see manual before framing)

Height	Width	Depth
36 1/2"	37"	17 3/4"

**Continued on next page**

## Jade 32 - Cont.

MODEL NUMBER	DESCRIPTION	LIST PRICE
<b>Heat Management</b>		
PH-SIDETRIM	Passive Heat Trim Kit for Side Discharge – Includes 2 side registers (starting collars sold separately)	\$110.00
PH-FRTTRIM-32	Passive Heat Vent Trim Kit for Front Discharge (starting collars sold separately)	\$149.00
PH-LINEAR	Starting Collars for Non-Ducted Passive Heat (required when using passive heat - for use with front, side, top discharges)	\$199.00
HEAT-OUT-GAS	Heat Out Kit (includes termination cap, 25' of 6" round duct, fireplace adapter, damper, wall switch and 350CFM fan at termination)	\$1,529.00
HEAT-ZONE GAS	Heat-Zone Kit (includes fan, 20' of 6" round duct, vent, wall adapter and on/off control)	\$569.00
<b>Controls</b>		
BATTERY-WSK	Battery Backup Wall Switch Kit for Units with IFT Control Systems. Includes - On/Off Wall Switch, USB-C Port, Battery Backup, Cover Plate, 12' Wire Harness	\$189.00
IFT-WFM	IntelliFire Wi-Fi Module that works with the Intellifire IOS and Android App. Use to control all the features of your fireplace via a smart device. An RC400 or RC500 is required for thermostat control.	\$229.00
IFT-ACM	IntelliFire Touch Aux Module. Must Order if Adding Fan, Lights or Power Vent and Want to Use the IFT-WFM. Do Not Need to Order if Using IFT-RC400 (includes IFT-ACM )	\$98.00
IFT-RC150U	White Wireless Wall Switch for On/Off and Cold Climate Control. Universally compatible with IntelliFire Touch and IntelliFire Touch 2.0 systems.	\$121.00
IFT-RC400	IntelliFire Touch Black Remote Control, Docking Station and Auxiliary Control Module (on/off, flame height, thermostat mode, fan control, child lock, cold climate, timer mode, hot indicator, lights, on-screen maintenance and troubleshooting notifications)	\$389.00
LED-SWITCH	3 Toggle Wall Switch for Multi-Color Selection	\$141.00

SOME BRANDS ARE ONLY AVAILABLE IN SELECTED AREAS, SEE MAP ON PAGE 4 OR CONTACT YOUR REGIONAL SALES MANAGER FOR MORE INFO.

Pricing, model numbers and availability are subject to change without notice. Call for most current information.



## DV Linear 36

### Features:

- IntelliFire Ignition System
- Onyx Media
- Tempered Glass
- Black Firescreen
- Battery Backup

MODEL NUMBER	DESCRIPTION	LIST PRICE
DVLINEAR36	36" Fireplace, 16,500 btu - NG	\$2,349.00
LPK-DVLIN36	NG to LP Conversion Kit	\$99.00

USES 4" X 6 5/8" SLP VENTING (SEE PAGE 465) - TOP VENT ONLY

### Optional Accessories

CFTF-36-BK ❖	Clean Face Trim - Black	\$459.00
--------------	-------------------------	----------

### Controls

RCT-MLT-MAJ	IP Remote Control (on/off, fan speed, flame control, temperature readout, thermostat mode, timer mode)	\$399.00
SMART-STAT-MAJ	Remote Control - IPI or SP (on/off, temperature readout, thermostat mode, timer mode)	\$289.00
PH-SIDETRIM	Passive Heat for Side Discharge (includes 2 side registers) (starting collars sold separately)	\$110.00
PH-FRTTRIM-36	Passive Heat Vent Trim Kit for Front Discharge (starting collars sold separately)	\$209.00
PH-LINEAR	Starting Collars for Non-Ducted Passive Heat (required when using passive heat - for use with front, side, top discharges)	\$199.00



### DVLINEAR36

#### Fireplace Framing Dimensions (see manual before framing)

Height	Width	Depth
32 3/4"	42"	17 3/4"