

## Prodigy Series

### Features:

- Frameless and Postless Window Design
- COOL-Pack Glass
- Roof, Wall or In-Line Power Vent
- Available in See-Through, Corner and Bay Configurations
- Standard LED Uplighting
- Standard Intake Dampers
- 50' of Control Cables (EC1179-50) and Damper Cables (EC1178-50)
- 25' of Wall Switch Wire (EC1019-25)
- Control Box



**PC620**

MODEL NUMBER	DESCRIPTION	LIST PRICE
PC820NR ❖	8' x 20" Single Sided Fireplace, Roof Top Power Vent - NG	\$37,329.00
PC820NW ❖	8' x 20" Single Sided Fireplace, Wall Mount Power Vent - NG	\$37,329.00
PC620NR	6' x 20" Single Sided Fireplace, Roof Top Power Vent - NG	\$26,619.00
PC620NW	6' x 20" Single Sided Fireplace, Wall Mount Power Vent - NG	\$26,619.00
PC620NI	6' x 20" Single Sided Fireplace, In Line Power Vent - NG	\$26,612.00
PC520NR	5' x 20" Single Sided Fireplace, Roof Top Power Vent - NG	\$21,749.00
PC520NW	5' x 20" Single Sided Fireplace, Wall Mount Power Vent - NG	\$21,749.00
PC520NI	5' x 20" Single Sided Fireplace, In Line Power Vent - NG	\$21,749.00
PC420NR	4' x 20" Single Sided Fireplace, Roof Top Power Vent - NG	\$17,489.00

**Prodigy Fireplaces are available to order in multiple configurations (see through, corner, bay), glass height and glass width.**

### Combustion Air Intake Boxes

PCCALVB-12 ❖	12" Combustion Air Vent Box with Louver	\$1,629.00
PCCALVB-10 ❖	10" Combustion Air Vent Box with Louver	\$1,399.00
PCCALVB-08	8" Combustion Air Vent Box with Louver	\$1,109.00

### Flue Gas Dampers

EC1495 ❖	12" Flue Gas Damper	\$869.00
EC1494	10" Flue Gas Damper	\$739.00
EC1489 ❖	8" Flue Gas Damper	\$629.00
EC1178-50	Damper Cable for Flue Gas Dampers	\$129.00

**NOTE: RECOMMENDED TO USE IN COLD CLIMATES.**

## Distinction Series - D7215

### Features:

- Ceramic Glass Door
- Power Vent Compatible
- Turn Down Gas Valve with Stepper Motor
- Full Feature Proflame 2 Remote Control
- Ceramic Glass Reflective Liner, Multi-Color LED Lighting and 15 lbs. of Ice Fireglass (HW1157)
- Quiet Circulating Fans with Remote Speed Adjustment
- Invisimesh Screen

MODEL NUMBER	DESCRIPTION	LIST PRICE
D7215NI-2	72" Fully Loaded Fireplace, IPI, 57,000 btu - NG	\$13,739.00
GCA013	NG to LP Conversion Kit	\$149.00

**USES 5"X 8" MONTIGO VENTING (SEE PAGE 472) OR 5"X8" DURAVENT W/ PURCHASE OF ADAPTER OR POWER VENT COMPATIBLE - TOP VENT ONLY.**

### Optional Accessories

RR450SS	Designer Speckled Stones	\$767.00
LGS57*	Driftwood Log Set, 1 of 3	\$294.00
LGS58*	Driftwood Log Set, 2 of 3	\$344.00
LGS59*	Driftwood Log Set, 3 of 3	\$284.00
DBK72AF	Ash Fluted Liner	\$444.00
DBK72TF ❖	Tuscan Fluted Liner	\$444.00
DLT72 ❖	1" Adjustable Trim Kit - up to 11/16" deep facing materials	\$209.00
DLT72-2	1" Adjustable Trim Kit Extra Deep - for 1 1/2" - 2" deep facing materials	\$234.00
REC1550	Wall Mounted Proflame 2 Remote	\$334.00
SIT-WIFI	Proflame 2 WiFi Phone App Control	\$244.00
GR72**	72" Wall Cavity Venting Louver	\$149.00
GRSDH	Sidewall Cavity Venting Louver Horizontal (2 included)	\$129.00
GRSDV	Sidewall Cavity Venting Louver Vertical (2 included)	\$129.00

**\*INSTALLATION REQUIRES ALL 3 LOGSETS.**

**\*\*STANDALONE VENTING LOUVER USED TO VENT A WALL CAVITY ABOVE A FIREPLACE.**

### Cool Wall Advantage Accessories

HDKPD72	Cool Wall Kit, Includes: louver, plenum, collars (requires HDKPDFK)	\$1,169.00
HDKSD	Cool Wall Advantage Side Discharge Kit, Horizontal, Includes: 2 louvers, 2 plenums (requires HDKPDFK)	\$439.00
HDKSVD	Cool Wall Advantage Side Discharge Kit, Vertical, Includes: 2 louvers, 2 plenums (requires HDKPDFK)	\$428.00
HDKPDFK	Cool Wall Flex Kit - 5" x 24'	\$203.00

### Must Use Adapter to Vent Unit w/ DuraVent

58DVA-AD-M1	5" x 8" DuraVent Adapter	\$125.58
-------------	--------------------------	----------

**NOTE: REQUIRES A RISE BEFORE OFFSET. REFER TO MANUAL.**



**D7215**

### Fireplace Framing Dimensions

(see manual before framing)

Height	Width	Depth
59 3/8"	95 3/8"	18 1/2"

## Distinction Series - D6315

### Features:

- Ceramic Glass Door
- Power Vent Compatible
- Turn Down Gas Valve with Stepper Motor
- Full Feature Proflame 2 Remote Control
- Ceramic Glass Reflective Liner, Multi-Color LED Lighting and 12 lbs. of Ice Fireglass (HW1157)
- Quiet Circulating Fans with Remote Speed Adjustment
- Invisimesh Screen

MODEL NUMBER	DESCRIPTION	LIST PRICE
D6315NI-2	63" Fully Loaded Fireplace, IPI, 50,000 btu - NG	\$12,299.00
GCA009	NG to LP Conversion Kit	\$149.00

**USES 5"X 8" MONTIGO VENTING (SEE PAGE 472) OR 5"X8" DURAVENT W/ PURCHASE OF ADAPTER OR POWER VENT COMPATIBLE - TOP VENT ONLY.**

### Optional Accessories

RR450SS	Designer Speckled Stones	\$767.00
LGS58*	Driftwood Log Set, 1 of 2	\$344.00
LGS59*	Driftwood Log Set, 2 of 2	\$284.00
DBK63AF	Ash Fluted Liner	\$399.00
DBK63TF ❖	Tuscan Fluted Liner	\$399.00
DLT63	1" Adjustable Trim Kit - up to 11/16" deep facing materials	\$194.00
DLT63-2 ❖	1" Adjustable Trim Kit Extra Deep - for 1 1/2" - 2" deep facing materials	\$209.00
REC1550	Wall Mounted Proflame 2 Remote	\$334.00
SIT-WIFI	Proflame 2 WiFi Phone App Control	\$244.00
GR63**	63" Wall Cavity Venting Louver	\$134.00
GRSDH	Sidewall Cavity Venting Louver Horizontal (2 included)	\$129.00
GRSDV	Sidewall Cavity Venting Louver Vertical (2 included)	\$129.00

**\*INSTALLATION REQUIRES BOTH LOGSETS.**

**\*\*STANDALONE VENTING LOUVER USED TO VENT A WALL CAVITY ABOVE A FIREPLACE.**

### Cool Wall Advantage Accessories

HDKPD63	Cool Wall Kit, Includes: louver, plenum, collars (requires HDKPDKF)	\$1,039.00
HDKSD	Cool Wall Advantage Side Discharge Kit, Horizontal, Includes: 2 louvers, 2 plenums (requires HDKPDKF)	\$439.00
HDKSVD	Cool Wall Advantage Side Discharge Kit, Vertical, Includes: 2 louvers, 2 plenums (requires HDKPDKF)	\$439.00
HDKPDKF-F	Cool Wall Flex Kit - 5" x 24'	\$203.00

### Must Use Adapter to Vent Unit w/ Duravent

58DVA-AD-M1	5" x 8" DuraVent Adapter	\$125.58
-------------	--------------------------	----------

**NOTE: REQUIRES A RISE BEFORE OFFSET. REFER TO MANUAL.**



**D6315**

### Fireplace Framing Dimensions

(see manual before framing)

Height	Width	Depth
50 3/8"	79 1/2"	18"

## Distinction Series - D4815

### Features:

- Ceramic Glass Door
- Turn Down Gas Valve with Stepper Motor
- Full Feature Proflame 2 Remote Control
- Ceramic Glass Reflective Liner, Multi-Color LED Lighting and 9 lbs. of Ice Fireglass (HW1157)
- Quiet Circulating Fans with Remote Speed Adjustment
- Invisimesh Screen

MODEL NUMBER	DESCRIPTION	LIST PRICE
D4815NI-2	48" Fully Loaded Fireplace, IPI, 40,000 btu - NG	\$6,829.00
GCA017	NG to LP Conversion Kit	\$149.00

**USES 5"X 8" MONTIGO VENTING (SEE PAGE 472) OR 5"X8" DURAVENT W/ PURCHASE OF ADAPTER OR POWER VENT COMPATIBLE - TOP VENT ONLY. CAN USE 4X7 VENTING WITH REDUCER, PVA5487.**

### Optional Accessories

RR200SS	Designer Speckled Stones	\$354.00
LGS57*	Driftwood Log Set, 1 of 3	\$294.00
LGS59*	Driftwood Log Set, 2 of 3	\$284.00
LGS61*	Driftwood Log Set, 3 of 3	\$224.00
DBK48AF	Ash Fluted Liner	\$329.00
DBK48TF ❖	Tuscan Fluted Liner	\$329.00
DLT48	1" Adjustable Trim Kit - up to 11/16" deep facing materials	\$164.00
DLT48-2	1" Adjustable Trim Kit Extra Deep - for 1 1/2" - 2" deep facing materials	\$179.00
PVA5487	10" Reducer, 5/8 to 4/7	\$129.00
REC1550	Wall Mounted Proflame 2 Remote	\$334.00
SIT-WIFI	Proflame 2 WiFi Phone App Control	\$244.00
GR48**	48" Wall Cavity Venting Louver	\$104.00
GRSDH	Sidewall Cavity Venting Louver Horizontal (2 included)	\$129.00
GRSDV	Sidewall Cavity Venting Louver Vertical (2 included)	\$129.00

**\*INSTALLATION REQUIRES ALL 3 LOGSETS.**

**\*\*STANDALONE VENTING LOUVER USED TO VENT A WALL CAVITY ABOVE A FIREPLACE.**

### Cool Wall Advantage Accessories

HDKPD48	Cool Wall Kit, Includes: louver, plenum, collars (requires HDKPDKF)	\$744.00
HDKSD	Cool Wall Advantage Side Discharge Kit, Horizontal, Includes: 2 louvers, 2 plenums (requires HDKPDKF)	\$439.00
HDKSVD	Cool Wall Advantage Side Discharge Kit, Vertical, Includes: 2 louvers, 2 plenums (requires HDKPDKF)	\$439.00
HDKPDKF-F	Cool Wall Flex Kit - 5" x 24'	\$203.00

### Must Use Adapter to Vent Unit w/ DuraVent

58DVA-AD-M1	5" x 8" DuraVent Adapter	\$125.58
-------------	--------------------------	----------

**NOTE: REQUIRES A RISE BEFORE OFFSET. REFER TO MANUAL.**



**D4815**

### Fireplace Framing Dimensions

(see manual before framing)		
Height	Width	Depth
50"	71 3/4"	17 1/2"

## Distinction Series - D3615

### Features:

- Ceramic Glass Door
- Turn Down Gas Valve with Stepper Motor
- Full Feature Proflame 2 Remote Control
- Ceramic Glass Reflective Liner, Multi-Color LED Lighting and 6 lbs. of Ice Fireglass (HW1157)
- Quiet Circulating Fans with Remote Speed Adjustment
- Invisimesh Screen

MODEL NUMBER	DESCRIPTION	LIST PRICE
D3615NI-2	36" Fully Loaded Fireplace, IPI, 35,000 btu - NG	\$5,779.00
GCA015	NG to LP Conversion Kit	\$149.00

**USES 5"X8" MONTIGO VENTING (SEE PAGE 472) OR 5"X8" DURAVENT W/ PURCHASE OF ADAPTER OR POWER VENT COMPATIBLE - TOP VENT ONLY. CAN USE 4X7 VENTING WITH REDUCER, PVA5487.**

### Optional Accessories

RR150SS	Designer Speckled Stones	\$244.00
LGS59*	Driftwood Log Set, 1 of 2	\$284.00
LGS60*	Driftwood Log Set, 2 of 2	\$309.00
DBK36AF	Ash Fluted Liner	\$259.00
DBK36TF ❖	Tuscan Fluted Liner	\$259.00
DLT36	1" Adjustable Trim Kit - up to 11/16" deep facing materials	\$139.00
DLT36-2 ❖	1" Adjustable Trim Kit Extra Deep - for 1 1/2" - 2" deep facing materials	\$154.00
PVA5487	10" Reducer, 5/8 to 4/7	\$129.00
REC1550	Wall Mounted Proflame 2 Remote	\$334.00
SIT-WIFI	Proflame 2 WiFi Phone App Control	\$244.00
GR36**	36" Wall Cavity Venting Louver	\$77.00
GRSDH	Sidewall Cavity Venting Louver Horizontal (2 included)	\$129.00
GRSDV	Sidewall Cavity Venting Louver Vertical (2 included)	\$129.00

**\*INSTALLATION REQUIRES BOTH LOGSETS.**

**\*\*STANDALONE VENTING LOUVER USED TO VENT A WALL CAVITY ABOVE A FIREPLACE.**

### Cool Wall Advantage Accessories

HDKPD36	Cool Wall Kit, Includes: louver, plenum, collars (requires HDKPDFK)	\$569.00
HDKSD	Cool Wall Advantage Side Discharge Kit, Horizontal, Includes: 2 louvers, 2 plenums (requires HDKPDFK)	\$439.00
HDKSVD	Cool Wall Advantage Side Discharge Kit, Vertical, Includes: 2 louvers, 2 plenums (requires HDKPDFK-1)	\$439.00
HDKPDFK-1-F	Cool Wall Flex Kit - 5" x 12'	\$99.00

### Must Use Adapter to Vent Unit w/ DuraVent

58DVA-AD-M1	5" x 8" DuraVent Adapter	\$125.58
-------------	--------------------------	----------

**NOTE: REQUIRES A RISE BEFORE OFFSET. REFER TO MANUAL.**



**D3615**

### Fireplace Framing Dimensions

(see manual before framing)

Height	Width	Depth
49 15/16"	59 1/4"	17 1/2"



## DelRay Linear Series - DRL7213

### Features:

- Concealed Ribbon Burner with 9 lbs. of Ice Fireglass (HW1157)
- Simple Field Conversion Kit
- Finish Materials Right up to the Fireplace's Edge for a Clean Finish

MODEL NUMBER	DESCRIPTION	LIST PRICE
DRL7213NI-2	72" Fireplace, Proflame 2 IPI, Reflective Glass Panels, Downlighting, Remote Control, Fan Kit, Invisimesh Screen, 35,000 btu - NG	\$7,139.00
GCA053	NG to LP Conversion Kit	\$99.00
DRL7213NI	72" Fireplace, Proflame 2 Basic IPI, 32,000 btu - NG	\$5,099.00
GCA052	NG to LP Conversion Kit	\$99.00

**USES 5" X 8" MONTIGO VENTING (SEE PAGE 472) OR 5" X 8" DURAVENT W/PURCHASE OF ADAPTER OR POWER VENT COMPATIBLE - TOP VENT ONLY**

### Optional Accessories

RR400SS	Designer Speckled Stones	\$691.00
LGS77*	Driftwood Kit, 1 of 3	\$309.00
LGS59*	Driftwood Kit Small, 2 of 3	\$284.00
LGS57*	Driftwood Kit Large, 3 of 3	\$294.00
DRL72	1" Adjustable Trim Kit	\$214.00
DRL72-2	1" Adjustable Trim Kit - Extra Deep	\$299.00
BVK35	Direct Vent Adapter to 5" B-Vent	\$274.00

**\*INSTALLATION REQUIRES ALL 3 LOGSETS**

### DelRay Full Load Accessories

REC1550	Wall Mounted Proflame 2 Remote	\$334.00
SIT-WIFI	Proflame 2 WiFi App Control	\$244.00

### DelRay Basic Accessories

AF40BP	Emergency Battery Back-Up	\$27.00
RX40	Wireless Remote Control Kit (on/off only)	\$329.00
RX60	Wireless Remote Control Kit (on/off & thermostat control)	\$419.00
DRFK1	DelRay Fan Kit (on/off, heat sensor fan, manual fan speed control)	\$399.00
RBGDRL72 ❖	Reflective Glass Panel Kit	\$1,090.00
SCRIDRL72 ❖	Invisimesh Screen	\$619.00

### Must Use Adapter to Vent Unit w/ DuraVent

58DVA-AD-M1	5" x 8" DuraVent Adapter	\$125.58
-------------	--------------------------	----------

**NOTE: SEE PAGE 89 FOR COOL WALL ADVANTAGE OPTIONS**



### DRL7213

**Fireplace Framing Dimensions**  
(see manual before framing)

Height	Width	Depth
33 11/16"	81"	16"

## DelRay Linear Series- DRL6013

### Features:

- Concealed Ribbon Burner with 9 lbs. of Ice Fireglass (HW1157)
- Simple Field Conversion Kit
- Finish Materials Right up to the Fireplaces' Edges for a Clean Finish

MODEL NUMBER	DESCRIPTION	LIST PRICE
DRL6013NI-2	60" Fireplace, Proflame 2 IPI, Reflective Glass Panels, Downlighting, Remote Control, Fan Kit, Invisimesh Screen, 28,000 btu - NG	\$6,099.00
GCA048	NG to LP Conversion Kit	\$99.00
DRL6013NI	60" Fireplace, Proflame 2 Basic IPI, 28,000 btu - NG	\$4,279.00
GCA047	NG to LP Conversion Kit	\$99.00

**USES 4"X 7" MONTIGO VENTING (SEE PAGE 469) OR 4"X6 5/8" DURAVENT W/ PURCHASE OF ADAPTER OR POWER VENT COMPATIBLE - TOP VENT ONLY.**

### Optional Accessories

RR300SS	Designer Speckled Stones	\$519.00
LGS77 *	Driftwood Log Set, 1 of 2	\$309.00
LGS59 *	Driftwood Log Set, 2 of 2	\$284.00
DRLT60	1" Adjustable Trim Kit (for up to 11/16" deep facing material)	\$179.00
DRLT60-2	1" Adjustable Trim Kit (for up to 1 1/2" - 2" deep facing material)	\$249.00
BVK35	Direct Vent Adapter to 5" B-Vent	\$274.00

**\* INSTALLATION REQUIRES BOTH LOGSETS.**

### DelRay Full Load Accessories

REC1550	Wall Mounted Proflame 2 Remote	\$334.00
SIT-WIFI	Proflame 2 WiFi App Control	\$244.00

### DelRay Basic Accessories

AF40BP	Emergency Battery Back-Up	\$27.00
RX40	Wireless Remote Control Kit (on/off only)	\$329.00
RX60	Wireless Remote Control Kit (on/off & thermostat Control)	\$419.00
DRFK1	DelRay Fan Kit (on/off, heat sensor fan, manual fan speed control)	\$399.00
RBGDRL60 ♦	Reflective Glass Panel Kit	\$959.00
SCRIDRL60	Invisimesh Screen	\$529.00

### Must Use Adapter to Vent Unit w/ DuraVent Pipe

46DVA-AD-M1	4" x 6 5/8" DuraVent Appliance Adapter	\$78.36
-------------	--	---------

**NOTE: SEE PAGE 90 FOR COOL WALL ADVANTAGE OPTIONS.**



**DRL6013**

### Fireplace Framing Dimensions

(see manual before framing)  
 Height      Width      Depth  
 33 11/16"    68 15/16"    14 1/4"

## DelRay Linear Series - DRL4813

### Features:

- Concealed Ribbon Burner with 9 lbs. of Ice Fireglass (HW1157)
- Simple Field Conversion Kit
- Finish Materials Right up to the Fireplace's Edges for a Clean Finish

MODEL NUMBER	DESCRIPTION	LIST PRICE
DRL4813NI-2	48" Fireplace, Proflame 2 IPI, Reflective Glass Panels, Downlighting, Remote Control, Fan Kit, Invisimesh Screen, 21,000 btu - NG	\$4,889.00
DRL4813NI	48" Linear Direct Vent Fireplace, Proflame 2 Basic IPI, 21,000 btu - NG	\$3,409.00
GCA019	NG to LP Conversion Kit	\$99.00

**USES 4"X 7" MONTIGO VENTING (SEE PAGE 469) OR 4"X6 5/8" DURAVENT W/ PURCHASE OF ADAPTER OR POWER VENT COMPATIBLE - TOP VENT ONLY.**

### Optional Accessories

RR200SS	Designer Speckled Stones	\$354.00
LGS77	Driftwood Log Set	\$309.00
DRLT48	1" Adjustable Trim Kit (for up to 11/16" deep facing material)	\$154.00
DRLT48-2	1" Adjustable Trim Kit (for up to 1 1/2" - 2" deep facing material)	\$219.00
BVK35	Direct Vent Adapter to 5" B-Vent	\$274.00

### Delray Full Load Accessories

REC1550	Wall Mounted Proflame 2 Remote	\$334.00
SIT-WIFI	Proflame 2 WiFi Phone App Control	\$244.00

### Delray Basic Accessories

AF40BP	Emergency Battery Back-Up	\$27.00
RX40	Wireless Remote Control Kit (on/off Only)	\$329.00
RX60	Wireless Remote Control Kit (on/off & thermostat control)	\$419.00
DRFK1	Delray Fan Kit (on/off, heat sensor fans, manual fan speed control)	\$399.00
RBGDRL48 ❖	Reflective Glass Panel Kit	\$749.00
SCRIDRL48	Invisimesh Screen	\$419.00

### Must Use Adapter to Vent Unit w/ DuraVent Pipe

46DVA-AD-M1	4" x 6 5/8" DuraVent Appliance Adapter	\$78.36
-------------	--	---------

**NOTE: SEE PAGE 91 FOR COOL WALL ADVANTAGE OPTIONS.**



**DRL4813-2**

### Fireplace Framing Dimensions

(see manual before framing)

Height	Width	Depth
34"	55 3/8"	14 1/4"



## DelRay Linear Series - DRL3613

### Features:

- Concealed Ribbon Burner with 6 lbs. of Ice Fireglass (HW1157)
- Simple Field Conversion Kit
- Finish Materials Right up to the Fireplace's Edges for a Clean Finish

MODEL NUMBER	DESCRIPTION	LIST PRICE
DRL3613NI-2	36" Linear Direct Vent Fireplace, Proflame 2 IPI, Reflective Glass Panels, Downlighting, Remote Control, Fan Kit, Invisimesh Screen, 16,000 btu - NG	\$3,709.00
DRL3613NI	36" Linear Direct Vent Fireplace, IPI, 16,000 btu - NG	\$2,599.00
GCA010	NG to LP Conversion Kit	\$99.00

**USES 4"X 7" MONTIGO VENTING (SEE PAGE 469) OR 4"X6 5/8" DURAVENT W/ PURCHASE OF ADAPTER OR POWER VENT COMPATIBLE - TOP VENT ONLY.**

### Optional Accessories

RR150SS	Designer Speckled Stones	\$244.00
LGS76	Driftwood Log Set	\$239.00
DRLT36	1" Adjustable Trim Kit (for up to 11/16" deep facing material)	\$129.00
DRLT36-2	1" Adjustable Trim Kit (for up to 1 1/2" - 2" deep facing material)	\$179.00
BVK35	Direct Vent Adapter to 5" B-Vent	\$274.00

### Delray Full Load Accessories

REC1550	Wall Mounted Proflame 2 Remote	\$334.00
SIT-WIFI	Proflame 2 WiFi Phone App Control	\$244.00

### Delray Basic Accessories

AF40BP	Emergency Battery Back-Up	\$27.00
RX40	Wireless Remote Control Kit (on/off Only)	\$329.00
RX60	Wireless Remote Control Kit (on/off & thermostat control)	\$419.00
DRFK1	Delray Fan Kit (on/off, heat sensor fans, manual fan speed control)	\$399.00
RBGDRL36 ❖	Reflective Glass Panel Kit	\$539.00
SCRIDRL36 ❖	Invisimesh Screen	\$319.00

### Must Use Adapter to Vent Unit w/ DuraVent Pipe

46DVA-AD-M1	4" x 6 5/8" DuraVent Appliance Adapter	\$78.36
-------------	--	---------

**NOTE: SEE PAGE 92 FOR COOL WALL ADVANTAGE OPTIONS.**



**DRL3613**

### Fireplace Framing Dimensions

(see manual before framing)

Height	Width	Depth
33 11/16"	43 3/8"	14 1/4"