

Gas Fireplaces – Direct Vent Multi Sided



Echelon II 48ST See-Through

MODEL NUMBER	DESCRIPTION	LIST PRICE
ECHEL48STIN-C	48" See Through Fireplace, 40,000 btu - NG	\$7,559.00
LPK-ECHEL48	NG to LP Conversion Kit	\$99.00

USES 5" X 8" DVP VENTING (SEE PAGE 466) - TOP VENT

Must Choose Two Fronts to Complete Installation.

Fronts - Non-Operable - Required

CFT-48-BK-C	Clean Face Trim - Black	\$469.00
CFT-48-NB-C ❖	Clean Face Trim - New Bronze	\$509.00
CFT-48-GM-C ❖	Clean Face Trim - Gun Metal	\$509.00
PFF-48-BK-C ❖	Picture Frame Front - Black	\$849.00

Optional Accessories

BGK-LINEARST	Reflective Black Ceramic Glass Liner Kit	\$449.00
LOGSDRTWOOD48	Driftwood Log Set	\$529.00
ST48-CFP ❖	Light Baffle Kit. recommended for use when two CFT fronts are being installed	\$99.00
BATTERY-WSK	Battery Backup Wall Switch Kit	\$189.00
IFT-WFM	IntelliFire WiFi Module that Works with IntelliFire iOS and Android App. An RC400 or RC150 is Required for Thermostat Control	\$229.00
IFT-RC150U	White Wireless Wall Switch for On/Off and Cold Climate Control. Universally compatible with IntelliFire Touch and IntelliFire Touch 2.0 systems.	\$121.00

Heat Management

PH-SIDETRIM	Passive Heat Trim Kit for Side Discharge – Includes 2 side registers (starting collars sold separately)	\$110.00
PH-MCE	Starting Collars for Non-Ducted Passive Heat (Required when using passive heat - for use with front, side, top discharges)	\$179.00
PH-FRTTRIM-48	Passive Heat Vent Trim Kit for Front Discharge (starting collars sold separately)	\$239.00
PHSI-MCE	Ducted Passive Heat Kit for Side Discharge (includes duct and 2 side registers)	\$569.00
PHFR-MCE-48 ❖	Ducted Vent Trim for Front Discharge using Ducted Passive Heat (PHFR-MCE-36)	\$689.00
PHTRIM-MCE-48 ❖	Ducted Vent Trim for Front Discharge using Ducted Passive Heat (PHFR-MCE-36)	\$269.00
HEAT-OUT-GAS	Heat Out Kit (Includes Termination Cap, 25' of 6" Round Duct, Fireplace Adapter, Damper, Wall Switch and 350 cfm Fan at Termination)	\$1,529.00
HEAT-ZONE-GAS	Heat-Zone Kit (Includes: Fan, 20' Of 6" Round Duct, Vent, Wall Adapter and On/Off Control)	\$569.00
HZLIN-ADP	Heat Zone Adapter, Must Order for Using HEAT-ZONE-GAS	\$179.00

Media

GLASS-BZ	Bronze Glass (Comes Standard w/ Unit)(3 lbs.)	\$72.00
GLASS-SP	Sapphire Glass (3 lbs.)	\$72.00
GLASS-OY	Onyx Glass (3 lbs.)	\$721.00
GLASS-DM	Diamond Glass(3 lbs.)	\$72.00
STONES-NATURAL	Natural Stones	\$113.00

NOTE: IF CHANGING MEDIA, FOLLOW THE REQUIRED NUMBER OF BAGS BELOW:

GLASS MEDIA - 4 BAGS OF GLASS, NATURAL STONES - 3 BAGS OF STONES, LOG SET & STONES - 1 BAG OF STONE.

SOME BRANDS ARE ONLY AVAILABLE IN SELECTED AREAS, SEE MAP ON PAGE 4 OR CONTACT YOUR REGIONAL SALES MANAGER FOR MORE INFO.

Pricing, model numbers and availability are subject to change without notice. Call for most current information.

❖ – Non Stock Special Order - NO RETURNS or CANCELLATIONS

RMI Ph: 800-628-5044

raymurray.com

107



ECHEL48STIN

Features:

- Clear Dimmable LED Lights
- IntelliFire Touch Ignition System
- RC400 Remote Control
- Battery Backup
- Ceramic Glass
- Standard w/ Bronze Glass Media

Fireplace Framing Dimensions

(see manual before framing)

Height	Width	Depth
42"	60 1/4"	17"

Gas Fireplaces – Direct Vent Multi Sided



Echelon II 36ST See Through Linear

MODEL NUMBER	DESCRIPTION	LIST PRICE
ECHEL36STIN-C	36" See Through Direct Vent Fireplace, 30,000 btu - NG	\$6,229.00
LPK-ECHEL36	NG to LP Conversion Kit	\$99.00

USES 5" X 8" DVP VENTING (SEE PAGE 466) - TOP VENT

Must Choose Two Fronts to Complete Installation.

Fronts - Non-Operable - Required

CFT-36-BK-C	Clean Face Trim - Black	\$439.00
CFT-36-NB-C ❖	Clean Face Trim - New Bronze	\$489.00
CFT-36-GM-C ❖	Clean Face Trim - Gun Metal	\$489.00
PFF-36-BK-C ❖	Picture Frame Front - Black	\$749.00

Optional Accessories

BGK-LINEARST	Reflective Black Ceramic Glass Liner Kit	\$449.00
LOGSDRTWOOD36	Driftwood Log Set	\$399.00
ST36-CFP ❖	Light Baffle Kit. Recommended for Use When Two CFT Fronts are Being Installed	\$99.00
BATTERY-WSK	Battery Backup Wall Switch Kit	\$189.00
IFT-WFM	IntelliFire WiFi Module that Works with IntelliFire iOS and Android App. An RC400 or RC150 is Required for Thermostat Control	\$229.00
IFT-RC150U	White Wireless Wall Switch for On/Off and Cold Climate Control. Universally compatible with IntelliFire Touch and IntelliFire Touch 2.0 systems.	\$121.00

Heat Management

PH-SIDETRIM	Passive Heat Trim Kit for Side Discharge – Includes 2 side registers (starting collars sold separately)	\$110.00
PH-MCE	Starting Collars for Non-Ducted Passive Heat (Required when using passive heat - for use with front, side, top discharges)	\$179.00
PH-FRTTRIM-48	Passive Heat Vent Trim Kit for Front Discharge (starting collars sold separately)	\$239.00
PHTRIM-MCE-36 ❖	Ducted Vent Trim for Front Discharge using Ducted Passive Heat (PHFR-MCE-36)	\$249.00
PHSI-MCE	Ducted Passive Heat for Side Discharge (includes duct and 2 side registers)	\$569.00
PHFR-MCE-36 ❖	Ducted Passive Heat Kit for Front Discharge (Requires PHTRIM-MCE-36 vent trim)	\$629.00
HEAT-OUT-GAS	Heat Out Kit (Includes Termination Cap, 25' of 6" Round Duct, Fireplace Adapter, Damper, Wall Switch and 350 cfm Fan at Termination)	\$1,529.00
HEAT-ZONE-GAS	Heat-Zone Kit (Includes: Fan, 20' Of 6" Round Duct, Vent, Wall Adapter and On/Off Control)	\$569.00
HZLIN-ADP	Heat Zone Adapter, Must Order for Using HEAT-ZONE-Gas	\$179.00

Media

GLASS-BZ	Bronze Glass (Comes Standard w/ Unit) (3 lbs.)	\$72.00
GLASS-SP	Sapphire Glass (3 lbs.)	\$72.00
GLASS-OY	Onyx Glass (3 lbs.)	\$72.00
GLASS-DM	Diamond Glass(3 lbs.)	\$72.00
STONES-NATURAL	Natural Stones	\$113.00

NOTE: IF CHANGING MEDIA, FOLLOW THE REQUIRED NUMBER OF BAGS BELOW:

GLASS MEDIA - 3 BAGS OF GLASS, NATURAL STONES - 2 BAGS OF STONES, LOG SET & STONES - 1 BAG OF STONE.

SOME BRANDS ARE ONLY AVAILABLE IN SELECTED AREAS, SEE MAP ON PAGE 4 OR CONTACT YOUR REGIONAL SALES MANAGER FOR MORE INFO.

Pricing, model numbers and availability are subject to change without notice. Call for most current information.



ECHEL36STIN

Features:

- Clear LED Dimmable Lights
- IntelliFire Touch Ignition System
- RC400 Remote Control
- Battery Backup
- Ceramic Glass
- Standard w/ Bronze Glass Media

Fireplace Framing Dimensions

(see manual before framing)

Height	Width	Depth
48 1/4"	42"	17"

Marquis II 42 See Through

Features:

- 11 Ceramic Fiber Split Logs
- ClearView Ceramic Glass
- LED Accent Lighting
- LED Illuminated Embers
- RC400 Touchscreen Remote
- IntelliFire Touch Ignition

MODEL NUMBER	DESCRIPTION	LIST PRICE
MARQ42STIN	42" See Through Direct Vent Fireplace, IntelliFire Touch Ignition, 57,500 btu - NG	\$9,279.00
LPKMARQ42ST	NG to LP Conversion Kit	\$99.00

USES 5" X 8" DVP VENTING (SEE PAGE 466) - TOP VENT

Must Choose Two Fronts and Interior Panel to Complete Installation.

Fronts - 2 Required

FSMQ42STBK	Firescreen Front 42" - Black	\$769.00
FSMQ42STGM ❖	Firescreen Front 42" - Gun Metal	\$809.00
FSMQ42STNB ❖	Firescreen Front 42" - New Bronze	\$809.00

Interior Panels - Required

BRICKMQ42STTB	Traditional Brick Interior Panels - Tavern Brown	\$969.00
BRICKMQ42STCR ❖	Traditional Brick Interior Panels - Cottage Red	\$969.00

Optional Accessories

HEAT-OUT-GAS	Heat Out Kit (Includes termination cap, 25' of 6" Round duct, fireplace adapter, damper, wall switch and 350CFM fan at termination)	\$1,529.00
HEAT-ZONE-GAS	Heat-Zone Kit (Includes: Fan, 20' Of 6" Round Duct, Vent and On/Off Control)	\$569.00
BATTERY-WSK	Battery Backup Wall Switch Kit	\$189.00
IFT-WFM	IntelliFire Wi-Fi Module that Works with the IntelliFire ios and Android App. Use to Control All the Features of Your Fireplace via a Smart Device. A RC400 or RC150 is Required for Thermostat Control.	\$229.00
IFT-ACM	IntelliFire Touch AUX Module. Must Order if Adding Fans, Lights or Power Vent and Want to Use the IFT-WFM. Do Not Need to Order if Using IFT-RC400 (includes IFT-ACM)	\$98.00



MARQ42STIN

Fireplace Framing Dimensions

(see manual before framing)

Height	Width	Depth
46 1/2"	60 1/4"	30"

Twilight Indoor/Outdoor See-Through Gas Fireplace

Features:

- Traditional Refractory
- 7 Ceramic Fiber Logs
- Glowing Embers
- IntelliFire Touch Ignition System
- Exterior Front

MODEL NUMBER	DESCRIPTION	LIST PRICE
TWILIGHT-IFT	Twilight 36" Indoor/Outdoor See-Through Gas Fireplace, 38,000 btu - NG	\$7,309.00
LPK-TWI-IFT	NG to LP Conversion Kit	\$99.00

Must Chose a Front to Complete Installation.

Front - Required

TWI-MOD-BK	Black Firescreen Front	\$749.00
FS-TWI-BK	Black Contemporary Front with Built-In, Overlapping Surround	\$459.00

Optional Accessories

GFK-160T	Blower Assembly (cannot install fan if ordering a modern front)	\$339.00
BATTERY-WSK	Battery Backup Wall Switch Kit	\$189.00
IFT-WFM	IntelliFire Wi-Fi Module that works with the IntelliFire ios and Android App. Use to control all the features of your fireplace via a Smart Device. A RC400 or RC150 is required for thermostat control.	\$229.00
IFT-ACM	IntelliFire Touch AUX Module. Must order if adding fans, lights or power vent and want to use the IFT-WFM. Do not need to order if using IFT-RC400.	\$98.00
IFT-RC150U	White Wireless Wall Switch for On/Off and Cold Climate Control. Universally compatible with IntelliFire Touch and IntelliFire Touch 2.0 systems.	\$121.00
IFT-RC400	IntelliFire Touch Black Remote Control, Docking Station and Auxilliary Control Module	\$389.00

NOTE: ADVANCED INSTALL PRODUCTS TRAINING REQUIRED BEFORE PRODUCT CAN BE ORDERED AND SHIPPED.



TWILIGHT

Fireplace Framing Dimensions

(see manual before framing)

Height	Width	Depth
47 5/8"	44"	23"



Firescreen Front

Gas Fireplaces – Direct Vent Multi Sided



See Through 36

Features:

- 6 Ceramic Fiber Logs
- Black Steel Refractory
- Glowing Embers, Lava Rock
- IntelliFire Touch Ignition System
- Tempered Glass

MODEL NUMBER	DESCRIPTION	LIST PRICE
ST-DV36IN	36" See Through Direct Vent Fireplace, 38,000 btu - NG	\$4,739.00
LPK-MS36-IFT	NG to LP Conversion Kit	\$99.00

USES 5" X 8" DVP VENTING, SEE PAGE 466 - TOP/REAR VENT

USES 4" X 6" SLP VENTING, SEE PAGE 465 - WITH ADAPTER DVP-2SL - TOP VENT

Must Order Two Fronts to Complete Installation.

Front - 2 Required

MSFR-36-BK	Multi Sided Firescreen Front - Black	\$349.00
------------	--------------------------------------	----------

Optional Accessories

LINER-36ST	Reflective Black Glass Interior Panels	\$659.00
WTB36-ST	Weathered Traditional Brick Interior Liner	\$399.00
GFK-160C	Fan Kit 160 CFM (fan only)	\$259.00
GFK-160A	Fan Kit 160 CFM (includes rheostat and temperature sensor)	\$319.00

Controls

BATTERY-WSK	Battery Backup Wall Switch Kit	\$189.00
IFT-WFM	IntelliFire Wi-Fi Module that works with the IntelliFire ios and Android App. Use to control all the features of your fireplace via a Smart Device. A RC400 or RC150 is required for thermostat control.	\$229.00
IFT-ACM	IntelliFire Touch AUX Module. Must order if adding fans, lights or power vent and want to use the IFT-WFM. Do not need to order if using IFT-RC400.	\$98.00
IFT-RC150U	White Wireless Wall Switch for On/Off and Cold Climate Control. Universally compatible with IntelliFire Touch and IntelliFire Touch 2.0 systems.	\$121.00
IFT-RC400	IntelliFire Touch Black Remote Control, Docking Station and Auxilliary Control Module	\$389.00

Media

STPR-MOD-KIT	Contemporary Conversion Kit - must order media to complete and for use only with black glass interior panels	\$619.00
MEDIA-CLEAR-MS	Crystal (translucent white) Glass Media	\$259.00
MEDIA-RED-MS ❖	Scarlet (red) Glass Media	\$259.00
MEDIA-AMBER-MS ❖	Amber Glass Media	\$259.00
MEDIA-COBALT-MT ❖	Cobalt (blue) Glass Media	\$259.00
MEDIA-EBONY-MS ❖	Ebony (black) Glass Media	\$259.00
MEDIA-FOG-MS ❖	Iced Fog Media - requires black spray paint to complete	\$259.00
MEDIA-STONES-30	Large, Multi-Colored Fiber Stone Media	\$219.00

NOTE: MUST ORDER STPR-MOD-KIT WITH ANY MEDIA TO COMPLETE INSTALLATION.



ST-DV36IN

Fireplace Framing Dimensions
(see manual before framing)

Height	Width	Depth
38 1/8"	43"	23"



**Weathered
Traditional Liner**

SOME BRANDS ARE ONLY AVAILABLE IN SELECTED AREAS, SEE MAP ON PAGE 4 OR CONTACT YOUR REGIONAL SALES MANAGER FOR MORE INFO.

Pricing, model numbers and availability are subject to change without notice. Call for most current information.

❖ – Non Stock Special Order - NO RETURNS or CANCELLATIONS

RMI Ph: 800-628-5044

raymurray.com