

Ashland 50

Features:

- · Radiant Heat
- Dual Gas Knockouts
- Steel Grate, Safety Firescreen
- 50" x 38" Opening
- UL Listed

MODEL NUMBER	DESCRIPTION	LIST PRICE
ASH50	50" Radiant Wood Burning Fireplace	\$4,599.00

USES 14" DURA-VENT DURACHIMNEY II, SEE PAGE 418

Must Choose a Brick Panel to Complete Installation.

Brick Panel-Required		
AMMTB50	Moulded Brick Panels - Traditional	\$1,579.00
AMMHB50	Moulded Brick Panels - Herringbone	\$1,949.00
AMMHB50	Moulded Brick Panels - Herringbone	\$1,949.00

Optional Accessories

DFG4050BK ❖	Glass Bi-Fold Door - Black	\$2,199.00
AMMTBX	Traditional Brick Refractory Extensions	\$159.00
AMMHBX	Herringbone Brick Refractory Extensions	\$159.00
H4XM	Hearth Extension (70"x20"x1/2") Pack of 5	\$339.00
MMMORTR ❖	10 lbs Mortar (1 required for traditional, 2 required for herringbone)	\$99.00
ID6	6" Insulated Flex Duct for Outside Air, 2-42" Sections	\$100.00
UD6	6" Uninsulated Flex Duct for Outside Air, 2-42" Sections	\$71.00

NOTE: ADVANCED INSTALL PRODUCT TRAINING REQUIRED BEFORE PRODUCT CAN BE ORDERED AND SHIPPED.



ASH50

Fireplace Framing Dimensions (see manual before framing)

Height Width Depth 74 1/2" 61 7/8" 28 1/2"



Glass Bi-Fold Door



Ashland 42

Features:

- · Radiant Heat
- · Safety Firescreen
- Dual Gas Knockouts
- · Outside Air Kit Standard
- Attic Insulation Shield Standard
- UL Listed
- 42" x 38" Opening

MODEL NUMBER	DESCRIPTION	LIST PRICE
ASH42	42" Radiant Fireplace	\$3,839.00

USES SL1100 SERIES CHIMNEY (SEE PAGE 296)

Must Choose a Brick Panel to Complete Installation.

Brick Panel - Required		
AMMTB42	Moulded Brick Panels - Traditional	\$1,159.00
AMMHB42	Moulded Brick Panels - Herringbone	\$1,539.00

Optional Accessories

DFG4042BK	Glass Bi-Fold Door - Black	\$2,079.00
AMMTBX	Traditional Brick Refractory Extensions	\$159.00
AMMHBX	Herringbone Brick Refractory Extensions	\$159.00
H4XM	Hearth Extension (70"x20"x1/2") Pack of 5	\$339.00
MMMORTR ❖	10 lbs Mortar (1 required for traditional, 2 required for herringbone)	\$99.00
ID6	6" Insulated Flex Duct for Outside Air - 2-42" Sections	\$100.00
UD6	6" Uninsulated Flex Duct for Outside Air - 2-42" Sections	\$71.00



ASH42

Fireplace Framing Dimensions (see manual before framing) Height Width Depth 74 1/2" 53 7/8" 28 1/2"



Ashland 36

Features:

- Radiant Heat
- · Outside Air Kit Standard
- Dual Gas Knockouts
- Steel Grate, Safety Firescreen
- · Attic Insulation Shield Standard
- 36" x 38" Opening

MODEL NUMBER	DESCRIPTION	LIST PRICE
ASH36	36" Radiant Wood Burning Fireplace	\$3,319.00

USES SL1100 SERIES CHIMNEY (SEE PAGE 296)

Must Choose a Brick Panels to Complete Installation.

Brick Panel - Requi	red	
AMMTB36	Moulded Brick Panels - Traditional	\$1,029.00
AMMHB36	Moulded Brick Panels - Herringbone	\$1,389.00

Optional Accessories

DFG4036BK	Glass Bi-Fold Door - Black	\$1,679.00
AMMTBX	Traditional Brick Refractory Extensions	\$159.00
AMMHBX	Herringbone Brick Refractory Extensions	\$159.00
H4XM	Hearth Extension (70"x20"x1/2") Pack of 5	\$339.00
ID6	6" Insulated Flex Duct for Outside Air, 2-42" Sections	\$100.00
UD6	6" Uninsulated Flex Duct fro Outside Air, 2-42" Sections	\$71.00



ASH36

Fireplace Framing Dimensions (see manual before framing)

(SCC IIIdi	iddi belole	manning)
Height	Width	Depth
74 1/2"	47 7/8"	28 1/2"



Biltmore

Features:

- Powder Coat Finish
- Safety Firescreen
- Dual Gas Knockouts
- · Steel Grate

ID4

UD4

H4XM

- Fully Refractory Lining
- · Outside Air Kit
- · Attic Insulation Kit
- UL Listed
- Uses SL1100 Series Chimney (See page 295)

MODEL NUMBER DESCRIPTION		LIST PRICE	
SB100			
SB100HB	50" Radiant Wood Burning Fireplace w/ Herringbone Brick Pattern Liner	\$4,439.00	
SB100	50" Radiant Wood Burning Fireplace w/ Traditional Refractory Brick Pattern Liner	\$4,379.00	
SB100 Optional	Accessories		
DM100	Bi-Fold Glass Doors w/ Black trim	\$1,479.00	
GV100BK	Grand Vista Cabinet Style Mesh Doors - Black	\$1,909.00	
SB80			
SB80HB	42" Radiant Wood Burning Firenlace w/ Herringhone		
SB80	42" Radiant Wood Burning Fireplace w/ Traditional Refractory Brick Pattern Liner		
SB80 Optional <i>A</i>	Accessories		
DM8042	Bi-Fold Glass Doors w/ Black trim	\$729.00	
GV80BK	Grand Vista Cabinet Style Mesh Doors - Black		
SB60			
SB60HB	36" Radiant Wood Burning Fireplace w/ Herringbone Brick Pattern Liner	\$2,319.00	
SB60	36" Radiant Wood Burning Fireplace w/ Traditional Refractory Brick Pattern Liner		
SB60 Optional <i>A</i>	Accessories		
DM6036	Bi-Fold Glass Doors w/ Black trim	\$579.00	
GV60BK	Grand Vista Cabinet Style Mesh Doors - Black	\$1,279.00	

4" Insulated Flex Duct for Outside Air - 2-42" Sections

Hearth Extension (70"x20"x1/2") Pack of 5

4" Uninsulated Flex Duct for Outside Air - 2-42" Sections



SB80HB

Framing Dimensions SB100

(see manual before framing) Height Width Depth 71" 61 5/8" 30 1/2"

SB80

(see manual before framing) Height Width Depth 59 3/4" 51 1/2" 28 1/2"

SB60

(see manual before framing) Height Width Depth 59 3/4" 45 1/2" 28"

\$87.00

\$56.00

\$339.00



SL1100 Series CF Two-Wall Flue, Termination and Components		
MODEL NUMBER	DESCRIPTION	LIST PRICE
Intermediate Secti	ons	
SL1106	6" Chimney Section	\$107.00
SL1112	12" Chimney Section	\$116.00
SL1118	18" Chimney Section	\$156.00
SL1136	36" Chimney Section	\$226.00
SL1148	48" Chimney Section	\$310.00
CB576	Chimney Support Bracket (package of 3)	\$77.00
Offsetting Elbows		
SL1130	30° Offset and Return Elbow	\$383.00
Firestops		
FS538M	Firestop for Straight-Up Chimney	\$69.00
FS540	Firestop for 30° Offset	\$81.00
SL11	6" Chimney Stabilizer	\$173.00
	nings and Components	Γ.
RF570	0-6/12 Pitch Flashing – Includes Drawband	\$191.00
RF571	6-12/12 Pitch Flashing – Includes Drawband	\$290.00
AS10	Attic Insulation Shield, Straight Flue (Firestop not Included)	\$116.00
TR11	Round Louvered Termination Cap w/ Storm Collar	\$281.00
ST1175	Square Chase Termination Cap - Painted Black	\$439.00
ST1175SS	Square Chase Termination Cap - Stainless Steel	\$833.00



Sovereign

Features:

- · Traditional Refractory Lining
- Front Access Damper Handle
- Safety Firescreen
- Dual Gas Knockouts
- Steel Grate

- Powder Coat Finish
- Ash Lip
- · Attic Insulation Shield Standard
- UL Listed
- Uses SL300 Series Chimney (See page 299)

MODEL NUMBER	DESCRIPTION	LIST PRICE	
SA42R/SA42C	SA42R/SA42C		
SA42C	42" Heat Circulating Fireplace	\$2,019.00	
SA42R	42" Radiant Fireplace	\$2,019.00	
DM1742	42" Standard Bi-fold Doors Black w/ Black Trim	\$709.00	
DM1742S �	42" Standard Bi-fold Doors Black w/ Stainless Steel Trim	\$769.00	
GV42BK ❖	42" Grand Vista Cabinet Style Mesh Doors - Black	\$1,319.00	
GGD42BK-B ❖	42" Gasketed Glass Door, Cabinet Style, Black (Not for Use on Radiant Units)	\$1,479.00	

SA36R/SA36C		
SA36C	36" Heat Circulating Fireplace	\$1,559.00
SA36R	36" Radiant Fireplace	\$1,559.00
DM1736	36" Standard Bi-fold Doors Black w/ Black Trim	\$579.00
DM1736S ❖	36" Standard Bi-fold Doors Black w/ Stainless Steel Trim	\$629.00
GV36BK ❖	36" Grand Vista Cabinet Style Mesh Doors - Black	\$1,149.00
GGD36BK-B ❖	36" Gasketed Glass Door, Cabinet Style, Black (Not for Use on Radiant Units)	\$1,359.00

Optional Accessories

FK23	Fan and Cord (160 CFM) - For Use On Circulating Models Only	\$319.00
AK22	Outside Air Kit Termination (Includes Collar and Cap)	\$70.00
ID4	4" Insulated Flex Duct for Outside Air - 2 - 42" Sections	\$87.00
UD4	4" Uninsulated Flex Duct for Outside Air - 2 - 42" Sections	\$5600
SCVS	Speed Control Variable Speed	\$122.00
H4XM	Hearth Extension (70"x20"x1/2") Pack of 5	\$339.00



SA36C

Framing Dimensions SA42R/SA42C

(see manual before framing) Height Width Depth 41 1/2" 49" 23"

SA36R/SA36C

(see manual before framing) Height Width Depth 41 1/2" 43" 23"



Bi-Fold Doors



Gasketed Glass Door



Royalton

Features:

- · Traditional Refractory Lining
- Front Access Damper Handle
- Safety Screen
- Dual Gas Knockouts
- Steel Grate

- · Powder Coat Finish
- Ash Lip
- · Attic Insulation Shield Standard
- UL Listed
- Uses SL300 Series Chimney (See page 299)

MODEL NUMBER	DESCRIPTION	LIST PRICE
BE42	42" Radiant Wood Burning Fireplace	\$1,899.00
BE36	36" Radiant Wood Burning Fireplace	\$1,239.00

Optional Accessories

DM1042	42" Standard Bi-Fold Glass Doors with Black Trim	\$699.00
DM1042S ❖	42" Standard Bi-Fold Glass Doors with Stainless Steel Trim	\$719.00
DM1036	36" Standard Bi-Fold Glass Doors with Black Trim	\$539.00
DM1036S ❖	36" Standard Bi-Fold Glass Doors with Stainless Steel Trim	\$589.00
AK24	Outside Air Kit Termination (Includes Collar and Cap)	\$17.00
ID4	4" Insulated Flex Duct for Outside Air - 2 - 42" Sections	\$87.00
UD4	4" Uninsulated Flex Duct for Outside Air - 2 - 42" Sections	\$56.00
HX4M	Hearth Extension (70"x20"x1/2") Pack of 5	\$339.00



BE42

Framing Dimensions BE42

(see manual before framing) Height Width Depth 39 3/4" 48" 21 1/2"

BE36

(see manual before framing) Height Width Depth 39 3/4" 42" 21 1/2"

Multi-Sided Wood Fireplace

Features:

- · Full Refractory Lining
- Powder Coat Finish
- Safety Firescreen
- · Dual Gas Knockouts
- Steel Grate

- Damper
- · Outside Air Kit
- Attic Insulation Shield
- Uses SL1100 Series Chimney (See page 296)

DSR42

MODEL NUMBER	DESCRIPTION	LIST PRICE
DSR42	42" See-Thru Radiant Wood Burning Fireplace	\$3,919.00

Optional Accessories

DM1242	Bi-Fold Glass Doors with Black Trim	\$699.00
ID4	4" Insulated Flex Duct for Outside Air - 2 - 42" Sections	\$87.00
UD4	4" Uninsulated Flex Duct for Outside Air - 2 - 42" Sections	\$56.00
HX4M	Hearth Extension (70" x 20" x 1/2") - pack of 5	\$339.00



SL300 8" x 10" Two-Wall Wood Burning Flue Components		
MODEL NUMBER	DESCRIPTION	LIST PRICE
Chimney Sections		•
SL306	6" Chimney Section	\$81.00
SL312	12" Chimney Section	\$100.00
SL318	18" Chimney Section	\$111.00
SL324	24" Chimney Section	\$135.00
SL336	36" Chimney Section	\$164.00
SL348	48" Chimney Section	\$197.00
SL3	6" Flue Support Section	\$118.00
Offsetting Elbows		
SL315	15º Elbow - Offset and Return	\$226.00
SL330	30º Elbow - Offset and Return	\$252.00
Firestops		
FS338M	Straight Firestop Spacer	\$55.00
FS340	Firestop for 30° Angular Flue	\$112.00
Terminations, Flash	nings and Components	
RF370M	0-6/12 Pitch Roof Flashing ea.	\$171.00
RF371	6/12 - 12/12 Pitch Roof Flashing	\$270.00
AS8	Attic Insulation Shield, Straight Flue (firestop not included)	\$115.00
TR344	Round Louvered Termination w/ Storm Collar	\$183.00
ST375	Square Termination Cap, Painted Black	\$424.00
ST375SS	Square Termination Cap, Stainless Steel	\$713.00
CB876	Chimney Bracket (package of 3)	\$97.00
CAK4A	Chimney Air Kit	\$126.00