

MONTLAKE™ 300

Features:

- Up to 100,000 btu and Heats Up To 3,000 sq ft
- 3.0 cu ft Firebox
- TFT™ (Thermal Fin Technology) To Add More Heat To Your Home
- Airwash System
- Blower Included

MAT.#	MODEL NUMBER	DESCRIPTION	LIST PRICE
F3834	ML300GL	Wood Insert	\$4,499.00

USES 6" VENTING.

Must Choose Top and Surround Panels to Complete Installation.

Top - Required

F2028	TOP-STEEL-ML300	Steel Top	\$374.00
F2029	TOP-CASTIRON-ML300	Cast Iron Top	\$374.00

Surround Panels- Required

F2021	ML300-FP2942	29 1/2" x 42 1/2" Black Surround/Flashing	\$374.00
F2022	ML300-FP2949	29" x 49 1/2" Black Surround/Flashing	\$374.00
F2023	ML300-FP3342	33" x 42 1/2" Black Surround/Flashing	\$374.00
F2024	ML300-FP3349	33" x 49 1/2" Black Surround/Flashing	\$374.00
F2025	ML300-FPTRIM3450	34" x 50" Black, Trimmable Surround	\$374.00

Optional Accessories

UZIAD	UZIAD	4" Flex Adapter	\$74.00
UZI	UZI	Outside Air Kit (4" I.D. x 10' Long Insulated Flex)	\$128.00
H8346	DRTRM-GV-ML-NKL ❖	Face Plate - Nickel	\$192.00
H8347	DRTRM-GV-ML-BRNKL	Face Plate - Brushed Nickel	\$192.00
H9138	LVR-ML-BRNKL ❖	Louver - Brushed Nickel (For Cast Iron Top Only)	\$160.00



ML300GL

Minimum Fireplace Opening Dimensions

(Masonry Fireplace)

(see manual before framing)

Height	Width	Depth	RW
23 1/2"	29 1/2"	16 1/2"	27 1/4"

(ZC Fireplace)

(see manual before framing)

Height	Width	Depth	RW
23 1/2"	36"	16 1/2"	26 1/4"

MONTLAKE™ 230

Features:

- Up to 76,000 btu and Heats Up To 2,200 sq ft
- 2.3 cu ft Firebox
- TFT™ (Thermal Fin Technology) To Add More Heat To Your Home
- Airwash System
- Blower Included

MAT.#	MODEL NUMBER	DESCRIPTION	LIST PRICE
F3832	ML230GL	Wood Insert	\$3,569.00

USES 6" VENTING.

Must Choose Top and Surround Panels to Complete Installation.

Top - Required

H8673	TOP-STEEL-ML230	Steel Top	\$267.00
H8674	TOP-CASTIRON-ML230	Cast Iron Top	\$267.00

Surround Panels- Required

H8677	ML230-FP2641	26 1/2" x 41" Black Surround/Flashing	\$320.00
H8678	ML230-FP2648	26 1/2" x 48" Black Surround/Flashing	\$320.00
H8679	ML230-FP3141	31" x 41" Black Surround/Flashing	\$320.00
H8680	ML230-FP3148	31" x 48" Black Surround/Flashing	\$320.00
H8681	ML230-FPTRIM3348	33" x 48" Black Trimmable Surround	\$320.00

Optional Accessories

UZIAD	UZIAD	4" Flex Adapter	\$74.00
UZI	UZI	Outside Air Kit (4" I.D. x 10' Long Insulated Flex)	\$128.00
H8346	DRTRM-GV-ML-NKL ❖	Face Plate - Nickel	\$192.00
H8347	DRTRM-GV-ML-BRNKL	Face Plate - Brushed Nickel	\$192.00
H9138	LVR-ML-BRNKL ❖	Louver - Brushed Nickel (For Cast Iron Top Only)	\$160.00



ML230GL

Minimum Fireplace Opening Dimensions

(Masonry Fireplace)
(see manual before framing)

Height	Width	Depth
21 1/2"	25"	15 1/2"

Minimum Fireplace Opening Dimensions

(ZC Fireplace)
(see manual before framing)

Height	Width	Depth
21 1/2"	36"	15 1/2"

SOME BRANDS ARE ONLY AVAILABLE IN SELECTED AREAS, SEE MAP ON PAGE 4 OR CONTACT YOUR REGIONAL SALES MANAGER FOR MORE INFO.

Pricing, model numbers and availability are subject to change without notice. Call for most current information.

PERFORMER™

Features:

- Up to 76,000 btu and Heats Up To 1,800 sq ft
- 2.10 cu ft Firebox
- Airwash System

MAT.#	MODEL NUMBER	DESCRIPTION	LIST PRICE
F5069	C210TGLS	Wood Insert w/ Traditional Black Door	\$3,319.00
F5068	C210AGLS	Wood Insert w/ Arched Black Door	\$3,319.00

USES 6" VENTING.

Must Choose Surround Panels (Top & Sides) to Complete Installation.

Surround Panels - Required (Order 1 Top and 1 Side)

71038	WFPT0740-L	Top Surround 7 1/2" X 40", Overall Surround 26 1/2" x 40"	\$160.00
71033	WFPS0718	Side Surrounds 7 1/2" x 18 3/4", Overall Surround 26 1/2" x 40"	\$160.00
F4928	WFPOP2640-C210	One Piece Surround Panel, 26 1/2" x 40"	\$299.00
71039	WFPT0748-L	Top Surround 7 1/2" x 48", Overall Surround 26 1/2" x 48"	\$160.00
71034	WFPS1118	Side Surrounds 11 1/2" x 18 3/4", Overall Surround 26 1/2" x 48"	\$160.00
71040	WFPT1140-L	Top Surround 11 1/2" x 40", Overall Surround 30 1/2" x 40"	\$160.00
71033	WFPS0718	Side Surrounds 7 1/2" x 18 3/4", Overall Surround 30 1/2" x 40"	\$160.00
71041	WFPT1148-L	Top Surround 11 1/2" x 48", Overall Surround 30 1/2" x 48"	\$160.00
71034	WFPS1118	Side Surrounds 11 1/2" x 18 3/4", Overall Surround 30 1/2" x 48"	\$160.00

Optional Accessories

H7907	WSINS-BLWR-B-SS	Blower - Black	\$695.00
H7909	WSINS-BLWR-N-SS ❖	Blower - Nickel	\$909.00
H7910	WSINS-BLWR-BN-SS ❖	Blower - Brushed Nickel	\$909.00
H6832	OFFADJFLUEBX6SM ❖	6" Offset Vent Box 0"-6 1/4" Adj	\$320.00
H6833	OFFADJFLUEBX6LG ❖	6" Offset Vent Box 6"-12" Adj	\$374.00
71161	WINS-6FC	6" Positive Flue Connector Ring Kit	\$85.00

NOTE: ALL BLOWERS INCLUDE A SNAP SWITCH FOR THERMAL ACTIVATION.



C210TGL

Minimum Fireplace Opening Dimensions (Masonry Fireplace)

(see manual before framing)
 Height 19 1/4" Width 26" Depth 12 1/2"

Minimum Fireplace Opening Dimensions (ZC Fireplace)

(see manual before framing)
 Height 21" Width 36" Depth 12 3/4"

STRIKER™

Features:

- Up to 68,000 btu and Heats Up To 1,300 sq ft
- GreenLine, GL, Models Have Been Certified to Meet the NSPS 2020 Requirements
- 1.6 cu ft Firebox
- Airwash System

MAT.#	MODEL NUMBER	DESCRIPTION	LIST PRICE
F4016	C160TGL	Wood Insert w/ Traditional Black Door	\$2,559.00
F4015	C160AGL ❖	Wood Insert w/ Arched Black Door	\$2,559.00

USES 6" VENTING.

Must Choose Surround Panels (Top & Sides) to Complete Installation.

Surround Panels - Required (Order 1 Top and 1 Side)

71042	WFPT0740-S ❖	Top Surround 7 1/2" X 40", Overall Surround 26 1/2" x 40"	\$160.00
71035	WFPS0819	Side Surrounds 8 3/8" x 19", Overall Surround 26 1/2" x 40"	\$160.00
F4927	WFPOP2640-C160	One Piece Surround Panel, 26 1/2" x 40"	\$299.00
71043	WFPT0748-S ❖	Top Surround 7 1/2" x 48", Overall Surround 26 1/2" x 48"	\$160.00
71036	WFPS1219 ❖	Side Surrounds 12 3/8" x 19", Overall Surround 26 1/2" x 48"	\$160.00
71044	WFPT1140-S	Top Surround 11 1/2" x 40", Overall Surround 30 1/2" x 40"	\$160.00
71035	WFPS0819	Side Surrounds 8 3/8" x 19", Overall Surround 30 1/2" x 40"	\$160.00
71045	WFPT1148-S ❖	Top Surround 11 1/2" x 48", Overall Surround 30 1/2" x 48"	\$160.00
71036	WFPS1219 ❖	Side Surrounds 12 3/8" x 19", Overall Surround 30 1/2" x 48"	\$160.00

Optional Accessories

H7907	WSINS-BLWR-B-SS	Blower - Black	\$695.00
H7909	WSINS-BLWR-N-SS ❖	Blower - Nickel	\$909.00
H7910	WSINS-BLWR-BN-SS ❖	Blower - Brushed Nickel	\$909.00
H6832	OFFADJFLUEBX6SM ❖	Offset Vent Box 0" - 6 1/4" Adj	\$320.00
H6833	OFFADJFLUEBX6LG ❖	Offset Vent Box 6" - 12" Adj	\$374.00
71161	WINS-6FC	6" Positive Flue Connector Ring Kit	\$85.00

NOTE: ALL BLOWERS INCLUDE A SNAP SWITCH FOR THERMAL ACTIVATION.



C160AGL

Minimum Fireplace Opening Dimensions (Masonry Fireplace)

(see manual before framing)
 Height 19 1/2" Width 25 1/2" Depth 12 3/4"

Minimum Fireplace Opening Dimensions (ZC Fireplace)

(see manual before framing)
 Height 21" Width 36" Depth 12 3/4"