

BEYOND

3500

Features:

- Blower Included
- 3.5 cu ft Firebox
- Up to 110,000 btu and Heats up to 2,700 sq ft

MODEL NUMBER	DESCRIPTION	LIST PRICE
OB03510	Extra Large Wood Insert	\$3,479.00

USES 6" VENTING.

Must Order an Overlay, Faceplate and Fireplace Trim to Complete Installation.

<u>mstanation. </u>			
Overlay - Required			
OA10163	Black Door Overlay	\$100.00	
OA10164	Brushed Nickel Door Overlay	\$300.00	
Faceplate - Required			
OA10032	Faceplate 32" x 44"	\$200.00	
OA10033	Faceplate 32" x 50"	\$200.00	
Faceplate Trim - Required			
OA10125	Black Faceplate Trim - 32" x 44"	\$120.00	
OA10126 �	Brushed Nickel Faceplate Trim - 32" x 44"	\$120.00	
OA10128	Black Large Faceplate Trim 32" x 60"	\$120.00	
OA10129 �	Brushed Nickel Large Faceplate Trim 32" x 50"	\$120.00	
Optional Acce	ssories		
AC01281	Rigid Firescreen	\$180.00	

OBO3510Minimum Fireplace

Opening Dimensions (see manual before framing) Height Width Depth 26 1/4" 31" 18 3/8"

Matrix

AC01214

AC01298

Features:

- Blower Included
- Up to 75,000 btu and Heats up to 2,100 sq ft

Offset Liner Adapter

5" Fresh Air Intake Kit

• 2.4 cu ft Firebox

I LIST P	RICE
\$3,599	00.
	\$3,599

USES 6" VENTING.

Optional Accessories

AC01315	Rigid Firescreen	\$180.00
AC01321	Bottom Faceplate Backing Plate 44" x 6"	\$80.00
AC01322	29" x 44" Faceplate Backing Plate Kit	\$200.00
AC01323	Projection Kit for Insert 2" or 4"	\$120.00
AC01332	29" x 50" Faceplate Backing Plate Kit	\$250.00
AC01349	5" Fresh Air Intake Register with Airtight Damper	\$250.00
AC01214	Offset Liner Adapter	\$270.00
AC01298	Fresh Air Intake Kit	\$90.00



OBO2028

Minimum Fireplace Opening Dimensions (see manual before framing)

Height Width Depth 23 3/8" 28 7/8" 19 5/8"

\$270.00

\$90.00



Matrix 2700

Features:

- Blower Included
- Up to 80,000 btu and Heats up to 2,000 sq ft
- 2.5 cu ft Firebox

MODEL NUMBER	DESCRIPTION	LIST PRICE
OB02700	Matrix 2700 Tapered Insert	\$4,199.00

USES 6" VENTING.

Must Order Overlay to Complete Installation.

Overlay - Required		
OA10253	Black Door Overlay	\$100.00
OA10254	Brushed Nickel Door Overlay	\$350.00
Optional Accessories		
AC01263	2" or 4" Projection Kit	\$150.00
AC01275	Firescreen Door	\$300.00
AC01277	34" x 50" Cuttable Faceplate	\$250.00
AC01214	Offset Liner Adapter	\$270.00
AC02006	Liner Hook Up System	\$110.00
AC01298	Fresh Air Intake Kit	\$90.00

Inspire 2000-I

Features:

- Blower Included
- Up to 75,000 btu and Heats up to 2,100 sq ft
- · 2.4 cu ft Firebox

MODEL NUMBER	DESCRIPTION	LIST PRICE
OB02045	Inspire 2000-I Wood Burning Insert	\$3,249.00

USES 6" VENTING.

Must Order Faceplate to Complete Installation.

Faceplate - Required		
AC01020	Narrow Faceplate - U Shaped	\$250.00
AC01021	32" x 50" Cuttable Faceplate	\$250.00
AC01022	Narrow Faceplate	\$300.00

Optional Accessories

AC01237	Moulded Refractory Panel Kit for Minimalist Base and Insert	\$800.00
AC01349	5" Fresh Air Intake Register with Airtight Damper	\$260.00
AC01298	5" Fresh Air Intake Kit	\$90.00
AC01214	Offset Liner Adapter	\$270.00
AC02775	NightFlame Effect Glass	\$449.00



OBO2700

Minimum Fireplace Opening Dimensions

(see manual before framing) Height Width Depth 27 1/8" 31 3/4" 22 1/8"



OBO2045

Minimum Fireplace Opening Dimensions

(see manual before framing) Height Width Depth 24 5/8" 29" 20 3/4"



2000

Features:

- Blower Included
- Up to 75,000 btu and Heats up to 2,100 sq ft
- 2.4 cu ft Firebox

MODEL NUMBER	DESCRIPTION	LIST PRICE
OB02016	Large Wood Insert	\$2,829.00

USES 6" VENTING.

Must Order Overlay, Faceplate and Trim to Complete Installation.

Overlay - Required		
OA10237	Black Steel Door Overlay	\$100.00
OA10238	Brushed Nickel Steel Door Overlay	\$300.00

Faceplate - Required		
AC03410	Regular Faceplate 29" X 44"	\$150.00
AC03411	Large Faceplate 32" X 50"	\$200.00

Faceplate Trim - Required		
OA10122	Black Faceplate Trim - 29" x 44"	\$120.00
OA10123	Brushed Nickel Faceplate Trim - 29" x 44"	\$120.00
OA10128	Black Large Faceplate Trim - 32" x 50"	\$120.00
OA10129 �	Brushed Nickel Large Faceplate Trim - 32" x 50"	\$120.00

Optional Accessories

AC01315	Rigid Firescreen	\$180.00
AC01349	5" Fresh Air Intake Register with Airtight Damper	\$260.00
AC01357 ❖	32" x 50" Cuttable Faceplate (18ga)	\$200.00
AC01214	Offset Liner Adapter	\$270.00
AC01298	Fresh Air Intake Kit	\$90.00



OB02016

Minimum Fireplace
Opening Dimensions
(see manual before framing)
Height Width Depth
23 3/8" 28 7/8" 15 3/4"



BEYOND

1700

Features:

- Blower Included
- Up to 1,800 sq ft Heating Capacity

• 1.86 cu ft Firebox

 MODEL NUMBER
 DESCRIPTION
 LIST PRICE

 OB01705
 1700 Wood Insert
 \$2,519.00

USES 6" VENTING.

Must Order Overlay, Faceplate and Trim to Complete Installation.

Overlay - Required			
OA10249	Black Cast Iron Door Overlay	\$100.00	
OA10250	Brushed Nickel Cast Iron Door Overlay	\$250.00	

Faceplate - Required		
OA10116	Regular Faceplate Kit - 29" x 44"	\$150.00
OA10117	Large Faceplate Kit - 32" x 50"	\$200.00

Faceplate Trim - Required			
OA10122	Black Faceplate Trim - 29" x 44"	\$120.00	
OA10123	Brushed Nickel Faceplate Trim - 29" x 44"	\$120.00	
OA10128	Black Large Faceplate Trim - 32" x 50"	\$120.00	
OA10129 �	Brushed Nickel Large Faceplate Trim - 32" x 50"	\$120.00	

Optional Accessories

AC01299	Rigid Firescreen	\$180.00
AC01349	5" Fresh Air Intake Register with Airtight Damper	\$260.00
AC02090	5" x 4' Insulated Flex Pipe for Fresh Air Intake Kit	\$50.00
AC01298	5" Fresh Air Intake Kit	\$90.00
AC01214	Offset Liner Adapter	\$270.00

Matrix 1900

Features:

- Blower Included
- Up to 1,200 sq. ft. Heating Capacity
- 1.1 cu ft Firebox

MODEL NUMBER	DESCRIPTION	LIST PRICE
OB01900	Matrix 1900 Wood Insert	\$2,899.00

USES 6" VENTING.

Must Order Overlay to Complete Installation.

Overlay - Requir	ed	
OA10041	Black Door Overlay	\$100.00
OA10042 �	Brushed Nickel Door Overlay	\$250.00
Optional Acce	essories	

Rigid Firescreen	\$180.00
Offset Liner Adapter	\$270.00
32" x 44" Cuttable Faceplate (18ga)	\$200.00
5" Fresh Air Intake Register with Airtight Damper	\$250.00
5" x 4' Insulated Flex Pipe for Fresh Air Intake Kit	\$45.00
5" Fresh Air Intake Kit	\$90.00
Liner Hook Up System	\$110.00
	Offset Liner Adapter 32" x 44" Cuttable Faceplate (18ga) 5" Fresh Air Intake Register with Airtight Damper 5" x 4' Insulated Flex Pipe for Fresh Air Intake Kit 5" Fresh Air Intake Kit



OB01705

Minimum Fireplace Opening Dimensions

(see manual before framing) Height Width Depth 21 1/2" 27 1/2" 12 7/8"



OB01900

Minimum Fireplace Opening Dimensions

(see manual before framing)
Height Width Depth
19" 25" 15 1/2"

SOME BRANDS ARE ONLY AVAILABLE IN SELECTED AREAS, SEE MAP ON PAGE 4 OR CONTACT YOUR REGIONAL SALES MANAGER FOR MORE INFO.

Pricing, model numbers and availability are subject to change without notice. Call for most current information.