

Forum Outdoor Electric Linear Fireplace

- 120V, 36W, .05 amp
- Driftwood Logs, Glowing Embers, Clear Crystals
- Four Flame Colors
- Multifunction Remote
- Self-Trimming Front for Slide-In Installation

- Optimized for Outdoors with No Heater
- Accent Lighting

• IntelliFire Touch Ignition

• 36" x 30" Viewing Area

\$459.00

\$519.00

- 14 Ember Bed Colors
- Install Built-In or Slide-In

Price
52,399.00
52,099.00

Optional Accessories

SF-HDL-BIRCH	ShadowGlo High Definition Natural Birch Log Set	\$299.00
SF-HDL-TIMBER	ShadowGlo High Definition Alpine Timber Log Set	\$299.00
SF-OD55-DP	Drain Pan for SF-OD55	\$179.00
SF-OD43-DP	Drain Pan for SF-OD43	\$169.00



SF-OD55

Fireplace Framing Dimensions (see manual before framing)

Height 18 1/2"	SF-OD55 Width 58 1/4"	Depth 9"
	SF-OD43	
Height	Width	Depth
18 1/2"	46 1/4"	9"

Fortress Indoor/Outdoor See-Through Gas Fireplace

- Anti-Reflective Glass
- Touch Screen Remote Control (RC400)
- Halogen Accent Lights
- Factory Installed Outdoor Kit
- Both Indoor and Outdoor Screen
- Not available for sale in Rhode Island

Model No.	Description	List Price
ODFORTG-36	Fortress Indoor/Outdoor Gas Fireplace, 56,000 btu - NG	\$10,079.00

USES 5" x 8" DVP Venting (see page 466) - Top Vent Only

Must Choose Firebrick to Complete Installation.

Fortress Traditional Brick Refractory

Fortress Herringbone Brick Refractory

Brick Panels - Required

ODFORTG36-IT

ODFORTG36-IH

Optional Accessories		
LPK-ODFORTG-36	NG to LP Conversion Kit	\$99.00
IFT-WFM	IntelliFire Wi-Fi Module that works with the IntelliFire iOS and Android app. Use to control all the features of your fireplace via a Smart Device. A RC400 or RC150 is required for thermostatic control.	\$229.00
IFT-RC150U	White Wireless Wall Switch for On/Off and Cold Climate Control. Universally compatible with IntelliFire Touch and IntelliFire Touch 2.0 systems.	\$121.00



ODFORTG-36

Fireplace Framing Dimensions (see manual before framing)

	ODFORTG-36	
Height	Width	Depth
44 1/2"	49 1/2"	23"



Castlewood Outdoor Wood Burning Fireplace

- Expansive 38" High Firebox Opening
- Safety Firescreen
- Dual Gas Knockouts
- Stainless Steel Grate

- Outside Air Hoods
- Transition Collar
- 41 7/8"x38" View Area

Model No.	Description	List Price
ODCASTLEWD-42-B	42" Radiant Wood Burning Fireplace	\$3,489.00
Uses 11"x13" Venting - SL1100 Series.		

Must Choose Firebrick to Complete Installation.

Firebrick - Required

WDRAV-42T	Traditional Stacked Refractory - Antler Velvet	\$1,099.00
WDRAV-42H	Herringbone Refractory - Antler Velvet	\$1,529.00

Optional Accessories

ODGF42BZ-B ❖	Premium Outdoor Glass Bi-Fold Door w/SS Construction	\$2,519.00
ODCASTLEWD-42DP ❖	Drain Pan	\$219.00

SL1100 11"x13" Two-Wall Wood Burning Flue Components

SL1112 12" Chimney Section \$116.00 SL1118 18" Chimney Section \$156.00 SL1136 36" Chimney Section \$226.00	06	\$107.00
	2	\$116.00
SL1136 36" Chimney Section \$226.00	8	\$156.00
	36	\$226.00
SL1148 48" Chimney Section \$310.00	18	\$310.00
SL1130 30° Elbow - Offset and Return \$383.00	30 3	\$383.00
FS538M Firestop for Straight-Up Chimney ea. \$69.00	3M	\$69.00
FS540 Firestop for 30° Offset \$81.00) F	\$81.00
TR11 Round Louvered Termination Cap with Storm Collar \$281.00	F	\$281.00
RF570 0-6/12 Pitch Roof Flashing \$191.00) (\$191.00
RF571 6/12-12/12 Pitch Roof Flashing \$290.00	I	\$290.00
ST1175 Square Termination Cap-Painted Black \$439.00	5 5	\$439.00
ST1175SS Square Termination Cap-Stainless Steel \$833.00	5555	\$833.00



Castlewood

Minimum Fireplace Opening (see manual before framing)

Height	Width	Depth
74 1/2"	53 7/8"	28 3/8"



Cottagewood Wood 36 Burning Fireplace

- Tuckaway SS Screens for Open View
- Place Freestanding or Next to an Exterior Wall
- Stainless Steel Facings

- Easy Damper Control
- Dual Gas Knockouts
- Outside Air Kit

Model No.	Description	List Price
ODCTGWD-36H	36" Fireplace with Gray Herringbone Refractory	\$3,129.00
ODCTGWD-36	36" Fireplace with Gray Traditional Refractory	\$3,089.00

Uses 11" x 13" Venting - SL1100 Series See Page 468

Flex Duct - Required to Complete

ID4	4" Insulated Flex Duct for Outside Air, Includes 2-42" Sections	\$87.00
UD4	4" Uninsulated Flex Duct for Outside Air, Includes 2-42" Sections	\$56.00
Optional Accessories		
DM6036-S	36" SS Bi-Fold Doors	\$509.00
ODCTGWD-DP36	36" Drip Pan	\$179.00
ODCTGWD-FSK36	Freestanding Kit - Extended Smoke Shelf for Use When Unit is Installed as a Freestanding Fireplace	\$189.00



ODCTGWD-36

Minimum Fireplace Opening (see manual before framing)

ODCTGWD-36

Height Width Depth 59 3/4" 45 1/2" 28"

ODCTGWD-42

Height Width Depth 59 3/4" 51 1/2" 28 1/2"

Cottagewood 42 Wood Burning Fireplace

Model No.	Description	List Price
ODCTGWD-42H	42" Fireplace with Gray Herringbone Refractory	\$3,239.00
ODCTGWD-42	42" Fireplace with Gray Traditional Refractory	\$3,189.00

Uses 11" x 13" Venting - SL1100 Series See Page 468

Flex Duct - Required to Complete

ID4	4" Insulated Flex Duct for Outside Air, Includes 2-42" Sections	\$87.00
UD4	4" Uninsulated Flex Duct for Outside Air, Includes 2-42" Sections	\$56.00

Optional Accessories

•		
DM8042-S	42" SS Bi-Fold Doors	\$649.00
ODCTGWD-DP42	42" Drip Pan	\$199.00
ODCTGWD-F\$K42	Freestanding Kit - Extended Smoke Shelf for Use When Unit is Installed as a Freestanding Fireplace	\$209.00



Villawood Outdoor Wood Burning Fireplace

- Traditional or Herringbone Brick Interior
- Dual Gas Knockouts

Grate

• Outside Air Standard

• Stainless Steel Safety Firescreen

Model No.	Description	List Price
ODVILLA-36T-B	36" Outdoor Fireplace with Traditional Refractory	\$1,539.00
ODVILLA-36H-B �	36" Outdoor Fireplace with Herringbone Refractory	\$1,589.00
ODVILLA-42T-B	42" Outdoor Fireplace with Traditional Refractory	\$1,759.00
ODVILLA-42H-B	42" Outdoor Fireplace with Herringbone Refractory	\$1,809.00

Uses 8"x10" Venting - SL300 Series

Optional Accessories

ODVGF-36 🌣	36" Bi-Fold Glass Doors	\$589.00
ODVGF-42 ❖	42" Bi-Fold Glass Doors	\$729.00

SL300 8"x10" Two-Wall Wood Burning Flue Components and Terminations

SL306	6" Chimney Section	\$81.00
SL312	12" Chimney Section	\$100.00
SL318	18" Chimney Section	\$111.00
SL324	24" Chimney Section	\$135.00
SL336	36" Chimney Section	\$164.00
SL348	48" Chimney Section	\$197.00
SL3	6" Flue Support Section	\$118.00
SL315	15° Elbow - Offset and Return	\$226.00
SL330	30° Elbow - Offset and Return	\$252.00
FS338M	Straight Firestop Spacer ea.	\$55.00
FS340	Firestop for 30° Angular Flue	\$112.00
TR344	Round Louvered Termination with Storm Collar	\$183.00
ST375	Square Termination Cap, Painted Black	\$424.00
ST375SS	Square Termination Cap, Stainless Steel	\$713.00
RF370M	0-6/12 Pitch Roof Flashing ea.	\$171.00
RF371	6/12-12/12 Pitch Roof Flashing	\$270.00



Villawood

Minimum Fireplace Opening (see manual before framing)

	ODVILLA-36	
Height	Width	Depth
39 3/4"	42"	21 1/2

	ODVILLA-42	
Height	Width	Depth
39 3/4"	48"	21 1/2"



Courtyard 42 Outdoor Gas Fireplace

- Clean Face and Flush Hearth Design
- Wall Switch with Outdoor Control Box (15')
- Stainless Steel Pull Screens

Model No.	Description	List Price
ODCOUG-42NR	42" Outdoor Fireplace, 55,000 btu - NG	\$2,899.00
ODCOUG-42TS	42" Outdoor Fireplace with Traditional Stacked Concrete Refractory, 55,000 btu - NG	\$3,279.00

Must Choose Grate and Log Set to Complete Installation and Interior Panels for NR Units.

Log Sets and Grate - Required

HDLOGS-ODCOUG	High Definition Log Set, Requires GR-ODCOUG to Complete	\$809.00
SDLOGS-ODCOUG	Standard Definition Log Set, Requires GR-ODCOUG to Complete	\$429.00
GR-ODCOUG	Stainless Steel Grate	\$369.00

Interior Panels - Required for NR Units

ODCOUG-42GHR	Gray Herringbone Refractory Panels	\$599.00
ODCOUG-42GTR	Gray Traditional Refractory Panels	\$529.00
ODCOUG-42BHR	Brown Herringbone Refractory Panels	\$599.00
ODCOUG-42BTR	Brown Traditional Refractory Panels	\$529.00
ODCOUG-42BKHR	Black Herringbone Refractory Panels	\$619.00
ODCOUG-42BKTR	Black Traditional Refractory Panels	\$549.00
ODCOUG-42SSL ❖	Stainless Steel Liner	\$489.00

Optional Accessories

ODCOUG-42SCN	Framed Mesh Screen	\$702.00
ODCOUG-LPK	NG to LP Conversion Kit	\$99.00
ODCOUG-VFP	Vent Free Pan	\$131.00
ODGSDP-42	Outdoor Drain Pan	\$121.00
ODGSDPFLT-42 ❖	Outdoor Drain Pan for Flat/Level Installations	\$121.00
WWT	Wired Wall Timer	\$118.00



ODCOUG-42NR

Fireplace Framing Dimensions (see manual before framing) Height Width Depth 48 1/2" 34 1/4" 20 1/4"



Gray Herringbone Liner



Brown Herringbone Liner



Black Herringbone Liner



Courtyard 36 Outdoor Gas Fireplace

- Clean Face and Flush Hearth Design
- Wall Switch with Outdoor Control Box (15')
- Stainless Steel Pull Screens

Model No. Description		List Price	
ODCOUG-36NR	36" Outdoor Fireplace, 55,000 btu - NG	\$2,569.00	
ODCOUG-36TS	36" Outdoor Fireplace with Traditional Stacked Concrete Refractory, 55,000 btu - NG	\$2,949.00	

Must Choose Grate and Log Set to Complete Installation and Interior Panels for NR Units.

Log Sets and Grate - Required

HDLOGS-ODCOUG High Definition Log Set, Requires GR-ODCOUG to Complete		\$809.00
SDLOGS-ODCOUG	Standard Definition Log Set, Requires GR-ODCOUG to Complete	\$429.00
GR-ODCOUG	Stainless Steel Grate	\$369.00

Interior Panels - Required for NR Units

ODCOUG-36GHR	Gray Herringbone Refractory Panels	\$569.00
ODCOUG-36GTR	DCOUG-36GTR Gray Traditional Refractory Panels	
ODCOUG-36BHR	ODCOUG-36BHR Brown Herringbone Refractory Panels	
ODCOUG-36BTR		
ODCOUG-36BKHR		
ODCOUG-36BKTR	Black Traditional Refractory Panels	\$509.00
ODCOUG-36SSL *	Stainless Steel Liner	\$479.00

Optional Accessories

The state of the s		
ODCOUG-36SCN	Framed Mesh Screen	\$609.00
ODCOUG-LPK	NG to LP Conversion Kit	\$99.00
ODCOUG-VFP	Vent Free Pan	\$131.00
ODGSDP-36	Outdoor Drain Pan	\$105.00
ODGSDPFLT-36 ❖	Outdoor Drain Pan for Flat/Level Installations	\$105.00
WWT	Wired Wall Timer	\$118.00



ODCOUG-36TS

Fireplace Framing Dimensions

(see manual before framing) Height Width Depth 42 1/2" 34 1/4" 20 1/4"



Gray Traditional Liner



Brown Traditional Liner



Black Traditional Liner



Vesper Outdoor Gas Fireplace

- Brick-to-Brick Opening for True Masonry Appearance
- Stainless Steel Mesh Screen

- Interior Panels in Traditional or Herringbone Brick
- Options to Convert to Vent-Free for Enclosed Applications

Model No.	Model No. Description	
VOFB42-H	42" Firebox with Herringbone Refractory	\$1,869.00
VOFB42-T 42" Firebox with Traditional Stacked Refractory		\$1,859.00
VOFB36-H	36" Firebox with Herringbone Refractory	\$1,319.00
VOFB36-T	36" Firebox with Traditional Stacked Refractory	\$1,289.00

Fireplace Framing Dimensions: 42" - 34 1/4"W X 48 1/2"H X 19 3/4"D Fireplace Framing Dimensions: 36" - 34 1/4"W X 42 1/2"H X 19 3/4"D



Must Choose Burner and Log Set to Complete Installation

Burner - Required

· ·		
LUM-OD-NM	Lumonessen Outdoor Burner, Manual Ignition, 38,000 btu - NG	\$819.00
LUM-OD-PM	Lumonessen Outdoor Burner, Manual Ignition, 38,000 btu - LP	\$819.00
Log Set - Required		
MZMRSP-30	30" Mezmer Split Log Set	\$259.00
MZMR-30	30" Mezmer Log Set	\$259.00
MTNOK-30 30" Mountain Oak Log Set		\$259.00
MZMRSP-24	24" Mezmer Split Log Set	\$229.00
MZMR-24	24" Mezmer Log Set	\$229.00
MTNOK-24	24" Mountain Oak Log Set	\$229.00

Note: Must use 30" Set with 42" Firebox

Optional Accessories

VOFBSD-42	42" SS Operable Mesh Doors	\$1,219.00
ODGSDP-42	42" Outdoor Drain Pan	\$121.00
ODGSDPFLT-42 ❖	42" Outdoor Drain Pan for Flat/Level Installations	\$121.00
VOFBSD-36	36" SS Operable Mesh Doors	\$1,099.00
ODGSDP-36	36" Outdoor Drain Pan	\$105.00
ODGSDPFLT-36 ❖	36" Outdoor Drain Pan for Flat/Level Installations	\$105.00

VOFB42

Minimum Fireplace Opening (see manual before framing)

Height 48 1/2"	VOFB42 Width 34 1/4"	Depth 19 3/4"
Height 42 1/2"	VOFB36 Width 34 1/4"	Depth 19 3/4"



Lanai 60 Ventless Outdoor Gas Fireplace

Lanai 48 Ventless Outdoor Gas Fireplace

• Wall Control with 15' of Wire and Junction Box

• Multicolored LED Lights

• Multicolored LED Lights

Crystal Glass Media

• Crystal Glass Media

• Glass Wind Guard

- Wall Control with 15' of Wire and Junction Box
- Glass Wind Guard

Model No. Description		List Price	
ODLANAIG-60	ODLANAIG-60 Outdoor Linear Fireplace with IntelliFire™ Plus Ignition System, 60,000 btu - NG		
LPK-ODLANAIG60 NG to LP Conversion Kit \$12		\$149.00	
ODLANAIG-60 Optional Accessories			
ODLANAIG-60SCN	Framed Screen Barrier	\$479.00	
ODLANAIG-60CFT	Clean Face Trim Kit	\$299.00	
ODLANAIG-60DP	Drain Pan - adds 3" to framing height	\$249.00	



ODLANAIG-60

Fireplace Framing Dimensions (see manual before framing)

ODLANAIG-60			
Height	Width	De	pth
39 3/4"	64 3/4"	13	3/8'
	DLANAIG-4	8	

Model No. Description List Price ODLANAIG-48 Outdoor Linear Fireplace with IntelliFire Plus Ignition, 55,000 btu - NG \$4,439.00 ODLANAIGST-48 See-Through Outdoor Linear Fireplace with Intellifire Plus Ignition, 55,000 btu - NG \$5,009.00 LPK-ODLANAIG48 NG to LP Conversion Kit \$129.00

ODLANAIG-48 Optional Accessories

ODLANAIG-48SCN	Framed Screen Barrier	\$409.00
ODLANAIG-48CFT	Clean Face Trim Kit	\$279.00
ODLANAIG-48DP	Drain Pan - adds 3" to framing height	\$229.00

ODLANAIG-60/48 Optional Accessories

CDLS	Driftwood Log Set	\$589.00
MEDIA-CLEAR-48 ❖	Crystal (translucent white) Glass Media	\$369.00
MEDIA-RED-48 ❖	Scarlet (red) Glass Media	\$479.00
MEDIA-EBONY-48	Ebony (black) Glass Media	\$479.00
MEDIA-COBALT-48	Cobalt (blue) Glass Media	\$479.00
MEDIA-AMBER-48	Amber Glass Media	\$479.00
STONEKIT	Stone Kit	\$149.00