

Gas Fireplaces – Direct Vent Linear



Echelon II 72

MODEL NUMBER	DESCRIPTION	LIST PRICE
ECHEL72IN-C	72" Fireplace, 58,000 btu - NG	\$10,979.00
LPKECHEL72	NG to LP Conversion Kit	\$104.00

USES 5" X 8" DVP VENTING (SEE PAGE 475) - TOP VENT ONLY

Must Choose a Front to Complete Installation.

Fronts - Non-Operable - Required

CFT-72-BK-C	Clean Face Trim - Black	\$869.00
CFT-72-NB-C ❖	Clean Face Trim - New Bronze	\$929.00
CFT-72-GM-C ❖	Clean Face Trim - Gun Metal	\$929.00

Optional Accessories

BGK-72	Reflective Black Ceramic Glass Liner Kit	\$1,059.00
LOGS-DRTWOOD-72	Driftwood Log Set	\$799.00
IFT-RC150U	White Wireless Wall Switch for On/Off and Cold Climate Control. Universally compatible with IntelliFire Touch and IntelliFire Touch 2.0 systems.	\$124.00
IFT-WFM	IntelliFire Wi-Fi Module that Works with the IntelliFire ios and Android App. A RC400 or RC150 is Required for Thermostat Control.	\$239.00
BATTERY-WSK	Battery Backup Wall Switch kit	\$199.00

Heat Management

PH-MCE	Starting Collars for Non-Ducted Passive Heat (Required when using passive heat - for use with front, side, top discharges)	\$199.00
PH-SIDETRIM	Passive Heat Trim Kit for Side Discharge – Includes 2 side registers (starting collars sold separately)	\$114.00
PH-FRTTRIM-72	Passive Heat Vent Trim Kit for Front Discharge (starting collars sold separately)	\$249.00
PHTRIM-MCE-72 ❖	Ducted Vent Trim for Front Discharge using Ducted Passive Heat (PHFR-MCE-36)	\$309.00
PHFR-MCE-72 ❖	Ducted Passive Heat Kit for Front Discharge (Requires PHTRIM-MCE-72 vent trim)	\$839.00
HEAT-OUT-GAS	Heat Out Kit (Includes Termination Cap, 25' of 6" Round Duct, Fireplace Adapter, Damper, Wall Switch and 350 cfm Fan at Termination)	\$1,569.00
HEAT-ZONE-GAS	Heat-Zone Kit (Includes: Fan, 20' Of 6" Round Duct, Vent, Wall Adapter and On/Off Control)	\$589.00
HZLIN-ADP	Heat Zone Adapter, Must Order for Using HEAT-ZONE-Gas	\$189.00

Media

GLASS-BZ	Bronze Glass (Comes Standard w/ Unit) (3 lbs.)	\$74.00
GLASS-SP	Sapphire Glass (3 lbs.)	\$74.00
GLASS-OY	Onyx Glass (3 lbs.)	\$74.00
GLASS-DM	Diamond Glass (3 lbs.)	\$74.00
STONES-NATURAL	Natural Stones	\$118.00

Note: If changing media, follow the required number of bags below:

Glass media - 7 bags of glass, Natural Stones - 4 bags of stones, Log Set & Stones - 1 bag of stone.



ECHEL72IN

Fireplace Framing Dimensions

(see manual before framing)

Height	Width	Depth
48"	84 1/4"	18 1/4"

Features:

- Clear LED Dimmable Lights
- IntelliFire Touch Ignition System
- Optional Passive Heat
- RC400 Remote Control
- Battery Backup
- Ceramic Glass
- Standard w/ Bronze Glass Media

Gas Fireplaces – Direct Vent Linear



Echelon II 60

MODEL NUMBER	DESCRIPTION	LIST PRICE
ECHEL60IN-C	60" Fireplace, 50,000 btu - NG	\$8,359.00
LPKECHEL60	NG to LP Conversion Kit	\$104.00

USES 5" X 8" DVP VENTING (SEE PAGE 475) - TOP VENT ONLY

Must Choose a Front to Complete Installation.

Fronts - Non-Operable - Required		
CFT-60-BK-C	Clean Face Trim - Black	\$819.00
CFT-60-NB-C ❖	Clean Face Trim - New Bronze	\$859.00
CFT-60-GM-C ❖	Clean Face Trim - Gun Metal	\$859.00
PFF-60-BK-C ❖	Picture Frame Front - Black	\$999.00

Optional Accessories

BGK-60	Reflective Black Ceramic Glass Liner Kit	\$909.00
LOGS-DRTWOOD-60	Driftwood Log Set	\$679.00
IFT-RC150U	White Wireless Wall Switch for On/Off and Cold Climate Control. Universally compatible with IntelliFire Touch and IntelliFire Touch 2.0 systems.	\$124.00
IFT-WFM	IntelliFire Wi-Fi Module that works with the Intellifire IOS and Android App. An RC400 or RC500 is required for thermostat control.	\$239.00
BATTERY-WSK	Battery Backup Wall Switch kit	\$199.00

Heat Management

PH-SIDETRIM	Passive Heat Trim Kit for Side Discharge – Includes 2 side registers (starting collars sold separately)	\$114.00
PH-MCE	Starting Collars for Non-Ducted Passive Heat (Required when using passive heat - for use with front, side, top discharges)	\$199.00
PH-FRTTRIM-60	Passive Heat Vent Trim Kit for Front Discharge (starting collars sold separately)	\$239.00
PHFR-MCE-60 ❖	Ducted Passive Heat Kit for Front Discharge (Requires PHTRIM-MCE-72 vent trim)	\$789.00
PHTRIM-MCE-60 ❖	Ducted Vent Trim for Front Discharge using Ducted Passive Heat (PHFR-MCE-36)	\$289.00
HEAT-OUT-GAS	Heat Out Kit (Includes Termination Cap, 25' of 6" Round Duct, Fireplace Adapter, Damper, Wall Switch and 350 cfm Fan at Termination)	\$1,569.00
HEAT-ZONE-GAS	Heat-Zone Kit (Includes: Fan, 20' Of 6" Round Duct, Vent, Wall Adapter and On/Off Control)	\$589.00
HZLIN-ADP	Heat Zone Adapter, Must Order for Using HEAT-ZONE-Gas	\$189.00

Media

GLASS-BZ	Bronze Glass (Comes Standard w/ Unit) (3 lbs.)	\$74.00
GLASS-SP	Sapphire Glass (3 lbs.)	\$74.00
GLASS-OY	Onyx Glass (3 lbs.)	\$74.00
GLASS-DM	Diamond Glass (3 lbs.)	\$74.00
STONES-NATURAL	Natural Stones	\$118.00

Note: If changing media, follow the required number of bags below:

Glass media - 6 bags of glass, Natural Stones - 3 bags of stones, Log Set & Stones - 1 bag of stone.



ECHEL60IN

Fireplace Framing Dimensions
(see manual before framing)

Height	Width	Depth
48"	72 1/4"	18 1/4"

Features:

- Clear LED Dimmable Lights
- IntelliFire Touch Ignition System
- Optional Passive Heat
- RC400 Remote Control
- Battery Backup
- Ceramic Glass
- Standard w/ Bronze Glass Media

Gas Fireplaces – Direct Vent Linear



Echelon II 48

MODEL NUMBER	DESCRIPTION	LIST PRICE
ECHEL48IN-C	48" Fireplace, 40,000 btu - NG	\$5,929.00
LPKECHEL48	NG to LP Conversion Kit	\$104.00

USES 5" X 8" DVP VENTING (SEE PAGE 475) - TOP VENT ONLY
FIREPLACE FRAMING DIMENSIONS - 60 1/4" W X 42" H X 18 1/4" D

Must Choose a Front to Complete Installation.

Fronts - Non-Operable - Required

CFT-48-BK-C	Clean Face Trim - Black	\$499.00
CFT-48-NB-C ❖	Clean Face Trim - New Bronze	\$539.00
CFT-48-GM-C ❖	Clean Face Trim - Gun Metal	\$539.00
PFF-48-BK-C ❖	Picture Frame Front - Black	\$499.00

Optional Accessories

BGK-48	Reflective Black Ceramic Glass Liner Kit	\$849.00
LOGS-DRTWOOD-48	Driftwood Log Set	\$549.00
IFT-RC150U	White Wireless Wall Switch for On/Off and Cold Climate Control. Universally compatible with IntelliFire Touch and IntelliFire Touch 2.0 systems.	\$124.00
IFT-WFM	IntelliFire Wi-Fi Module that works with the Intellifire IOS and Android App. An RC400 or RC500 is required for thermostat control.	\$239.00
BATTERY-WSK	Battery Backup Wall Switch kit	\$199.00

Heat Management

PH-SIDETRIM	Passive Heat Trim Kit for Side Discharge – Includes 2 side registers (starting collars sold separately)	\$114.00
PH-MCE	Starting Collars for Non-Ducted Passive Heat (Required when using passive heat - for use with front, side, top discharges)	\$199.00
PH-FRTTRIM-48	Passive Heat Vent Trim Kit for Front Discharge (starting collars sold separately)	\$239.00
PHFR-MCE-48 ❖	Ducted Passive Heat Kit for Front Discharge (Requires PHTRIM-MCE-48 vent trim)	\$289.00
PHSI-MCE	Ducted Passive Heat Kit for Side Discharge – Includes duct and 2 side registers	\$599.00
PHTRIM-MCE-48 ❖	Ducted Vent Trim for Front Discharge using Ducted Passive Heat (PHFR-MCE-36)	\$289.00
HEAT-OUT-GAS	Heat Out Kit (Includes Termination Cap, 25' of 6" Round Duct, Fireplace Adapter, Damper, Wall Switch and 350 cfm Fan at Termination)	\$1,569.00
HEAT-ZONE-GAS	Heat-Zone Kit (Includes: Fan, 20' Of 6" Round Duct, Vent, Wall Adapter and On/Off Control)	\$589.00
HZLIN-ADP	Heat Zone Adapter, Must Order for Using HEAT-ZONE-Gas	\$189.00

Media

GLASS-BZ	Bronze Glass (Comes Standard w/ Unit) (3 lbs.)	\$74.00
GLASS-SP	Sapphire Glass (3 lbs.)	\$74.00
GLASS-OY	Onyx Glass (3 lbs.)	\$74.00
GLASS-DM	Diamond Glass (3 lbs.)	\$74.00
STONES-NATURAL	Natural Stones	\$118.00

Note: If changing media, follow the required number of bags below:

Glass media - 4 bags of glass, Natural Stones - 3 bags of stones, Log Set & Stones - 1 bag of stone.



ECHEL48IN

Fireplace Framing Dimensions

(see manual before framing)

Height	Width	Depth
42"	60 1/4"	18 1/4"

Features:

- Clear LED Dimmable Lights
- IntelliFire Touch Ignition System
- Optional Passive Heat
- RC400 Remote Control
- Battery Backup
- Ceramic Glass
- Standard w/ Bronze Glass Media

Gas Fireplaces – Direct Vent Linear



Echelon II 36

MODEL NUMBER	DESCRIPTION	LIST PRICE
ECHEL36IN-C	36" Fireplace, 30,000 btu - NG	\$4,699.00
LPKECHL36	NG to LP Conversion Kit	\$104.00

USES 5" X 8" DVP VENTING (SEE PAGE 475) - TOP VENT ONLY

Must Choose a Front to Complete Installation.

Fronts - Non-Operable - Required

CFT-36-BK-C	Clean Face Trim - Black	\$459.00
CFT-36-NB-C ❖	Clean Face Trim - New Bronze	\$509.00
CFT-36-GM-C ❖	Clean Face Trim - Gun Metal	\$509.00
PFF-36-BK-C ❖	Picture Frame Front - Black	\$769.00

Optional Accessories

BGK-36	Reflective Black Ceramic Glass Liner Kit	\$719.00
LOGS-DRTWOOD-36	Driftwood Log Set	\$409.00
IFT-RC150U	White Wireless Wall Switch for On/Off and Cold Climate Control. Universally compatible with IntelliFire Touch and IntelliFire Touch 2.0 systems.	\$124.00
IFT-WFM	IntelliFire Wi-Fi Module that works with the Intellifire IOS and Android App. An RC400 or RC500 is required for thermostat control.	\$239.00
BATTERY-WSK	Battery Backup Wall Switch kit	\$199.00

Heat Management

PH-SIDETRIM	Passive Heat Trim Kit for Side Discharge – Includes 2 side registers (starting collars sold separately)	\$114.00
PH-MCE	Starting Collars for Non-Ducted Passive Heat (Required when using passive heat - for use with front, side, top discharges)	\$199.00
PH-FRTTRIM-36	Passive Heat Vent Trim Kit for Front Discharge (starting collars sold separately)	\$229.00
PHSI-MCE	Ducted Passive Heat for Side Discharge (includes duct and 2 side registers)	\$599.00
PHFR-MCE-36 ❖	Ducted Passive Heat Kit for Front Discharge (Requires PHTRIM-MCE-36 vent trim)	\$659.00
PHTRIM-MCE-36 ❖	Ducted Vent Trim for Front Discharge using Ducted Passive Heat (PHFR-MCE-36)	\$269.00
HEAT-OUT-GAS	Heat Out Kit (Includes Termination Cap, 25' of 6" Round Duct, Fireplace Adapter, Damper, Wall Switch and 350CFM Fan at Termination)	\$1,569.00
HEAT-ZONE-GAS	Heat-Zone Kit (Includes: Fan, 20' Of 6" Round Duct, Vent, Wall Adapter and On/Off Control)	\$589.00
HZLIN-ADP	Heat Zone Adapter, Must Order for Using HEAT-ZONE-Gas	\$189.00

Media

GLASS-BZ	Bronze Glass (Comes Standard w/ Unit) (3 lbs.)	\$74.00
GLASS-SP	Sapphire Glass (3 lbs.)	\$74.00
GLASS-OY	Onyx Glass (3 lbs.)	\$74.00
GLASS-DM	Diamond Glass (3 lbs.)	\$74.00
STONES-NATURAL	Natural Stones	\$118.00

Note: If changing media, follow the required number of bags below:

Glass media - 3 bags of glass, Natural Stones - 2 bags of stones, Log Set & Stones - 1 bag of stone.



ECHEL36IN

Fireplace Framing Dimensions (see manual before framing)

Height	Width	Depth
42"	48 1/4"	18 1/4"

Features:

- Clear LED Dimmable Lights
- IntelliFire Touch Ignition System
- Optional Passive Heat
- RC400 Remote Control
- Battery Backup
- Ceramic Glass
- Standard w/ Bronze Glass Media

Pricing, model number, availability and manufacturers surcharges are subject to change without notice.

❖ – Non Stock Special Order - NO RETURNS or CANCELLATIONS

RMI Ph: 800-628-5044

raymurray.com

Jade 42

Features:

- IntelliFire Touch Ignition System
- Bronze Glass Media
- Tempered Glass

NOTE: If installing a Passive Heat kit you cannot use a fan.

NOTE: If ordering lights or fan, must order IFT-RC400.

MODEL NUMBER	DESCRIPTION	LIST PRICE
JADE42IN-B	42" Fireplace, 25,250 btu - NG	\$3,459.00
JADE42IL-B	42" Fireplace, 25,500 btu - NG	\$3,459.00

USES 4" X 6 5/8" SLP VENTING (SEE PAGE 474) - TOP VENT ONLY

Must Choose a Front to Complete Installation.

Fronts - Non-Operable - Required

CFTF-42-BK	Clean Face Trim - Black	\$499.00
CFTF-42-NB ❖	Clean Face Trim - New Bronze	\$569.00
CFTF-42-GM ❖	Clean Face Trim - Gun Metal	\$569.00
PFF-42-BK ❖	Picture Frame Front - Black	\$809.00

Optional Accessories

GFK-160C	Fan Kit 160 CFM (fan only)	\$269.00
DRTWOOD-JADE	Driftwood Log Set	\$509.00
GLASS-42LINEAR	Fade-Resistant Reflective Black Glass Interior Panels	\$659.00
LED-LINEAR	LED Accent Lights (must order LED-SWITCH for multi-color selection)	\$399.00

Media

GLASS-BZ	Bronze Glass (Comes Standard w/ Unit) (3 lbs.)	\$74.00
GLASS-SP	Sapphire Glass (3 lbs.)	\$74.00
GLASS-OY	Onyx Glass (3 lbs.)	\$74.00
GLASS-DM	Diamond Glass (3 lbs.)	\$74.00
STONES-NATURAL	Natural Stones	\$118.00

NOTE: IF CHANGING MEDIA, FOLLOW THE REQUIRED NUMBER OF BAGS BELOW:

GLASS MEDIA - 3 BAGS OF GLASS, NATURAL STONES - 6 BAGS OF STONES, LOG SET & STONES - 1 BAG OF STONES.

NOTE: CONTROLS AND HEAT MANAGEMENT ON PAGE 78



JADE42

Fireplace Framing Dimensions

(see manual before framing)

Height	Width	Depth
32 3/4"	49"	17 3/4"

Continued on next page

Jade 32

Features:

- IntelliFire Touch Ignition System
- Bronze Glass Media
- Tempered Glass

NOTE: If installing a Passive Heat kit you cannot use a fan.

NOTE: If installing a SmartWall kit you cannot use a power vent or fan

NOTE: If ordering lights or fan, must order IFT-RC400

MODEL NUMBER	DESCRIPTION	LIST PRICE
JADE32IN-B	32" Fireplace, 19,000 btu - NG	\$2,809.00
LPK-32LINEAR	LP Conversion Kit	\$104.00

USES 4" X 6 5/8" SLP VENTING (SEE PAGE 474) - TOP VENT ONLY

Must Choose a Front to Complete Installation.

Fronts - Non-Operable - Required

CFTF-32-BK	Clean Face Trim - Black	\$459.00
CFTF-32-NB ❖	Clean Face Trim - New Bronze	\$529.00
CFTF-32-GM ❖	Clean Face Trim - Gun Metal	\$529.00
PFF-32-BK ❖	Picture Frame Front - Black	\$789.00

Optional Accessories

GFK-160C	Fan Kit 160 CFM (fan only)	\$269.00
DRTWOOD-JADE	Driftwood Log Set	\$509.00
GLASS-32LINEAR	Fade-Resistant Reflective Black Glass Interior Panels	\$619.00
LED-LINEAR	LED Accent Lights (must order LED-SWITCH for multi-color selection)	\$399.00

Media

GLASS-BZ	Bronze Glass (Comes Standard w/ Unit) (3 lbs.)	\$74.00
GLASS-SP	Sapphire Glass (3 lbs.)	\$74.00
GLASS-OY	Onyx Glass (3 lbs.)	\$74.00
GLASS-DM	Diamond Glass (3 lbs.)	\$74.00
STONES-NATURAL	Natural Stones	\$118.00

NOTE: IF CHANGING MEDIA, FOLLOW THE REQUIRED NUMBER OF BAGS BELOW:

GLASS MEDIA - 2 BAGS OF GLASS, NATURAL STONES - 4 BAGS OF STONES, LOG SET & STONES - 1/2 BAG OF STONES.



JADE32

Fireplace Framing Dimensions
(see manual before framing)

Height	Width	Depth
36 1/2"	37"	17 3/4"

Continued on next page

Jade 32 - Cont.

MODEL NUMBER	DESCRIPTION	LIST PRICE
Heat Management		
PH-SIDETRIM	Passive Heat Trim Kit for Side Discharge – Includes 2 side registers (starting collars sold separately)	\$114.00
PH-FRTTRIM-42	42" Passive Heat Vent Trim Kit for Front Discharge (starting collars sold separately)	\$229.00
PH-FRTTRIM-32	32" Passive Heat Vent Trim Kit for Front Discharge (starting collars sold separately)	\$169.00
PH-LINEAR	Starting Collars for Non-Ducted Passive Heat (required when using passive heat - for use with front, side, top discharges)	\$219.00
HEAT-OUT-GAS	Heat Out Kit (includes termination cap, 25' of 6" round duct, fireplace adapter, damper, wall switch and 350CFM fan at termination)	\$1,569.00
HEAT-ZONE GAS	Heat-Zone Kit (includes fan, 20' of 6" round duct, vent, wall adapter and on/off control)	\$589.00
Controls		
BATTERY-WSK	Battery Backup Wall Switch Kit for Units with IFT Control Systems. Includes - On/Off Wall Switch, USB-C Port, Battery Backup, Cover Plate, 12' Wire Harness	\$199.00
IFT-WFM	IntelliFire Wi-Fi Module that works with the IntelliFire IOS and Android App. Use to control all the features of your fireplace via a smart device. An RC400 or RC500 is required for thermostat control.	\$239.00
IFT-ACM	IntelliFire Touch Aux Module. Must Order if Adding Fan, Lights or Power Vent and Want to Use the IFT-WFM. Do Not Need to Order if Using IFT-RC400 (includes IFT-ACM)	\$100.00
IFT-RC150U	White Wireless Wall Switch for On/Off and Cold Climate Control. Universally compatible with IntelliFire Touch and IntelliFire Touch 2.0 systems.	\$124.00
IFT-RC400	IntelliFire Touch Black Remote Control, Docking Station and Auxiliary Control Module (on/off, flame height, thermostat mode, fan control, child lock, cold climate, timer mode, hot indicator, lights, on-screen maintenance and troubleshooting notifications)	\$399.00
LED-SWITCH	3 Toggle Wall Switch for Multi-Color Selection	\$147.00

DV Linear 36

Features:

- IntelliFire Ignition System
- Onyx Media
- Tempered Glass
- Black Firescreen
- Battery Backup

MODEL NUMBER	DESCRIPTION	LIST PRICE
DVLINEAR36	36" Fireplace, 16,500 btu - NG	\$2,429.00
LPK-DVLIN36	NG to LP Conversion Kit	\$104.00

USES 4" X 6 5/8" SLP VENTING (SEE PAGE 474) - TOP VENT ONLY

Optional Accessories

CFTF-36-BK ❖	Clean Face Trim - Black	\$489.00
--------------	-------------------------	----------

Controls

RCT-MLT-MAJ	IP Remote Control (on/off, fan speed, flame control, temperature readout, thermostat mode, timer mode)	\$409.00
SMART-STAT-MAJ	Remote Control - IPI or SP (on/off, temperature readout, thermostat mode, timer mode)	\$299.00
PH-SIDETRIM	Passive Heat for Side Discharge (includes 2 side registers) (starting collars sold separately)	\$114.00
PH-FRTTRIM-36	Passive Heat Vent Trim Kit for Front Discharge (starting collars sold separately)	\$229.00
PH-LINEAR	Starting Collars for Non-Ducted Passive Heat (required when using passive heat - for use with front, side, top discharges)	\$219.00



DVLINEAR36

Fireplace Framing Dimensions (see manual before framing)

Height	Width	Depth
32 3/4"	42"	17 3/4"