

Prodigy II

new

Features:

- 120V Power
- Full Bed LED Uplighting
- 8" Intake, 10" Exhaust
- Glacier Glass Media
- COOL-Pack Glass
- Enervex PV Anchor Adaptor
- Intake Damper
- 50' Damper Cable
- 50' Power Vent Cable
- Single Sided and See Through (indoor-outdoor)
- 3' - 8' Glass Width, 20" - 60" Glass Height Available



MODEL NUMBER	DESCRIPTION	LIST PRICE
P2S620N ❖	6' x 20" Single Sided Fireplace., Proflame 2 w/ Multifunction Remote - NG	\$18,729.00
P2S620L ❖	6' x 20" Single Sided Fireplace., Proflame 2 w/Multifunction Remote - LP	\$18,729.00
P2S824N ❖	8' x 24" Single Sided Fireplace., Proflame 2 w/ Multifunction Remote - NG	\$32,269.00
P2S824L ❖	8' x 24" Single Sided Fireplace., Proflame 2 w/ Multifunction Remote - LP	\$32,269.00
P2ST624N ❖	6' x 24" See Through Fireplace., Proflame 2 w/ Multifunction Remote - NG	\$24,209.00
P2ST624L ❖	6' x 24" See Through Fireplace., Proflame 2 w/ Multifunction Remote - LP	\$24,209.00

NOTE: ADDITIONAL SIZES AVAILABLE, SEE PRODIGY II PRICE BOOK.

Must Purchase Power Vent to Complete Installation.

Power Vent – Required

PVVH200 ❖	Vertical/Horizontal Power Vent 10" 200	\$3,775.00
PVVH300 ❖	Vertical/Horizontal Power Vent 10" 300	\$5,325.00
PVI10 ❖	Inlet Power Vent 10"	\$6,199.00

NOTE: 3' - 5' USE PVVH200 / PVI10, 6' - 8' USE PVVH300 / PVI10

Dampers and Damper Cable

EC1199 ❖	8" Combustion Air Dampers	\$685.00
EC1487 ❖	10" Combustion Air Dampers	\$798.00
EC1494 ❖	10" Flue Gas Dampers	\$739.00
EC1178-25 ❖	Damper Control Power Cord 25'	\$60.00
EC1178-50 ❖	Damper Control Power Cord 50" (included with unit)	\$101.00
EC1178-75 ❖	Damper Control Power Cord 75'	\$209.00
EC1178-100 ❖	Damper Control Power Cord 100'	\$274.00

Alternate PV Cable Lengths (50' included with unit)

PVPC75 ❖	Power Vent System Power Cord 75'	\$479.00
PVPC100 ❖	Power Vent System Power Cord 100'	\$579.00
PVPC150 ❖	Power Vent System Power Cord 150'	\$779.00
PVPC200 ❖	Power Vent System Power Cord 200'	\$999.00

Continued on next page

Prodigy II - Cont.

Optional Black Reflective Glass

P2RB620 ❖	6' x 20" Black Reflective Glass	\$739.00
P2RB824 ❖	8" x 24" Black Reflective Glass	\$939.00
P2RB24ST ❖	8" x 24" See Through Black Reflective Glass	\$309.00

Optional Media - Units Includes Glacier Glass Media

HW1259	Onxy Decorative Firestones, 3 lbs.	\$99.00
HW1261	Amber Decorative Firestones, 3 lbs.	\$99.00
HW1260	Alabaster Decorative Firestones, 3 lbs.	\$99.00
HW1219B	Glacier Decorative Firestones, 3 lbs.	\$99.00
HW1091	Ebony Decorative Firebeads, 3 lbs.	\$99.00
HW1106	Quartz Decorative Firebeads, 3 lbs.	\$99.00
HW1112 ❖	Frost Decorative Firebeads, 3 lbs.	\$99.00

Glass Media Quantities

3'	4'	5'	6'	7'	8'
6 Bags	7 Bags	9 Bags	12 Bags	13 Bags	15 Bags

Optional Speckled Stones

RR150SS	River Rock Speckled Stone, 150 pc.	\$269.00
RR200SS	River Rock Speckled Stone, 200 pc.	\$389.00
RR350SS ❖	River Rock Speckled Stone, 350 pc.	\$619.00
RR450SS	River Rock Speckled Stone, 450 pc.	\$767.00
RR500SS ❖	River Rock Speckled Stone, 500 pc.	\$839.00
RR600SS ❖	River Rock Speckled Stone, 600 pc.	\$1,039.00
RR650SS ❖	River Rock Speckled Stone, 650 pc.	\$1,059.00
RR750SS ❖	River Rock Speckled Stone, 750 pc.	\$1,249.00

Speckled Stone Quantities

3'	4'	5'	6'	7'	8'
550	750	950	1150	1350	1500

Optional Log Sets

LGS57	Driftwood Logs, Large	\$325.00
LGS58	Driftwood Logs, Medium	\$344.00
LGS59	Driftwood Logs, Small 6 pc.	\$315.00

Driftwood Logs

3'	4'	5'	6'	7'	8'
1 x LGS58	1 x LGS58	1 x LGS57	1 x LGS57	1 x LGS57	1 x LGS57
1 x LGS59	1 x LGS59	1 x LGS58	1 x LGS58	1 x LGS58	1 x LGS58
		1 x LGS59	1 x LGS59	1 x LGS59	1 x LGS59

Distinction Series - D7215

Features:

- Ceramic Glass Door
- Power Vent Compatible
- Turn Down Gas Valve with Stepper Motor
- Full Feature Proflame 2 Remote Control
- Ceramic Glass Reflective Liner, Multi-Color LED Lighting and 15 lbs. of Ice Fireglass (HW1157)
- Quiet Circulating Fans with Remote Speed Adjustment
- Invisimesh Screen

MODEL NUMBER	DESCRIPTION	LIST PRICE
D7215NI-2 ❖	72" Fully Loaded Fireplace, IPI, 57,000 btu - NG	\$13,739.00
GCA013 ❖	NG to LP Conversion Kit	\$149.00

USES 5"X 8" MONTIGO VENTING (SEE PAGE 481) OR 5"X8" DURAVENT W/ PURCHASE OF ADAPTER OR POWER VENT COMPATIBLE - TOP VENT ONLY.

Optional Accessories

RR450SS	Designer Speckled Stones	\$767.00
LGS57*	Driftwood Log Set, 1 of 3	\$325.00
LGS58*	Driftwood Log Set, 2 of 3	\$344.00
LGS59*	Driftwood Log Set, 3 of 3	\$315.00
DBK72AF ❖	Ash Fluted Liner	\$444.00
DBK72TF ❖	Tuscan Fluted Liner	\$444.00
DLT72 ❖	1" Adjustable Trim Kit - up to 11/16" deep facing materials	\$209.00
DLT72-2 ❖	1" Adjustable Trim Kit Extra Deep - for 1 1/2" - 2" deep facing materials	\$234.00
REC1550	Wall Mounted Proflame 2 Remote	\$369.00
SIT-WIFI	Proflame 2 WiFi Phone App Control	\$269.00
GR72** ❖	72" Wall Cavity Venting Louver	\$155.00
GRSDH	Sidewall Cavity Venting Louver Horizontal (2 included)	\$135.00
GRSDV	Sidewall Cavity Venting Louver Vertical (2 included)	\$135.00

***INSTALLATION REQUIRES ALL 3 LOGSETS.**

****STANDALONE VENTING LOUVER USED TO VENT A WALL CAVITY ABOVE A FIREPLACE.**

Cool Wall Advantage Accessories

HDKPD72 ❖	Cool Wall Kit, Includes: louver, plenum, collars (requires HDKPDFK)	\$1,189.00
HDKSD	Cool Wall Advantage Side Discharge Kit, Horizontal, Includes: 2 louvers, 2 plenums (requires HDKPDFK-F)	\$449.00
HDKSVD	Cool Wall Advantage Side Discharge Kit, Vertical, Includes: 2 louvers, 2 plenums (requires HDKPDFK-F)	\$449.00
HDKPDFK-F	Cool Wall Flex Kit - 5" x 24"	\$249.00

Must Use Adapter to Vent Unit w/ DuraVent

58DVA-AD-M1	5" x 8" DuraVent Adapter	\$139.75
-------------	--------------------------	----------

NOTE: REQUIRES A RISE BEFORE OFFSET. REFER TO MANUAL.



D7215

Fireplace Framing Dimensions

(see manual before framing)

Height	Width	Depth
59 3/8"	95 3/8"	18 1/2"

Distinction Series - D6315

Features:

- Ceramic Glass Door
- Power Vent Compatible
- Turn Down Gas Valve with Stepper Motor
- Full Feature Proflame 2 Remote Control
- Ceramic Glass Reflective Liner, Multi-Color LED Lighting and 12 lbs. of Ice Fireglass (HW1157)
- Quiet Circulating Fans with Remote Speed Adjustment
- Invisimesh Screen

MODEL NUMBER	DESCRIPTION	LIST PRICE
D6315NI-2	63" Fully Loaded Fireplace, IPI, 50,000 btu - NG	\$12,299.00
GCA009	NG to LP Conversion Kit	\$149.00

USES 5"X 8" MONTIGO VENTING (SEE PAGE 481) OR 5"X8" DURAVENT W/ PURCHASE OF ADAPTER OR POWER VENT COMPATIBLE - TOP VENT ONLY.

Optional Accessories

RR450SS	Designer Speckled Stones	\$767.00
LGS58*	Driftwood Log Set, 1 of 2	\$344.00
LGS59*	Driftwood Log Set, 2 of 2	\$315.00
DBK63AF	Ash Fluted Liner	\$399.00
DBK63TF ❖	Tuscan Fluted Liner	\$399.00
DLT63 ❖	1" Adjustable Trim Kit - up to 11/16" deep facing materials	\$194.00
DLT63-2 ❖	1" Adjustable Trim Kit Extra Deep - for 1 1/2" - 2" deep facing materials	\$209.00
REC1550	Wall Mounted Proflame 2 Remote	\$369.00
SIT-WIFI	Proflame 2 WiFi Phone App Control	\$269.00
GR63**	63" Wall Cavity Venting Louver	\$139.00
GRSDH	Sidewall Cavity Venting Louver Horizontal (2 included)	\$135.00
GRSDV	Sidewall Cavity Venting Louver Vertical (2 included)	\$135.00

***INSTALLATION REQUIRES BOTH LOGSETS.**

****STANDALONE VENTING LOUVER USED TO VENT A WALL CAVITY ABOVE A FIREPLACE.**

Cool Wall Advantage Accessories

HDKPD63	Cool Wall Kit, Includes: louver, plenum, collars (requires HDKPDFK)	\$1,059.00
HDKSD	Cool Wall Advantage Side Discharge Kit, Horizontal, Includes: 2 louvers, 2 plenums (requires HDKPDFK-F)	\$449.00
HDKSVD	Cool Wall Advantage Side Discharge Kit, Vertical, Includes: 2 louvers, 2 plenums (requires HDKPDFK-F)	\$449.00
HDKPDFK-F	Cool Wall Flex Kit - 5" x 24"	\$249.00

Must Use Adapter to Vent Unit w/ DuraVent

58DVA-AD-M1	5" x 8" DuraVent Adapter	\$139.75
-------------	--------------------------	----------

NOTE: REQUIRES A RISE BEFORE OFFSET. REFER TO MANUAL.



D6315

Fireplace Framing Dimensions

(see manual before framing)		
Height	Width	Depth
50 3/8"	79 1/2"	18"

Distinction Series - D4815

Features:

- Ceramic Glass Door
- Turn Down Gas Valve with Stepper Motor
- Full Feature Proflame 2 Remote Control
- Ceramic Glass Reflective Liner, Multi-Color LED Lighting and 9 lbs. of Ice Fireglass (HW1157)
- Quiet Circulating Fans with Remote Speed Adjustment
- Invisimesh Screen

MODEL NUMBER	DESCRIPTION	LIST PRICE
D4815NI-2	48" Fully Loaded Fireplace, IPI, 40,000 btu - NG	\$6,829.00
GCA017	NG to LP Conversion Kit	\$149.00

USES 5"X 8" MONTIGO VENTING (SEE PAGE 481) OR 5"X8" DURAVENT W/ PURCHASE OF ADAPTER OR POWER VENT COMPATIBLE - TOP VENT ONLY. CAN USE 4X7 VENTING WITH REDUCER, PVA5487.

Optional Accessories

RR200SS	Designer Speckled Stones	\$389.00
LGS57*	Driftwood Log Set, 1 of 3	\$325.00
LGS59*	Driftwood Log Set, 2 of 3	\$315.00
LGS61*	Driftwood Log Set, 3 of 3	\$224.00
DBK48AF ❖	Ash Fluted Liner	\$329.00
DBK48TF ❖	Tuscan Fluted Liner	\$329.00
DLT48	1" Adjustable Trim Kit - up to 11/16" deep facing materials	\$164.00
DLT48-2	1" Adjustable Trim Kit Extra Deep - for 1 1/2" - 2" deep facing materials	\$179.00
PVA5487	10" Reducer, 5/8 to 4/7	\$129.00
REC1550	Wall Mounted Proflame 2 Remote	\$369.00
SIT-WIFI	Proflame 2 WiFi Phone App Control	\$269.00
GR48**	48" Wall Cavity Venting Louver	\$109.00
GRSDH	Sidewall Cavity Venting Louver Horizontal (2 included)	\$135.00
GRSDV	Sidewall Cavity Venting Louver Vertical (2 included)	\$135.00

***INSTALLATION REQUIRES ALL 3 LOGSETS.**

****STANDALONE VENTING LOUVER USED TO VENT A WALL CAVITY ABOVE A FIREPLACE.**

Cool Wall Advantage Accessories

HDKPD48	Cool Wall Kit, Includes: louver, plenum, collars (requires HDKPDKF)	\$759.00
HDKSD	Cool Wall Advantage Side Discharge Kit, Horizontal, Includes: 2 louvers, 2 plenums (requires HDKPDKF-F)	\$449.00
HDKSVD	Cool Wall Advantage Side Discharge Kit, Vertical, Includes: 2 louvers, 2 plenums (requires HDKPDKF-F)	\$449.00
HDKPDKF-F	Cool Wall Flex Kit - 5" x 24'	\$249.00

Must Use Adapter to Vent Unit w/ DuraVent

58DVA-AD-M1	5" x 8" DuraVent Adapter	\$139.75
-------------	--------------------------	----------

NOTE: REQUIRES A RISE BEFORE OFFSET. REFER TO MANUAL.



D4815

Fireplace Framing Dimensions

(see manual before framing)

Height	Width	Depth
50"	71 3/4"	17 1/2"

Distinction Series - D3615

Features:

- Ceramic Glass Door
- Turn Down Gas Valve with Stepper Motor
- Full Feature Proflame 2 Remote Control
- Ceramic Glass Reflective Liner, Multi-Color LED Lighting and 6 lbs. of Ice Fireglass (HW1157)
- Quiet Circulating Fans with Remote Speed Adjustment
- Invisimesh Screen

MODEL NUMBER	DESCRIPTION	LIST PRICE
D3615NI-2 ❖	36" Fully Loaded Fireplace, IPI, 35,000 btu - NG	\$5,779.00
GCA015 ❖	NG to LP Conversion Kit	\$149.00

USES 5"X8" MONTIGO VENTING (SEE PAGE 481) OR 5"X8" DURAVENT W/ PURCHASE OF ADAPTER OR POWER VENT COMPATIBLE - TOP VENT ONLY. CAN USE 4X7 VENTING WITH REDUCER, PVA5487.

Optional Accessories

RR150SS	Designer Speckled Stones	\$269.00
LGS59*	Driftwood Log Set, 1 of 2	\$315.00
LGS60*	Driftwood Log Set, 2 of 2	\$309.00
DBK36AF ❖	Ash Fluted Liner	\$259.00
DBK36TF ❖	Tuscan Fluted Liner	\$259.00
DLT36 ❖	1" Adjustable Trim Kit - up to 11/16" deep facing materials	\$139.00
DLT36-2 ❖	1" Adjustable Trim Kit Extra Deep - for 1 1/2" - 2" deep facing materials	\$154.00
PVA5487	10" Reducer, 5/8 to 4/7	\$129.00
REC1550	Wall Mounted Proflame 2 Remote	\$369.00
SIT-WIFI	Proflame 2 WiFi Phone App Control	\$269.00
GR36** ❖	36" Wall Cavity Venting Louver	\$79.00
GRSDH	Sidewall Cavity Venting Louver Horizontal (2 included)	\$135.00
GRSDV	Sidewall Cavity Venting Louver Vertical (2 included)	\$135.00

***INSTALLATION REQUIRES BOTH LOGSETS.**

****STANDALONE VENTING LOUVER USED TO VENT A WALL CAVITY ABOVE A FIREPLACE.**

Cool Wall Advantage Accessories

HDKPD36	Cool Wall Kit, Includes: louver, plenum, collars (requires HDKPDFK)	\$579.00
HDKSD	Cool Wall Advantage Side Discharge Kit, Horizontal, Includes: 2 louvers, 2 plenums (requires HDKPDFK-1-F)	\$449.00
HDKSVD	Cool Wall Advantage Side Discharge Kit, Vertical, Includes: 2 louvers, 2 plenums (requires HDKPDFK-1-F)	\$449.00
HDKPDFK-1-F	Cool Wall Flex Kit - 5" x 12'	\$209.00

Must Use Adapter to Vent Unit w/ DuraVent

58DVA-AD-M1	5" x 8" DuraVent Adapter	\$139.75
-------------	--------------------------	----------

NOTE: REQUIRES A RISE BEFORE OFFSET. REFER TO MANUAL.



D3615

Fireplace Framing Dimensions

(see manual before framing)

Height	Width	Depth
49 15/16"	59 1/4"	17 1/2"

DelRay Linear Series - DRL7213

Features:

- Concealed Ribbon Burner with 9 lbs. of Ice Fireglass (HW1157)
- Simple Field Conversion Kit
- Finish Materials Right up to the Fireplace's Edge for a Clean Finish

MODEL NUMBER	DESCRIPTION	LIST PRICE
DRL7213NI-2	72" Fireplace, Proflame 2 IPI, Reflective Glass Panels, Downlighting, Remote Control, Fan Kit, Invisimesh Screen, 35,000 btu - NG	\$8,929.00
GCA053	NG to LP Conversion Kit	\$109.00
DRL7213NI ❖	72" Fireplace, Proflame 2 Basic IPI, 32,000 btu - NG	\$6,379.00
GCA052 ❖	NG to LP Conversion Kit	\$109.00

USES 5" X 8" MONTIGO VENTING (SEE PAGE 481) OR 5" X 8" DURAVENT W/PURCHASE OF ADAPTER OR POWER VENT COMPATIBLE - TOP VENT ONLY

Optional Accessories

RR400SS	Designer Speckled Stones	\$759.00
LGS77*	Driftwood Kit, 1 of 3	\$339.00
LGS59*	Driftwood Kit Small, 2 of 3	\$315.00
LGS57*	Driftwood Kit Large, 3 of 3	\$339.00
DRLT72	1" Adjustable Trim Kit	\$269.00
DRLT72-2	1" Adjustable Trim Kit - Extra Deep	\$375.00
BVK35	Direct Vent Adapter to 5" B-Vent	\$329.00

***INSTALLATION REQUIRES ALL 3 KITS**

DelRay Full Load Accessories

REC1550	Wall Mounted Proflame 2 Remote	\$369.00
SIT-WIFI	Proflame 2 WiFi App Control	\$269.00

DelRay Basic Accessories

AF40BP	Emergency Battery Back-Up	\$29.00
RX40	Wireless Remote Control Kit (on/off only)	\$359.00
RX60	Wireless Remote Control Kit (on/off & thermostat control)	\$459.00
DRFK1	DelRay Fan Kit (on/off, heat sensor fan, manual fan speed control)	\$439.00
RBGDRL72 ❖	Reflective Glass Panel Kit	\$1,199.00
SCRIDRL72 ❖	Invisimesh Screen	\$775.00

Must Use Adapter to Vent Unit w/ DuraVent

58DVA-AD-M1	5" x 8" DuraVent Adapter	\$139.75
-------------	--------------------------	----------

NOTE: SEE PAGE 82 FOR COOL WALL ADVANTAGE OPTIONS



DRL7213

Fireplace Framing Dimensions

(see manual before framing)

Height	Width	Depth
33 11/16"	81"	16"

DelRay Linear Series- DRL6013

Features:

- Concealed Ribbon Burner with 9 lbs. of Ice Fireglass (HW1157)
- Simple Field Conversion Kit
- Finish Materials Right up to the Fireplaces' Edges for a Clean Finish

MODEL NUMBER	DESCRIPTION	LIST PRICE
DRL6013NI-2	60" Fireplace, Proflame 2 IPI, Reflective Glass Panels, Downlighting, Remote Control, Fan Kit, Invisimesh Screen, 28,000 btu - NG	\$7,619.00
GCA048	NG to LP Conversion Kit	\$109.00
DRL6013NI	60" Fireplace, Proflame 2 Basic IPI, 28,000 btu - NG	\$5,349.00
GCA047	NG to LP Conversion Kit	\$109.00

USES 4"X 7" MONTIGO VENTING (SEE PAGE 478) OR 4"X6 5/8" DURAVENT W/ PURCHASE OF ADAPTER OR POWER VENT COMPATIBLE - TOP VENT ONLY.

Optional Accessories

RR300SS	Designer Speckled Stones	\$569.00
LGS77 *	Driftwood Log Set, 1 of 2	\$339.00
LGS59 *	Driftwood Kit Small, 2 of 2	\$315.00
DRLT60	1" Adjustable Trim Kit (for up to 11/16" deep facing material)	\$225.00
DRLT60-2	1" Adjustable Trim Kit (for up to 1 1/2" - 2" deep facing material)	\$309.00
BVK35	Direct Vent Adapter to 5" B-Vent	\$329.00

*** INSTALLATION REQUIRES BOTH LOGSETS.**

DelRay Full Load Accessories

REC1550	Wall Mounted Proflame 2 Remote	\$369.00
SIT-WIFI	Proflame 2 WiFi App Control	\$269.00

DelRay Basic Accessories

AF40BP	Emergency Battery Back-Up	\$29.00
RX40	Wireless Remote Control Kit (on/off only)	\$359.00
RX60	Wireless Remote Control Kit (on/off & thermostat Control)	\$459.00
DRFK1	DelRay Fan Kit (on/off, heat sensor fan, manual fan speed control)	\$439.00
RBGDRL60 ❖	Reflective Glass Panel Kit	\$1,059.00
SCRIDRL60	Invisimesh Screen	\$659.00

Must Use Adapter to Vent Unit w/ DuraVent Pipe

46DVA-AD-M1	4" x 6 5/8" DuraVent Appliance Adapter	\$87.19
-------------	--	---------

NOTE: SEE PAGE 83 FOR COOL WALL ADVANTAGE OPTIONS.



DRL6013

Fireplace Framing Dimensions

(see manual before framing)

Height	Width	Depth
33 11/16"	68 15/16"	14 1/4"

DelRay Linear Series - DRL4813

Features:

- Concealed Ribbon Burner with 9 lbs. of Ice Fireglass (HW1157)
- Simple Field Conversion Kit
- Finish Materials Right up to the Fireplace's Edges for a Clean Finish

MODEL NUMBER	DESCRIPTION	LIST PRICE
DRL4813NI-2	48" Fireplace, Proflame 2 IPI, Reflective Glass Panels, Downlighting, Remote Control, Fan Kit, Invisimesh Screen, 21,000 btu - NG	\$6,109.00
DRL4813NI	48" Linear Direct Vent Fireplace, Proflame 2 Basic IPI, 21,000 btu - NG	\$4,259.00
GCA019	NG to LP Conversion Kit	\$109.00

USES 4"X 7" MONTIGO VENTING (SEE PAGE 478) OR 4"X6 5/8" DURAVENT W/ PURCHASE OF ADAPTER OR POWER VENT COMPATIBLE - TOP VENT ONLY.

Optional Accessories

RR200SS	Designer Speckled Stones	\$389.00
LGS77	Driftwood Log Set	\$339.00
DRLT48	1" Adjustable Trim Kit (for up to 11/16" deep facing material)	\$195.00
DRLT48-2	1" Adjustable Trim Kit (for up to 1 1/2" - 2" deep facing material)	\$275.00
BVK35	Direct Vent Adapter to 5" B-Vent	\$329.00

Delray Full Load Accessories

REC1550	Wall Mounted Proflame 2 Remote	\$369.00
SIT-WIFI	Proflame 2 WiFi Phone App Control	\$269.00

Delray Basic Accessories

AF40BP	Emergency Battery Back-Up	\$29.00
RX40	Wireless Remote Control Kit (on/off Only)	\$359.00
RX60	Wireless Remote Control Kit (on/off & thermostat control)	\$459.00
DRFK1	Delray Fan Kit (on/off, heat sensor fans, manual fan speed control)	\$439.00
RBGDRL48 ❖	Reflective Glass Panel Kit	\$825.00
SCRIDRL48	Invisimesh Screen	\$525.00

Must Use Adapter to Vent Unit w/ DuraVent Pipe

46DVA-AD-M1	4" x 6 5/8" DuraVent Appliance Adapter	\$87.19
-------------	--	---------

NOTE: SEE PAGE 84 FOR COOL WALL ADVANTAGE OPTIONS.



DRL4813-2

Fireplace Framing Dimensions (see manual before framing)

Height	Width	Depth
34"	55 3/8"	14 1/4"

DelRay Linear Series - DRL3613

Features:

- Concealed Ribbon Burner with 6 lbs. of Ice Fireglass (HW1157)
- Simple Field Conversion Kit
- Finish Materials Right up to the Fireplace's Edges for a Clean Finish

MODEL NUMBER	DESCRIPTION	LIST PRICE
DRL3613NI-2	36" Linear Direct Vent Fireplace, Proflame 2 IPI, Reflective Glass Panels, Downlighting, Remote Control, Fan Kit, Invisimesh Screen, 16,000 btu - NG	\$4,639.00
DRL3613NI	36" Linear Direct Vent Fireplace, IPI, 16,000 btu - NG	\$3,249.00
GCA010	NG to LP Conversion Kit	\$109.00

USES 4"X 7" MONTIGO VENTING (SEE PAGE 478) OR 4"X6 5/8" DURAVENT W/ PURCHASE OF ADAPTER OR POWER VENT COMPATIBLE - TOP VENT ONLY.

Optional Accessories

RR150SS	Designer Speckled Stones	\$269.00
LGS76	Driftwood Log Set	\$265.00
DRLT36	1" Adjustable Trim Kit (for up to 11/16" deep facing material)	\$159.00
DRLT36-2	1" Adjustable Trim Kit (for up to 1 1/2" - 2" deep facing material)	\$225.00
BVK35	Direct Vent Adapter to 5" B-Vent	\$329.00

Delray Full Load Accessories

REC1550	Wall Mounted Proflame 2 Remote	\$369.00
SIT-WIFI	Proflame 2 WiFi Phone App Control	\$269.00

Delray Basic Accessories

AF40BP	Emergency Battery Back-Up	\$29.00
RX40	Wireless Remote Control Kit (on/off Only)	\$359.00
RX60	Wireless Remote Control Kit (on/off & thermostat control)	\$459.00
DRFK1	Delray Fan Kit (on/off, heat sensor fans, manual fan speed control)	\$439.00
RBGDRL36 ❖	Reflective Glass Panel Kit	\$595.00
SCRIDRL36 ❖	Invisimesh Screen	\$399.00

Must Use Adapter to Vent Unit w/ DuraVent Pipe

46DVA-AD-M1	4" x 6 5/8" DuraVent Appliance Adapter	\$87.19
-------------	--	---------

NOTE: SEE PAGE 85 FOR COOL WALL ADVANTAGE OPTIONS.



DRL3613

Fireplace Framing Dimensions

(see manual before framing)

Height	Width	Depth
33 11/16"	43 3/8"	14 1/4"