

Distinction Series - D7215ST See Through

Features:

- Ceramic Glass Door
- Turn Down Gas Valve with Steppermotor
- Full Feature Proflame 2 Remote Control
- Ceramic Glass Reflective Liner, Multi-Color LED Lighting
- Invisimesh Screen
- Includes 15 lbs. of Ice Fireglass (HW1157)

MODEL NUMBER	DESCRIPTION	LIST PRICE
D7215STNI-2	72" Fully Loaded See Through Linear Direct Vent Fireplace, IPI, 57,000 btu - NG	\$16,799.00
GCA013	NG to LP Conversion Kit	\$149.00

USES 5"X8" MONTIGO VENTING (SEE PAGE 481) OR 5"X8" DURAVENT W/ PURCHASE OF ADAPTER OR POWER VENT COMPATIBLE - TOP VENT ONLY

Optional Accessories

RR450SS	Designer Speckled Stones	\$767.00
LGS59*	Driftwood Log Set, 1 of 3	\$315.00
LGS58*	Driftwood Log Set, 2 of 3	\$344.00
LGS57*	Driftwood Log Set, 3 of 3	\$315.00
DBKAFST ❖	Ash Fluted Liner	\$88.00
DBKTFST ❖	Tuscan Fluted Liner	\$87.00
DLT72 ❖	1" Adjustable Trim Kit - up to 11/16" deep facing materials	\$209.00
DLT72-2	1" Adjustable Trim Kit Extra Deep - for 1 1/2" - 2" deep facing materials	\$234.00
REC1550	Wall Mounted ProFlame 2 Remote	\$369.00
SIT-WIFI	Proflame 2 WiFi Phone App Control	\$269.00
GR72** ❖	72" Wall Cavity Venting Louver	\$155.00

***INSTALLATION REQUIRES ALL THREE LOG SETS**

****STANDALONE VENTING LOUVER USED TO VENT A WALL CAVITY ABOVE A FIREPLACE**

Cool Wall Advantage Accessories

HDKPD72	Cool Wall Kit, Includes: louver, plenum, collars (requires HDKPDKF)	\$1,189.00
HDKSD	Cool Wall Advantage Side Discharge Kit, Horizontal, Includes: 2 louvers, 2 plenums (requires HDKPDKF-F)	\$449.00
HDKSVD	Cool Wall Advantage Side Discharge Kit, Vertical, Includes: 2 louvers, 2 plenums (requires HDKPDKF-F)	\$449.00
HDKPDKF-F	Cool Wall Flex Kit - 5" x 24"	\$249.00

Must Use Adapter to Vent Unit w/ DuraVent Pipe

58DVA-AD-M1	5" x 8" DuraVent Adapter	\$139.75
-------------	--------------------------	----------



D7215ST

Fireplace Framing Dimensions (see manual before framing)

Height	Width	Depth
59 3/8"	95 3/4"	17 11/16"

Distinction Series - D6315ST See Through

Features:

- Ceramic Glass Door
- Turn Down Gas Valve with Steppermotor
- Full Feature Proflame 2 Remote Control
- Ceramic Glass Reflective Liner, Multi-Color LED Lighting
- Invisimesh Screen
- Includes 12 lbs. of Ice Fireglass (HW1157)

MODEL NUMBER	DESCRIPTION	LIST PRICE
D6315STNI-2 ❖	63" Fully Loaded See Through Linear Direct Vent Fireplace, IPI, 50,000 btu - NG	\$15,199.00
GCA009	NG to LP Conversion Kit	\$149.00

USES 5"X8" MONTIGO VENTING (SEE PAGE 481) OR 5"X8" DURAVENT W/ PURCHASE OF ADAPTER OR POWER VENT COMPATIBLE - TOP VENT ONLY

Optional Accessories

RR450SS	Designer Speckled Stones	\$767.00
LGS58*	Driftwood Log Set, 1 of 2	\$344.00
LGS59*	Driftwood Log Set, 2 of 2	\$315.00
DBK63AFST ❖	Ash Fluted Liner	\$104.00
DBK63TFST ❖	Tuscan Fluted Liner	\$102.00
DLT63 ❖	1" Adjustable Trim Kit - up to 11/16" deep facing materials	\$194.00
DLT63-2 ❖	1" Adjustable Trim Kit Extra Deep - for 1 1/2" - 2" deep facing materials	\$209.00
REC1550	Wall Mounted ProFlame 2 Remote	\$369.00
SIT-WIFI	Proflame 2 WiFi Phone App Control	\$269.00
GR63**	63" Wall Cavity Venting Louver	\$139.00

***INSTALLATION REQUIRES BOTH LOG SETS**

****STANDALONE VENTING LOUVER USED TO VENT A WALL CAVITY ABOVE A FIREPLACE**

Cool Wall Advantage Accessories

HDKPD63	Cool Wall Kit, Includes: louver, plenum, collars (requires HDKPDKF)	\$1,059.00
HDKSD	Cool Wall Advantage Side Discharge Kit, Horizontal, Includes: 2 louvers, 2 plenums (requires HDKPDKF-F)	\$449.00
HDKSVD	Cool Wall Advantage Side Discharge Kit, Vertical, Includes: 2 louvers, 2 plenums (requires HDKPDKF-F)	\$449.00
HDKPDKF-F	Cool Wall Flex Kit - 5" x 24'	\$249.00

Must Use Adapter to Vent Unit w/ DuraVent Pipe

58DVA-AD-M1	5" x 8" DuraVent Adapter	\$139.75
-------------	--------------------------	----------



D6315ST

Fireplace Framing Dimensions

(see manual before framing)

Height	Width	Depth
50 3/8"	79 1/2"	18 7/16"

Distinction Series - D4815ST See Through

Features:

- Ceramic Glass Door
- Turn Down Gas Valve with Steppermotor
- Full Feature Proflame 2 Remote Control
- Ceramic Glass Reflective Liner, Multi-Color LED Lighting
- Invisimesh Screen
- Includes 9 lbs. of Ice Fireglass (HW1157)

MODEL NUMBER	DESCRIPTION	LIST PRICE
D4815STNI-2 ❖	48" Fully Loaded See Through Linear Direct Vent Fireplace, IPI, 40,000 btu - NG	\$8,269.00
GCA017	NG to LP Conversion Kit	\$149.00

USES 5"X8" MONTIGO VENTING (SEE PAGE 481) OR 5"X8" DURAVENT W/ PURCHASE OF ADAPTER OR POWER VENT COMPATIBLE - TOP VENT ONLY

Optional Accessories

RR200SS	Designer Speckled Stones	\$389.00
LGS57*	Driftwood Log Set, 1 of 3	\$325.00
LGS59*	Driftwood Log Set, 2 of 3	\$315.00
LGS61*	Driftwood Log Set, 3 of 3	\$224.00
DBKAFST ❖	Ash Fluted Liner	\$88.00
DBKTFST ❖	Tuscan Fluted Liner	\$87.00
DLT48	1" Adjustable Trim Kit - up to 11/16" deep facing materials	\$164.00
DLT48-2	1" Adjustable Trim Kit Extra Deep - for 1 1/2" - 2" deep facing materials	\$179.00
PVA5487	10" Reducer. 5/8" to 4/7"	\$129.00
REC1550	Wall Mounted ProFlame 2 Remote	\$369.00
SIT-WIFI	Proflame 2 WiFi Phone App Control	\$269.00
GR48**	48" Wall Cavity Venting Louver	\$109.00

***INSTALLATION REQUIRES ALL LOG SETS**

****STANDALONE VENTING LOUVER USED TO VENT A WALL CAVITY ABOVE A FIREPLACE**

Cool Wall Advantage Accessories

HDKPD48	Cool Wall Kit, Includes: louver, plenum, collars (requires HDKPDFK)	\$759.00
HDKSD	Cool Wall Advantage Side Discharge Kit, Horizontal, Includes: 2 louvers, 2 plenums (requires HDKPDFK-F)	\$449.00
HDKSVD	Cool Wall Advantage Side Discharge Kit, Vertical, Includes: 2 louvers, 2 plenums (requires HDKPDFK-F)	\$449.00
HDKPDFK-F	Cool Wall Flex Kit - 5" x 24"	\$249.00

Must Use Adapter to Vent Unit w/ DuraVent Pipe

58DVA-AD-M1	5" x 8" DuraVent Adapter	\$139.75
-------------	--------------------------	----------



D4815ST

Fireplace Framing Dimensions (see manual before framing)

Height	Width	Depth
50"	71 3/4"	17 11/16"

Distinction Series - D3615ST See Through

Features:

- Ceramic Glass Door
- Turn Down Gas Valve with Steppermotor
- Full Feature Proflame 2 Remote Control
- Ceramic Glass Reflective Liner, Multi-Color LED Lighting
- Invisimesh Screen
- Includes 6 lbs. of Ice Fireglass (HW1157)

MODEL NUMBER	DESCRIPTION	LIST PRICE
D3615STNI-2	36" Fully Loaded See Through Linear Direct Vent Fireplace, IPI, 35,000 btu - NG	\$6,589.00
GCA015	NG to LP Conversion Kit	\$149.00

USES 5"X8" MONTIGO VENTING (SEE PAGE 481) OR 5"X8" DURAVENT W/ PURCHASE OF ADAPTER OR POWER VENT COMPATIBLE - TOP VENT ONLY

Optional Accessories

RR150SS	Designer Speckled Stones	\$269.00
LGS59*	Driftwood Log Set, 1 of 2	\$315.00
LGS60*	Driftwood Log Set, 2 of 2	\$309.00
DBKAFST ❖	Ash Fluted Liner	\$88.00
DBKTFST ❖	Tuscan Fluted Liner	\$87.00
DLT36 ❖	1" Adjustable Trim Kit - up to 11/16" deep facing materials	\$139.00
DLT36-2 ❖	1" Adjustable Trim Kit Extra Deep - for 1 1/2" - 2" deep facing materials	\$154.00
PVA5487	10" Reducer, 5/8" to 4/7"	\$129.00
REC1550	Wall Mounted ProFlame 2 Remote	\$369.00
SIT-WIFI	Proflame 2 WiFi Phone App Control	\$269.00
GR36** ❖	36" Wall Cavity Venting Louver	\$79.00

***INSTALLATION REQUIRES BOTH LOG SETS**

****STANDALONE VENTING LOUVER USED TO VENT A WALL CAVITY ABOVE A FIREPLACE**

Cool Wall Advantage Accessories

HDKPD36	Cool Wall Kit, Includes: louver, plenum, collars (requires HDKPDFK)	\$579.00
HDKSD	Cool Wall Advantage Side Discharge Kit, Horizontal, Includes: 2 louvers, 2 plenums (requires HDKPDFK-1-F)	\$449.00
HDKSVD	Cool Wall Advantage Side Discharge Kit, Vertical, Includes: 2 louvers, 2 plenums (requires HDKPDFK-1-F)	\$449.00
HDKPDFK-1	Cool Wall Flex Kit - 5" x 12'	\$209.00

Must Use Adapter to Vent Unit w/ DuraVent

58DVA-AD-M1	5" x 8" DuraVent Adapter	\$139.75
-------------	--------------------------	----------



D3615STNI-2

Fireplace Framing Dimensions

(see manual before framing)

Height	Width	Depth
49 15/16"	59 3/4"	17 11/16"

Divine Series - See Through

Features:

- Clean Face Design
- Black Square Doors with Tempered Glass
- Power Vent Compatible (PVA5487 required)
- Fiber Logset
- Heritage Fiber Brick Lining
- Iron Grate

MODEL NUMBER	DESCRIPTION	LIST PRICE
H42FSDNI	42" See Through Fireplace, ProFlame 2 IPI, 37,000 BTU - NG	\$6,539.00
H42FSDLI	42" See Through Fireplace, ProFlame 2 IPI, 37,000 BTU - LP	\$6,539.00

USES 5"X8" MONTIGO VENTING (SEE PAGE 481) OR 5"X8" DURAVENT W/ PURCHASE OF ADAPTER OR POWER VENT COMPATIBLE - TOP VENT ONLY

H42 Optional Accessories

H42SFPSB	Satin Black Surround - 2 required to finish both sides	\$879.00
H42SFPSS ❖	SS Surround - 2 required to finish both sides	\$1,289.00

MODEL NUMBER	DESCRIPTION	LIST PRICE
H38FSDNI	38" See Through Fireplace, ProFlame 2 IPI, 34,000 BTU - NG	\$5,349.00
H38FSDLI	38" See Through Fireplace, ProFlame 2 IPI, 32,000 BTU - LP	\$5,349.00

USES 5"X8" MONTIGO VENTING (SEE PAGE 472) OR 5"X8" DURAVENT W/ PURCHASE OF ADAPTER OR POWER VENT COMPATIBLE - TOP VENT ONLY.

H38 Optional Accessories

H38SFPSB	Satin Black Decorative Surround - 2 required to finish both sides	\$775.00
H38SFPSS ❖	SS Decorative Surround - 2 required to finish both sides	\$1,239.00

SIT IPI ProFlame 2 System Only Controls

HFK50R	Fan Kit - Requires RX100 or PF2RK	\$475.00
PF2RK	Wireless Remote Control Kit - (on/off, thermostatic control, manual override switch, emergency back-up)	\$435.00
AF40BP	Emergency Battery Back-Up	\$29.00
REC1550	Wall Mounted ProFlame 2 Remote	\$369.00
RX100NG	Wireless Full Function Remote Control Kit - (on/off, thermostatic control, manual override switch, flame modulation, emergency battery back-up) - NG	\$575.00
RX100LP	Wireless Full Function Remote Control Kit - (on/off, thermostatic control, manual override switch, flame modulation, emergency battery back-up) - LP	\$575.00

Must Use Adapter to Vent Unit w/ DuraVent Pipe

58DVA-AD-M1	5" x 8" DuraVent Adapter	\$139.75
-------------	--------------------------	----------



H42FSD

H42 Fireplace Framing Dimensions (see manual before framing)

Height	Width	Depth
49 1/2"	45"	24"

H38 Fireplace Framing Dimensions (see manual before framing)

Height	Width	Depth
42 1/2"	40 3/4"	23 3/4"

Exemplar Series - Indoor / Outdoor

Features:

- Indoor-Outdoor Designated Design
- Tempered Glass Door
- Door Screens
- Outside Glass with Sealing Frame
- Built-In Downdraft Power Vent System that Requires No Venting
- Built-In Power Vent Control Box
- 7 Bags of Ice Fireglass (HW1157) Included

MODEL NUMBER	DESCRIPTION	LIST PRICE
R324STION	See Through Indoor-Outdoor Fireplace with Linear Burner, Hot Surface Ignition, 50,000 btu - NG	\$10,909.00
R324STIOL ❖	See Through Indoor-Outdoor Fireplace with Linear Burner, Hot Surface Ignition, 50,000 btu - LP	\$10,909.00

R324 Optional Accessories

RR600SS ❖	Designer Speckled Stones	\$1,039.00
LGRP6N ❖	Driftwood Log Set - NG	\$1,109.00
LGRP6L ❖	Driftwood Log Set - LP	\$869.00
PPR324 ❖	Porcelain Panels	\$659.00
RXM40VAC	Wireless Remote Control Kit - On/Off Only	\$349.00



R324STIO

Fireplace Framing Dimensions (see manual before framing)

Height	Width	Depth
48"	49"	See Manual