

## Montecito

### Features:

- Non-Catalytic Combustion
- Insulated Firebox Top and Sides
- Decorative Cast Iron Log Retainer
- Efficient Air Wash System
- Double Air Combustion Control (all in one)
- Heat Activated Factory Installed 200 CFM Blower
- EPA Certified

| MAT.# | MODEL NUMBER | DESCRIPTION                                                     | LIST PRICE |
|-------|--------------|-----------------------------------------------------------------|------------|
| F5117 | MONTECITO-C  | Montecito EPA Wood Burning Fireplace with Refractory and Blower | \$5,249.00 |

USES 6" SNAP-PAK VENTING (SEE PAGE 472).

### Must Order Facade and Door to Complete Installation.

#### Façade - Required

|       |      |                |          |
|-------|------|----------------|----------|
| F2320 | MFBK | Façade - Black | \$674.00 |
|-------|------|----------------|----------|

#### Door - Required

|       |         |                                  |            |
|-------|---------|----------------------------------|------------|
| F1849 | BTCECBK | Arched Smooth Steel Door - Black | \$1,348.00 |
| F1859 | BWBK    | Cast Iron Door - Black           | \$1,348.00 |

### Optional Accessories

|          |                 |                                             |            |
|----------|-----------------|---------------------------------------------|------------|
| F3790    | EPA-HEATFLO-KIT | EPA Fireplace HeatFlo Convection Kit        | \$674.00   |
| BISFWK-1 | BISFWK-1        | Starter Kit for Wall or Floor Installations | \$1,011.00 |
| 5FLEX15  | 5FLEX15         | Flex 5" I.D. x 15' Long                     | \$281.00   |
| 5FLEX25  | 5FLEX25         | Flex 5" I.D. x 25' Long                     | \$460.00   |



### MONTECITO-C

#### Fireplace Framing Dimensions (see manual before framing)

| Height* | Width   | Depth   |
|---------|---------|---------|
| 56"     | 37 1/4" | 25 1/8" |

## Bainbridge

### Features:

- Insulated Firebox Top and Sides
- Steel Log Retainer
- Efficient Air Wash System
- Outside Air Adapter and Air Kit
- Heat Activated Installed 200 CFM Blower
- Double Combustion Control
- EPA Approved

| MAT.# | MODEL NUMBER | DESCRIPTION                                                      | LIST PRICE |
|-------|--------------|------------------------------------------------------------------|------------|
| F5119 | BAINBRIDGE-B | Bainbridge EPA Wood Burning Fireplace with Refractory and Blower | \$5,099.00 |

USES 6" SNAP-PAK VENTING (SEE PAGE 472).

### Must Order a Façade and Door to Complete Installation

#### Façade - Required

|       |          |                                                                    |          |
|-------|----------|--------------------------------------------------------------------|----------|
| F4781 | FLVAOBLK | Louvered Arched Open Façade - Black                                | \$561.00 |
| F4782 | FCFSOBLK | Clean Face Square Open Façade - Black (F3790-HeatFlo Kit Required) | \$449.00 |
| F4783 | FLVSOBLK | Louvered Square Open Façade - Black                                | \$561.00 |

#### Door - Required

|       |         |                                  |            |
|-------|---------|----------------------------------|------------|
| F4780 | DSSPBLK | Square Pane Steel Door - Black   | \$1,404.00 |
| F1849 | BTCECBK | Smooth Steel Arched Door - Black | \$1,348.00 |
| F1859 | BWBK    | Cast Iron Arched Door - Black    | \$1,348.00 |

### Optional Accessories

|          |                 |                                             |            |
|----------|-----------------|---------------------------------------------|------------|
| F3790    | EPA-HEATFLO-KIT | EPA Fireplace HeatFlo Convection Kit        | \$674.00   |
| BISFWK-1 | BISFWK-1        | Starter Kit for Wall or Floor Installations | \$1,011.00 |
| 5FLEX15  | 5FLEX15         | Flex 5" I.D. x 15' Long                     | \$281.00   |
| 5FLEX25  | 5FLEX25         | Flex 5" I.D. x 25' Long                     | \$460.00   |



### BAINBRIDGE-B

#### Fireplace Framing Dimensions (see manual before framing)

| Height* | Width   | Depth   |
|---------|---------|---------|
| 56"     | 37 1/4" | 25 1/8" |

## Citadel 48

### Features:

- Radiant Design w/ a 42" Tall Opening to Provide an Exceptional View of the Fire
- Tall "Rumford" Design w/ Pitched Rear Wall for Maximum Radiant Heat Output
- Flush Hearth Floor Design (Hearth Spacer Required For Combustible Floor Installations)
- Massive Smoke Dome for Reliable Ignition
- Fully Insulated Firebox for Increased Performance in Colder Climates
- Heavy Duty Cast Iron Log Grate w/ Rugged Forged Andirons
- Easy Access Damper Control

| MAT.# | MODEL NUMBER | DESCRIPTION                | LIST PRICE |
|-------|--------------|----------------------------|------------|
| F4255 | CITADEL48    | 48" Masonry Wood Fireplace | \$4,849.00 |

USES STANDARD (12DM) WOOD BURNING CHIMNEY - SEE PAGE 471.

**Must Order Liner Separately To Complete Installation.**

### Mosaic Masonry™ Liner - Required

|       |                 |                              |            |
|-------|-----------------|------------------------------|------------|
| F4254 | MOSAIC48IVSH    | Ivory Split Herringbone      | \$4,830.00 |
| F4546 | MOSAIC48MISH    | Midnight Split Herringbone   | \$4,830.00 |
| F4545 | MOSAIC48SGSH    | Slate Grey Split Herringbone | \$4,830.00 |
| F4253 | MOSAIC48SWRSH ❖ | Warm Red Split Herringbone   | \$4,830.00 |

### Optional Accessories

|       |            |                                                          |            |
|-------|------------|----------------------------------------------------------|------------|
| F0971 | HS48       | 48" Combustible Floor Protective Hearth Spacer           | \$1,685.00 |
| F1017 | BDMO48EA ❖ | 48" Masonry Ceramic Glass Bi-Fold Doors - Ebony          | \$3,932.00 |
| F1091 | AK4        | Outside Air Kit w/ Collar, Hood & 3' Flex                | \$90.00    |
| F1093 | AK4F       | Outside Air Kit Collar, Hood & 3' Flex for Floor Venting | \$78.00    |



**Citadel 48**

### Fireplace Framing Dimensions (w/no spacers)

(see manual before framing)  
 Height      Width      Depth  
 71 1/2"      60 7/8"      31 5/8"

## Georgian 50

### Features:

- Available in 36", 42" and 50" Models
- Massive Smoke Dome w/ No Visible Smoke Shelf for Reliable Operation
- Fully Insulated Firebox for Increased Performance in Colder Climates
- Heavy Duty Cast Iron Log Grate w/ Rugged Forged Andirons
- Hidden Ash Dump w/ Pull Ring
- Easy Access Damper Control
- Includes Mesh Fire Screens

| MAT.# | MODEL NUMBER | DESCRIPTION                | LIST PRICE |
|-------|--------------|----------------------------|------------|
| F0695 | GEORGIAN50   | 50" Wood Burning Fireplace | \$4,089.00 |

USES STANDARD (12DM) - SEE PAGE 471 AND HI-TEMP (12HT) WOOD BURNING CHIMNEY.

### Must Choose a Brick Liner To Complete Installation.

#### Mosaic Masonry™ Liner - Required

|       |                |                              |            |
|-------|----------------|------------------------------|------------|
| F0352 | MOSAIC50IVFS ❖ | Ivory Full Stacked           | \$3,595.00 |
| F4523 | MOSAIC50MIFS   | Midnight Full Stacked        | \$3,595.00 |
| F4535 | MOSAIC50SGFS ❖ | Slate Grey Full Stacked      | \$3,595.00 |
| F0350 | MOSAIC50WRFS ❖ | Warm Red Stacked             | \$3,595.00 |
| F0356 | MOSAIC50IVFH   | Ivory Full Herringbone       | \$3,707.00 |
| F4529 | MOSAIC50MIFH   | Midnight Full Herringbone    | \$3,707.00 |
| F4541 | MOSAIC50SGFH   | Slate Grey Full Herringbone  | \$3,707.00 |
| F0354 | MOSAIC50WRFH ❖ | Warm Red Herringbone         | \$3,707.00 |
| F0353 | MOSAIC50IVSS ❖ | Ivory Split Stacked          | \$3,819.00 |
| F4526 | MOSAIC50MISS   | Midnight Split Stacked       | \$3,819.00 |
| F4538 | MOSAIC50SGSS ❖ | Slate Grey Split Stacked     | \$3,819.00 |
| F0351 | MOSAIC50WRSS ❖ | Warm Red Split Stacked       | \$3,819.00 |
| F0357 | MOSAIC50IVSH   | Ivory Split Herringbone      | \$3,932.00 |
| F4532 | MOSAIC50MISH   | Midnight Split Herringbone   | \$3,932.00 |
| F4544 | MOSAIC50SGSH   | Slate Grey Split Herringbone | \$3,932.00 |
| F0355 | MOSAIC50WRSH ❖ | Warm Red Split Herringbone   | \$3,932.00 |

Or

#### Estate Refractory Panels - Required

|       |                |                              |            |
|-------|----------------|------------------------------|------------|
| F4517 | ESTATE50BKFS ❖ | Black Full Stacked           | \$1,235.00 |
| F0375 | ESTATE50CAFS   | Cappuccino Full Stacked      | \$1,235.00 |
| F0376 | ESTATE50CRFS ❖ | Creamer Full Stacked         | \$1,235.00 |
| F0377 | ESTATE50GRFS   | Gray Full Stacked            | \$1,235.00 |
| F4520 | ESTATE50BKSH   | Black Split Herringbone      | \$1,348.00 |
| F0379 | ESTATE50CASH   | Cappuccino Split Herringbone | \$1,348.00 |
| F0380 | ESTATE50CRSH   | Creamer Split Herringbone    | \$1,348.00 |
| F0381 | ESTATE50GRSH   | Gray Split Herringbone       | \$1,348.00 |

### Optional Accessories


|       |           |                                                             |            |
|-------|-----------|-------------------------------------------------------------|------------|
| F1020 | BDMO50E ❖ | 50" Bi-Fold Doors - Ebony Finish (use w/ Mosaic Brick only) | \$1,235.00 |
| F1008 | BDG50     | 50" Bi-Fold Doors - Black (use w/ Estate Refractory Only)   | \$618.00   |
| F1091 | AK4       | Outside Air kit w/ Collar, Hood & 3' Flex                   | \$90.00    |
| F1093 | AK4F      | Outside Air kit w/ Collar, Hood & 3' Flex for Floor Venting | \$78.00    |




Georgian 50

### Fireplace Framing Dimensions (see manual before framing)

| Height  | Width   | Depth   |
|---------|---------|---------|
| 67 1/8" | 59 1/4" | 30 1/8" |



Black Full Stacked



Black Split Herringbone



Cappuccino Split Herringbone



Cappuccino Full Stacked

## Georgian 42

### Features:

- Available in 36", 42" and 50" Models
- Massive Smoke Dome w/ No Visible Smoke Shelf for Reliable Operation
- Fully Insulated Firebox for Increased Performance in Colder Climates
- Heavy Duty Cast Iron Log Grate w/ Rugged Forged Andirons
- Hidden Ash Dump w/ Pull Ring
- Easy Access Damper Control
- Includes Mesh Fire Screens

| MAT.# | MODEL NUMBER | DESCRIPTION                | LIST PRICE |
|-------|--------------|----------------------------|------------|
| F0694 | GEORGIAN42   | 42" Wood Burning Fireplace | \$3,749.00 |

USES STANDARD (12DM) - SEE PAGE 471 AND HI-TEMP (12HT) WOOD BURNING CHIMNEY.

### Must Choose a Brick Liner To Complete Installation.

| Mosaic Masonry™ Liner - Required |                |                              |            |
|----------------------------------|----------------|------------------------------|------------|
| F0344                            | MOSAIC42IVFS   | Ivory Full Stacked           | \$3,482.00 |
| F4522                            | MOSAIC42MIFS   | Midnight Full Stacked        | \$3,482.00 |
| F4534                            | MOSAIC42SGFS ❖ | Slate Grey Full Stacked      | \$3,482.00 |
| F0342                            | MOSAIC42WRFS ❖ | Warm Red Stacked             | \$3,482.00 |
| F0348                            | MOSAIC42IVFH   | Ivory Full Herringbone       | \$3,595.00 |
| F4528                            | MOSAIC42MIFH   | Midnight Full Herringbone    | \$3,595.00 |
| F4540                            | MOSAIC42SGFH   | Slate Grey Full Herringbone  | \$3,595.00 |
| F0346                            | MOSAIC42WRFH ❖ | Warm Red Herringbone         | \$3,595.00 |
| F0345                            | MOSAIC42IVSS ❖ | Ivory Split Stacked          | \$3,707.00 |
| F4525                            | MOSAIC42MISS   | Midnight Split Stacked       | \$3,707.00 |
| F4537                            | MOSAIC42SGSS ❖ | Slate Grey Split Stacked     | \$3,707.00 |
| F0343                            | MOSAIC42WRSS ❖ | Warm Red Split Stacked       | \$3,707.00 |
| F0349                            | MOSAIC42IVSH   | Ivory Split Herringbone      | \$3,819.00 |
| F4531                            | MOSAIC42MISH   | Midnight Split Herringbone   | \$3,819.00 |
| F4543                            | MOSAIC42SGSH   | Slate Grey Split Herringbone | \$3,819.00 |
| F0347                            | MOSAIC42WRSH ❖ | Warm Red Split Herringbone   | \$3,819.00 |

### Or

| Estate Refractory Panels - Required |              |                              |            |
|-------------------------------------|--------------|------------------------------|------------|
| F4516                               | ESTATE42BKFS | Black Full Stacked           | \$1,123.00 |
| F0367                               | ESTATE42CAFS | Cappuccino Full Stacked      | \$1,123.00 |
| F0368                               | ESTATE42CRFS | Creamer Full Stacked         | \$1,123.00 |
| F0369                               | ESTATE42GRFS | Gray Full Stacked            | \$1,123.00 |
| F4519                               | ESTATE42BKSH | Black Split Herringbone      | \$1,235.00 |
| F0371                               | ESTATE42CASH | Cappuccino Split Herringbone | \$1,235.00 |
| F0372                               | ESTATE42CRSH | Creamer Split Herringbone    | \$1,235.00 |
| F0373                               | ESTATE42GRSH | Gray Split Herringbone       | \$1,235.00 |

### Optional Accessories

|       |         |                                                                      |            |
|-------|---------|----------------------------------------------------------------------|------------|
| F1014 | BDMO42E | 42" Bi-Fold Doors - Ebony Finish (for use w/ Mosaic Brick only)      | \$1,123.00 |
| F1005 | BDG42   | 42" Bi-Fold Doors - Black (for use w/ Estate Refractory Panels Only) | \$618.00   |
| F1091 | AK4     | Outside Air kit w/ Collar, Hood & 3' Flex                            | \$90.00    |
| F1093 | AK4F    | Outside Air kit w/ Collar, Hood & 3' Flex for Floor Venting          | \$78.00    |




## Georgian 42

### Fireplace Framing Dimensions

(see manual before framing)

| Height  | Width   | Depth   |
|---------|---------|---------|
| 67 1/8" | 51 1/4" | 30 1/8" |



### Creamer Full Stacked



### Creamer Split Herringbone



### Gray Full Stacked



### Gray Split Herringbone

## Georgian 36

### Features:

- Available in 36", 42" and 50" Models
- Massive Smoke Dome with No Visible Smoke Shelf for Reliable Operation
- Fully Insulated Firebox for Increased Performance in Colder Climates
- Heavy Duty Cast Iron Log Grate with Rugged Forged Andirons
- Hidden Ash Dump with Pull Ring
- Easy Access Damper Control
- Includes Mesh Fire Screens

| MAT.# | MODEL#     | DESCRIPTION                | LIST PRICE |
|-------|------------|----------------------------|------------|
| F0693 | GEORGIAN36 | 36" Wood Burning Fireplace | \$3,609.00 |

USES STANDARD (12DM) - SEE PAGE 471 AND HI-TEMP (12HT) WOOD BURNING CHIMNEY.

**Must Choose a Brick Liner To Complete Installation.**

### Mosaic Masonry™ Liner - Required

|       |                |                              |            |
|-------|----------------|------------------------------|------------|
| F0336 | MOSAIC36IVFS ❖ | Ivory Full Stacked           | \$3,258.00 |
| F4521 | MOSAIC36MIFS   | Midnight Full Stacked        | \$3,258.00 |
| F4533 | MOSAIC36SGFS ❖ | Slate Grey Full Stacked      | \$3,258.00 |
| F0334 | MOSAIC36WRFS ❖ | Warm Red Stacked             | \$3,258.00 |
| F0340 | MOSAIC36IVFH   | Ivory Full Herringbone       | \$3,370.00 |
| F4527 | MOSAIC36MIFH ❖ | Midnight Full Herringbone    | \$3,370.00 |
| F4539 | MOSAIC36SGFH ❖ | Slate Grey Full Herringbone  | \$3,370.00 |
| F0338 | MOSAIC36WRFH ❖ | Warm Red Herringbone         | \$3,370.00 |
| F0337 | MOSAIC36IVSS   | Ivory Split Stacked          | \$3,482.00 |
| F4524 | MOSAIC36MISS ❖ | Midnight Split Stacked       | \$3,482.00 |
| F4536 | MOSAIC36SGSS ❖ | Slate Grey Split Stacked     | \$3,482.00 |
| F0335 | MOSAIC36WRSS ❖ | Warm Red Split Stacked       | \$3,482.00 |
| F0341 | MOSAIC36IVSH   | Ivory Split Herringbone      | \$3,595.00 |
| F4530 | MOSAIC36MISH   | Midnight Split Herringbone   | \$3,595.00 |
| F4542 | MOSAIC36SGSH   | Slate Grey Split Herringbone | \$3,595.00 |
| F0339 | MOSAIC36WRSH ❖ | Warm Red Split Herringbone   | \$3,595.00 |

**Or**

### Estate Refractory Panels - Required

|       |                |                              |            |
|-------|----------------|------------------------------|------------|
| F4515 | ESTATE36BKFS   | Black Full Stacked           | \$1,011.00 |
| F0359 | ESTATE36CAFS ❖ | Cappuccino Full Stacked      | \$1,011.00 |
| F0360 | ESTATE36CRFS   | Creamer Full Stacked         | \$1,011.00 |
| F0361 | ESTATE36GRFS   | Gray Full Stacked            | \$1,011.00 |
| F4518 | ESTATE36BKSH   | Black Split Herringbone      | \$1,123.00 |
| F0363 | ESTATE36CASH   | Cappuccino Split Herringbone | \$1,123.00 |
| F0364 | ESTATE36CRSH   | Creamer Split Herringbone    | \$1,123.00 |
| F0365 | ESTATE36GRSH   | Gray Split Herringbone       | \$1,123.00 |

### Optional Accessories

|       |         |                                                                      |            |
|-------|---------|----------------------------------------------------------------------|------------|
| F1011 | BDMO36E | 36" Bi-Fold Doors - Ebony Finish (for use w/ Mosaic Brick only)      | \$1,011.00 |
| F1002 | BDG36   | 36" Bi-Fold Doors - Black (for use w/ Estate Refractory Panels only) | \$561.00   |
| F1091 | AK4     | Outside Air kit w/ Collar, Hood & 3' Flex                            | \$90.00    |
| F1093 | AK4F    | Outside Air kit w/ Collar, Hood & 3' Flex for Floor Venting          | \$78.00    |



**Georgian 36**

### Fireplace Framing Dimensions

(see manual before framing)

| Height  | Width   | Depth   |
|---------|---------|---------|
| 67 1/8" | 45 1/2" | 28 1/4" |



**Bi-Fold Doors**

## Craftsman 42

### Features:

- Heavy Duty Log Grate
- Easy Access Damper Control
- Screens Retract Into Hidden Screen Pockets
- Adjustable Outside Air Damper
- Fully Insulated

| MAT.# | MODEL NUMBER        | DESCRIPTION                                                             | LIST PRICE |
|-------|---------------------|-------------------------------------------------------------------------|------------|
| F0712 | CRAFTSMAN42P2-IWSR  | 42" Radiant Wood Insulated Fireplace w/ White Stacked Refractory Brick  | \$1,579.00 |
| F0715 | CRAFTSMAN42P2-LIWSR | 42" Louvered Wood Insulated Fireplace w/ White Stacked Refractory Brick | \$1,639.00 |

USES STANDARD (8DM) WOOD BURNING CHIMNEY - SEE PAGE 470.



**Craftsman 42**

### 42 Fireplace Framing Dimensions

(see manual before framing)

| Height  | Width   | Depth   |
|---------|---------|---------|
| 47 1/4" | 49 3/4" | 23 1/2" |

### 36 Fireplace Framing Dimensions

(see manual before framing)

| Height  | Width   | Depth   |
|---------|---------|---------|
| 41 3/4" | 41 3/4" | 21 7/8" |

## Craftsman 36

|       |                     |                                                                         |            |
|-------|---------------------|-------------------------------------------------------------------------|------------|
| F0706 | CRAFTSMAN36P2-IWSR  | 36" Radiant Wood Insulated Fireplace w/ White Stacked Refractory Brick  | \$1,419.00 |
| F0709 | CRAFTSMAN36P2-LIWSR | 36" Louvered Wood Insulated Fireplace w/ White Stacked Refractory Brick | \$1,469.00 |

USES STANDARD (8DM) WOOD BURNING CHIMNEY - SEE PAGE 470.

## Optional Accessories

### Glass Doors

|       |      |                                                |          |
|-------|------|------------------------------------------------|----------|
| F0981 | BD36 | 36" Standard Bi-Fold Glass Door - Black Finish | \$281.00 |
| F0984 | BD42 | 42" Standard Bi-Fold Glass Door - Black Finish | \$336.00 |

### Blower Kits - only for louvered fireplaces

|       |     |                                         |          |
|-------|-----|-----------------------------------------|----------|
| F1083 | BK3 | 3-Blade Fan WB and VF Only              | \$281.00 |
| F1081 | BK  | Variable Speed Blower w/ Manual Control | \$393.00 |

### Outside Air Kits

|       |      |                                                                 |         |
|-------|------|-----------------------------------------------------------------|---------|
| F1091 | AK4  | Outside Air Kit w/ Collar, Hood & 3' Flex                       | \$90.00 |
| F1093 | AK4F | Outside Air Kit with Collar, Hood and 3' Flex for Floor Venting | \$78.00 |

## Blackstone 42

| MAT.# | MODEL NUMBER    | DESCRIPTION                                                          | LIST PRICE |
|-------|-----------------|----------------------------------------------------------------------|------------|
| F2539 | BLACKSTONE42RWS | 42" Radiant Insulated Fireplace with White Stacked Refractory Brick  | \$1,249.00 |
| F2540 | BLACKSTONE42LWS | 42" Louvered Insulated Fireplace with White Stacked Refractory Brick | \$1,299.00 |

USES STANDARD (8DM) WOOD BURNING CHIMNEY – SEE PAGE 470.

### Blackstone 42 Optional Accessories

|       |       |                                                                 |          |
|-------|-------|-----------------------------------------------------------------|----------|
| F0975 | BDB42 | 42" Standard Bi-Fold Glass Door - Black                         | \$336.00 |
| F1081 | BK    | Variable Speed Blower with Manual Control - louvered unit only  | \$393.00 |
| F1083 | BK3   | 3-Blade Fan                                                     | \$281.00 |
| F1091 | AK4   | Outside Air Kit w/ Collar, Hood & 3' Flex                       | \$90.00  |
| F1093 | AK4F  | Outside Air Kit with Collar, Hood and 3' Flex for Floor Venting | \$78.00  |

## Blackstone 36

| MAT.# | MODEL NUMBER    | DESCRIPTION                                                          | LIST PRICE |
|-------|-----------------|----------------------------------------------------------------------|------------|
| F2537 | BLACKSTONE36RWS | 36" Radiant Insulated Fireplace with White Stacked Refractory Brick  | \$1,069.00 |
| F2538 | BLACKSTONE36LWS | 36" Louvered Insulated Fireplace with White Stacked Refractory Brick | \$1,129.00 |

USES STANDARD (8DM) WOOD BURNING CHIMNEY – SEE PAGE 470.

### Blackstone 36 Optional Accessories

|       |       |                                                                 |          |
|-------|-------|-----------------------------------------------------------------|----------|
| F0972 | BDB36 | 36" Standard Bi-Fold Glass Door - Black                         | \$281.00 |
| F1081 | BK    | Variable Speed Blower with Manual Control                       | \$393.00 |
| F1083 | BK3   | 3-Blade Fan                                                     | \$281.00 |
| F1091 | AK4   | Outside Air Kit w/ Collar, Hood & 3' Flex                       | \$90.00  |
| F1093 | AK4F  | Outside Air Kit with Collar, Hood and 3' Flex for Floor Venting | \$78.00  |



### BLACKSTONE

Fireplace Framing Dimensions  
(see manual before framing)

#### BLACKSTONE42

| Height  | Width   | Depth |
|---------|---------|-------|
| 37 5/8" | 44 1/4" | 22"   |

#### BLACKSTONE36

| Height  | Width   | Depth |
|---------|---------|-------|
| 38 5/8" | 38 1/4" | 22"   |