

Forum Outdoor Electric Linear Fireplace

- 120V, 36W, .05 amp
- Driftwood Logs, Glowing Embers, Clear Crystals
- Four Flame Colors
- Multifunction Remote
- Self-Trimming Front for Slide-In Installation
- Optimized for Outdoors with No Heater
- Accent Lighting
- 14 Ember Bed Colors
- Install Built-In or Slide-In

Model No.	Description	List Price
SF-OD55	55" Forum Outdoor Electric Fireplace	\$2,579.00
SF-OD43	43" Forum Outdoor Electric Fireplace	\$2,259.00

Optional Accessories

SF-HDL-BIRCH	ShadowGlo High Definition Natural Birch Log Set	\$309.00
SF-HDL-TIMBER	ShadowGlo High Definition Alpine Timber Log Set	\$309.00
SF-OD55-DP	Drain Pan for SF-OD55	\$199.00
SF-OD43-DP	Drain Pan for SF-OD43	\$189.00



SF-OD55

Fireplace Framing Dimensions (see manual before framing)

SF-OD55		
Height	Width	Depth
18 1/2"	58 1/4"	9"

SF-OD43		
Height	Width	Depth
18 1/2"	46 1/4"	9"

Fortress Indoor/Outdoor See-Through Gas Fireplace

- Anti-Reflective Glass
- Touch Screen Remote Control (RC400)
- Halogen Accent Lights
- Factory Installed Outdoor Kit
- Both Indoor and Outdoor Screen
- Not available for sale in Rhode Island
- IntelliFire Touch Ignition
- 36" x 30" Viewing Area

Model No.	Description	List Price
ODFORTG-36	Fortress Indoor/Outdoor Gas Fireplace, 56,000 btu - NG	\$10,649.00

USES 5" x 8" DVP Venting (see page 475) - Top Vent Only

Must Choose Firebrick to Complete Installation.

Brick Panels - Required

ODFORTG36-IT	Fortress Traditional Brick Refractory	\$499.00
ODFORTG36-IH	Fortress Herringbone Brick Refractory	\$559.00

Optional Accessories

LPK-ODFORTG-36	NG to LP Conversion Kit	\$104.00
IFT-WFM	IntelliFire Wi-Fi Module that works with the IntelliFire iOS and Android app. Use to control all the features of your fireplace via a Smart Device. A RC400 or RC150 is required for thermostatic control.	\$239.00
IFT-RC150U	White Wireless Wall Switch for On/Off and Cold Climate Control. Universally compatible with IntelliFire Touch and IntelliFire Touch 2.0 systems.	\$124.00



ODFORTG-36

Fireplace Framing Dimensions (see manual before framing)

ODFORTG-36		
Height	Width	Depth
44 1/2"	49 1/2"	23"

Castlewood Outdoor Wood Burning Fireplace

new

- Expansive 38" High Firebox Opening
- Safety Firescreen
- Dual Gas Knockouts
- Stainless Steel Grate
- Outside Air Hoods
- Transition Collar
- 41 7/8"x38" View Area

Model No.	Description	List Price
ODCASTLEWD-50	50" Radiant Wood Burning Fireplace	\$4,899.00

Uses 14" DuraVent DuraChimney II (see page 428)

Must Choose Firebrick to Complete Installation.

Firebrick - Required

WDR3850-T-BK	Traditional Refractory Set - Black Onyx	\$2,079.00
WDR3850-H-BK	Herringbone Refractory Set - Black Onyx	\$2,449.00
WDR3850-T-AV	Traditional Refractory Set - Antler Velvet	\$2,079.00
WDR3850-H-AV	Herringbone Refractory Set - Antler Velvet	\$2,449.00
WDR3850-T-BR	Traditional Refractory Set - Masonry Brown	\$2,079.00
WDR3850-H-BR	Herringbone Refractory Set - Masonry Brown	\$2,449.00
WDR3850-T-NG	Traditional Refractory Set - Natural Gray	\$1,929.00
WDR3850-H-NG	Herringbone Refractory Set - Natural Gray	\$2,299.00

Optional Accessories

ODGF50BZ	Premium Outdoor Glass Bi-Fold Doors w/SS Construction	\$3,059.00
ODCASTLEWD-50DP ❖	Drain Pan	\$239.00



Castlewood

Minimum Fireplace Opening
(see manual before framing)

Height	Width	Depth
74 1/2"	61 7/8"	28 1/2"

Castlewood Outdoor Wood Burning Fireplace

- Expansive 38" High Firebox Opening
- Safety Firescreen
- Dual Gas Knockouts
- Stainless Steel Grate
- Outside Air Hoods
- Transition Collar
- 41 7/8"x38" View Area

Model No.	Description	List Price
ODCASTLEWD-42-C	42" Radiant Wood Burning Fireplace	\$3,709.00

Uses 11"x13" Venting - SL1100 Series.

Must Choose Firebrick to Complete Installation.

Firebrick - Required NEW

WDR3842-T-BK	Traditional Refractory Set - Black Onyx	\$1,889.00
WDR3842-H-BK	Herringbone Refractory Set - Black Onyx	\$2,039.00
WDR3842-T-AV	Traditional Refractory Set - Antler Velvet	\$1,889.00
WDR3842-H-AV	Herringbone Refractory Set - Antler Velvet	\$2,039.00
WDR3842-T-BR	Traditional Refractory Set - Masonry Brown	\$1,889.00
WDR3842-H-BR	Herringbone Refractory Set - Masonry Brown	\$2,039.00
WDR3842-T-NG	Traditional Refractory Set - Natural Gray	\$1,509.00
WDR3842-H-NG	Herringbone Refractory Set - Natural Gray	\$1,579.00

Optional Accessories

ODGF42BZ-B ❖	Premium Outdoor Glass Bi-Fold Door w/SS Construction	\$2,619.00
ODCASTLEWD-42DP ❖	Drain Pan	\$239.00

SL1100 11"x13" Two-Wall Wood Burning Flue Components

SL1106	6" Chimney Section	\$113.00
SL1112	12" Chimney Section	\$122.00
SL1118	18" Chimney Section	\$169.00
SL1136	36" Chimney Section	\$239.00
SL1148	48" Chimney Section	\$329.00
SL1130	30° Elbow - Offset and Return	\$409.00
FS538M	Firestop for Straight-Up Chimney ea.	\$73.00
FS540	Firestop for 30° Offset	\$85.00
TR11	Round Louvered Termination Cap with Storm Collar	\$299.00
RF570	0-6/12 Pitch Roof Flashing	\$209.00
RF571	6/12-12/12 Pitch Roof Flashing	\$309.00
ST1175	Square Termination Cap-Painted Black	\$469.00
ST1175SS	Square Termination Cap-Stainless Steel	\$879.00




Castlewood

Minimum Fireplace Opening
(see manual before framing)

Height	Width	Depth
74 1/2"	53 7/8"	28 3/8"




Traditional Black Onyx



Herringbone Black Onyx



Traditional Antler Velvet



Herringbone Antler Velvet

Cottagewood 50 Wood Burning Fireplace

Model No.	Description	List Price
ODCTGWD-50B	50" Outdoor Wood Burning Fireplace	\$3,239.00

Uses 11" x 13" Venting - SL1100 Series, see page 391

Must Choose Firebrick and Flex Duct to Complete Installation.

Firebrick - Required NEW

WDR3350-T-BK	Traditional Refractory Set - Black Onyx	\$1,009.00
WDR3350-H-BK	Herringbone Refractory Set - Black Onyx	\$1,079.00
WDR3350-T-BR	Traditional Refractory Set - Masonry Brown	\$1,099.00
WDR3350-H-BR	Herringbone Refractory Set - Masonry Brown	\$1,079.00
WDR3350-T-NG	Traditional Refractory Set - Natural Gray	\$909.00
WDR3350-H-NG	Herringbone Refractory Set - Natural Gray	\$979.00

Flex Duct - Required to Complete

ID4	4" Insulated Flex Duct for Outside Air, Includes 2-42" Sections	\$91.00
UD4	4" Uninsulated Flex Duct for Outside Air, Includes 2-42" Sections	\$58.00

Optional Accessories

DM100-S	50" SS Bi-Gold Doors	\$1,799.00
ODCTGWD-DP50	50" Drain Pan	\$219.00



Cottagewood

Minimum Fireplace Opening
(see manual before framing)

ODCTGWD-50		
Height	Width	Depth
70"	61 5/8"	30 1/2"

ODCTGWD-42		
Height	Width	Depth
59 3/4"	51 1/2"	28 1/2"

Cottagewood 42 Wood Burning Fireplace

Model No.	Description	List Price
ODCTGWD-42B	42" Outdoor Wood Burning Fireplace	\$2,979.00

Uses 11" x 13" Venting - SL1100 Series, see page 391

Must Choose Firebrick and Flex Duct to Complete Installation.

Firebrick - Required NEW

WDR2842-T-BK	Traditional Refractory Set - Black Onyx	\$919.00
WDR2842-H-BK	Herringbone Refractory Set - Black Onyx	\$979.00
WDR2842-T-BR	Traditional Refractory Set - Masonry Brown	\$919.00
WDR2842-H-BR	Herringbone Refractory Set - Masonry Brown	\$979.00
WDR2842-T-NG	Traditional Refractory Set - Natural Gray	\$819.00
WDR2842-H-NG	Herringbone Refractory Set - Natural Gray	\$879.00

Flex Duct - Required to Complete


ID4	4" Insulated Flex Duct for Outside Air, Includes 2-42" Sections	\$91.00
UD4	4" Uninsulated Flex Duct for Outside Air, Includes 2-42" Sections	\$58.00

Optional Accessories

DM8042-S	42" SS Bi-Fold Doors	\$679.00
ODCTGWD-DP42	42" Drip Pan	\$219.00
ODCTGWD-FSK42	Freestanding Kit - Extended Smoke Shelf for Use When Unit is Installed as a Freestanding Fireplace	\$229.00



**Traditional Masonry
Brown**



**Herringbone Masonry
Brown**

Cottagewood Wood 36 Burning Fireplace

- Tuckaway SS Screens for Open View
- Place Freestanding or Next to an Exterior Wall
- Stainless Steel Facings
- Easy Damper Control
- Dual Gas Knockouts
- Outside Air Kit

Model No.	Description	List Price
ODCTGWD-36B	36" Outdoor Wood Burning Fireplace	\$2,769.00

Uses 11" x 13" Venting - SL1100 Series, see page 391

Must Choose Firebrick and Flex Duct to Complete Installation.

Firebrick - Required NEW

WDR2836-T-BK	Traditional Refractory Set - Black Onyx	\$699.00
WDR2836-H-BK	Herringbone Refractory Set - Black Onyx	\$759.00
WDR2836-T-BR	Traditional Refractory Set - Masonry Brown	\$699.00
WDR2836-H-BR	Herringbone Refractory Set - Masonry Brown	\$759.00
WDR2836-T-NG	Traditional Refractory Set - Natural Gray	\$599.00
WDR2836-H-NG	Herringbone Refractory Set - Natural Gray	\$659.00

Flex Duct - Required to Complete

ID4	4" Insulated Flex Duct for Outside Air, Includes 2-42" Sections	\$91.00
UD4	4" Uninsulated Flex Duct for Outside Air, Includes 2-42" Sections	\$58.00

Optional Accessories

DM6036-S	36" SS Bi-Fold Doors	\$539.00
ODCTGWD-DP36	36" Drip Pan	\$189.00
ODCTGWD-FSK36	Freestanding Kit - Extended Smoke Shelf for Use When Unit is Installed as a Freestanding Fireplace	\$199.00




Cottagewood

Minimum Fireplace Opening
(see manual before framing)

ODCTGWD-36		
Height	Width	Depth
59 3/4"	45 1/2"	28"



Traditional Natural Gray



Herringbone Natural Gray

Villawood Outdoor Wood Burning Fireplace

- Traditional or Herringbone Brick Interior
- Dual Gas Knockouts
- Grate
- Outside Air Standard
- Stainless Steel Safety Firescreen

Model No.	Description	List Price
ODVILLA-36T-B	36" Outdoor Fireplace with Traditional Refractory	\$1,609.00
ODVILLA-36H-B ❖	36" Outdoor Fireplace with Herringbone Refractory	\$1,659.00
ODVILLA-42T-B	42" Outdoor Fireplace with Traditional Refractory	\$1,839.00
ODVILLA-42H-B	42" Outdoor Fireplace with Herringbone Refractory	\$1,889.00

Uses 8"x10" Venting - SL300 Series

Optional Accessories

ODVGF-36 ❖	36" Bi-Fold Glass Doors	\$639.00
ODVGF-42 ❖	42" Bi-Fold Glass Doors	\$779.00
ODVILLA-36DP ❖	36" Drain Pan	\$189.00
ODVILLA-42DP ❖	42" Drain Pan	\$199.00

SL300 8"x10" Two-Wall Wood Burning Flue Components and Terminations

SL306	6" Chimney Section	\$85.00
SL312	12" Chimney Section	\$106.00
SL318	18" Chimney Section	\$117.00
SL324	24" Chimney Section	\$141.00
SL336	36" Chimney Section	\$179.00
SL348	48" Chimney Section	\$209.00
SL3	6" Flue Support Section	\$124.00
SL315	15° Elbow - Offset and Return	\$239.00
SL330	30° Elbow - Offset and Return	\$269.00
FS338M	Straight Firestop Spacer ea.	\$57.00
FS340	Firestop for 30° Angular Flue	\$118.00
TR344	Round Louvered Termination with Storm Collar	\$199.00
ST375	Square Termination Cap, Painted Black	\$449.00
ST375SS	Square Termination Cap, Stainless Steel	\$749.00
RF370M	0-6/12 Pitch Roof Flashing ea.	\$189.00
RF371	6/12-12/12 Pitch Roof Flashing	\$289.00



Villawood

Minimum Fireplace Opening
(see manual before framing)

ODVILLA-36

Height	Width	Depth
39 3/4"	42"	21 1/2"

ODVILLA-42

Height	Width	Depth
39 3/4"	48"	21 1/2"

Courtyard 42 Outdoor Gas Fireplace

- Clean Face and Flush Hearth Design
- Wall Switch with Outdoor Control Box (15')
- Stainless Steel Pull Screens

Model No.	Description	List Price
ODCOUG-42NR	42" Outdoor Fireplace, 55,000 btu - NG	\$3,039.00
ODCOUG-42TS	42" Outdoor Fireplace with Traditional Stacked Concrete Refractory, 55,000 btu - NG	\$3,429.00

Must Choose Grate and Log Set to Complete Installation and Interior Panels for NR Units.

Log Sets and Grate - Required

HDLOGS-ODCOUG	High Definition Log Set, Requires GR-ODCOUG to Complete	\$859.00
SDLOGS-ODCOUG	Standard Definition Log Set, Requires GR-ODCOUG to Complete	\$459.00
GR-ODCOUG	Stainless Steel Grate	\$399.00

Interior Panels - Required for NR Units

ODCOUG-42GHR	Gray Herringbone Refractory Panels	\$639.00
ODCOUG-42GTR	Gray Traditional Refractory Panels	\$569.00
ODCOUG-42BHR	Brown Herringbone Refractory Panels	\$639.00
ODCOUG-42BTR	Brown Traditional Refractory Panels	\$569.00
ODCOUG-42BKHR	Black Herringbone Refractory Panels	\$659.00
ODCOUG-42BKTR	Black Traditional Refractory Panels	\$589.00
ODCOUG-42SSL ❖	Stainless Steel Liner	\$529.00

Optional Accessories

ODCOUG-42SCN	Framed Mesh Screen	\$759.00
ODCOUG-LPK	NG to LP Conversion Kit	\$104.00
ODCOUG-VFP	Vent Free Pan	\$138.00
ODGSDP-42	Outdoor Drain Pan	\$128.00
ODGSDPFLT-42 ❖	Outdoor Drain Pan for Flat/Level Installations	\$128.00
WWT	Wired Wall Timer	\$125.00



ODCOUG-42NR

Fireplace Framing Dimensions

(see manual before framing)


Height	Width	Depth
48 1/2"	34 1/4"	20 1/4"



Gray Herringbone Liner



Brown Herringbone Liner



Black Herringbone Liner

Courtyard 36 Outdoor Gas Fireplace

- Clean Face and Flush Hearth Design
- Wall Switch with Outdoor Control Box (15')
- Stainless Steel Pull Screens

Model No.	Description	List Price
ODCOUG-36NR	36" Outdoor Fireplace, 55,000 btu - NG	\$2,699.00
ODCOUG-36TS	36" Outdoor Fireplace with Traditional Stacked Concrete Refractory, 55,000 btu - NG	\$3,089.00



ODCOUG-36TS

Fireplace Framing Dimensions

(see manual before framing)


Height	Width	Depth
42 1/2"	34 1/4"	20 1/4"



Gray Traditional Liner



Brown Traditional Liner



Black Traditional Liner

Must Choose Grate and Log Set to Complete Installation and Interior Panels for NR Units.

Log Sets and Grate - Required

HDLOGS-ODCOUG	High Definition Log Set, Requires GR-ODCOUG to Complete	\$859.00
SDLOGS-ODCOUG	Standard Definition Log Set, Requires GR-ODCOUG to Complete	\$459.00
GR-ODCOUG	Stainless Steel Grate	\$399.00

Interior Panels - Required for NR Units

ODCOUG-36GHR	Gray Herringbone Refractory Panels	\$609.00
ODCOUG-36GTR	Gray Traditional Refractory Panels	\$529.00
ODCOUG-36BHR	Brown Herringbone Refractory Panels	\$609.00
ODCOUG-36BTR	Brown Traditional Refractory Panels	\$529.00
ODCOUG-36BKHR	Black Herringbone Refractory Panels	\$629.00
ODCOUG-36BKTR	Black Traditional Refractory Panels	\$549.00
ODCOUG-36SSL ❖	Stainless Steel Liner	\$519.00

Optional Accessories

ODCOUG-36SCN	Framed Mesh Screen	\$649.00
ODCOUG-LPK	NG to LP Conversion Kit	\$104.00
ODCOUG-VFP	Vent Free Pan	\$138.00
ODGSDP-36	Outdoor Drain Pan	\$111.00
ODGSDPFLT-36 ❖	Outdoor Drain Pan for Flat/Level Installations	\$111.00
WWT	Wired Wall Timer	\$125.00

Twilight Indoor/Outdoor See-Through Gas Fireplace

- Traditional Refractory
- 7 Ceramic Fiber Logs
- Glowing Embers
- IntelliFire Touch Ignition System
- Exterior Front

Model No.	Description	List Price
TWILIGHT-IFT	Twilight 36" Indoor/Outdoor See-Through Gas Fireplace, 38,000 btu - NG	\$7,729.00
LPK-TWI-IFT	NG to LP Conversion Kit	\$101.00

Must Chose a Front to Complete Installation.

Firebrick - Required

TWI-MOD-BK	Black Firescreen Front	\$799.00
FS-TWI-BK	Black Contemporary Front with Built-In, Overlapping Surround	\$499.00

Optional Accessories

GFK-160T	Blower Assembly (cannot install fan if ordering a modern front)	\$349.00
BATTERY-WSK	Battery Backup Wall Switch Kit	\$199.00
IFT-WFM	IntelliFire Wi-Fi Module that works with the IntelliFire iOS and Android App. Use to control all the features of your fireplace via a Smart Device. A RC400 or RC150 is required for thermostat control.	\$239.00
IFT-ACM	IntelliFire Touch AUX Module. Must order if adding fans, lights or power vent and want to use the IFT-WFM. Do not need to order if using IFT-RC400.	\$100.00
IFT-RC150U	White Wireless Wall Switch for On/Off and Cold Climate Control. Universally compatible with IntelliFire Touch and IntelliFire Touch 2.0 systems.	\$124.00
IFT-RC400	IntelliFire Touch Black Remote Control, Docking Station and Auxiliary Control Module	\$399.00

NOTE: ADVANCED INSTALL PRODUCTS TRAINING REQUIRED BEFORE PRODUCT CAN BE ORDERED AND SHIPPED.



TWILIGHT

Fireplace Framing Dimensions (see manual before framing)

Height	Width	Depth
47 5/8"	44"	23"



Firescreen Front

Vesper Outdoor Gas Fireplace

- Brick-to-Brick Opening for True Masonry Appearance
- Stainless Steel Mesh Screen
- Interior Panels in Traditional or Herringbone Brick
- Options to Convert to Vent-Free for Enclosed Applications

Model No.	Description	List Price
VOFB42-H	42" Firebox with Herringbone Refractory	\$1,969.00
VOFB42-T	42" Firebox with Traditional Stacked Refractory	\$1,959.00
VOFB36-H	36" Firebox with Herringbone Refractory	\$1,399.00
VOFB36-T	36" Firebox with Traditional Stacked Refractory	\$1,369.00

Fireplace Framing Dimensions: 42" - 34 1/4"W X 48 1/2"H X 19 3/4"D

Fireplace Framing Dimensions: 36" - 34 1/4"W X 42 1/2"H X 19 3/4"D



Must Choose Burner and Log Set to Complete Installation

Burner - Required

LUM-OD-NM	Lumonessen Outdoor Burner, Manual Ignition, 38,000 btu - NG	\$849.00
LUM-OD-PM	Lumonessen Outdoor Burner, Manual Ignition, 38,000 btu - LP	\$849.00

Log Set - Required

MZMRSP-30	30" Mezmer Split Log Set	\$279.00
MZMR-30	30" Mezmer Log Set	\$279.00
MTNOK-30	30" Mountain Oak Log Set	\$279.00
MZMRSP-24	24" Mezmer Split Log Set	\$249.00
MZMR-24	24" Mezmer Log Set	\$249.00
MTNOK-24	24" Mountain Oak Log Set	\$249.00

Note: Must use 30" Set with 42" Firebox

Optional Accessories

VOFBS-42	42" SS Operable Mesh Doors	\$1,299.00
ODGSDP-42	42" Outdoor Drain Pan	\$128.00
ODGSDPFLT-42 ♦	42" Outdoor Drain Pan for Flat/Level Installations	\$128.00
VOFBS-36	36" SS Operable Mesh Doors	\$1,169.00
ODGSDP-36	36" Outdoor Drain Pan	\$111.00
ODGSDPFLT-36 ♦	36" Outdoor Drain Pan for Flat/Level Installations	\$111.00

VOFB42

Minimum Fireplace Opening (see manual before framing)

	VOFB42		
Height	Width	Depth	
48 1/2"	34 1/4"	19 3/4"	

	VOFB36		
Height	Width	Depth	
42 1/2"	34 1/4"	19 3/4"	



Mezmer Split Log Set



Mezmer Log Set



Mountain Oak Log Set

Lanai 72 Ventless Outdoor Gas Fireplace

new

- Eight LED Colors and Three Intensity Levels
- 3" Wind Guard
- Weatherproof Wall Control
- Slim 13" Depth
- 72" x 17" Viewing Area
- Crystal Glass Media and Glass Wind Guard Included

Model No.	Description	List Price
ODLANAIG-72	72" Outdoor Linear Fireplace with IntelliFire Plus Ignition, 65,000- NG	\$5,609.00
LPK-ODLANAIG72	NG to LP Conversion Kit	\$169.00

Optional Accessories

ODLANAIG-72SCN	Framed Screen Barrier	\$549.00
ODLANAIG-72CFT	Clean Face Trim Kit	\$319.00
ODLANAIG-72DP	Drain Pan - adds 3" to framing height	\$269.00
MEDIA-CLEAR-72 ❖	Crystal (translucent white) Glass Media (35 lbs.)	\$499.00
MEDIA-RED-72 ❖	Scarlet (red) Glass Media (35 lbs.)	\$609.00
MEDIA-EBONY-72 ❖	Ebony (black) Glass Media (35 lbs.)	\$609.00
MEDIA-COBALT-72 ❖	Cobalt (blue) Glass Media (35 lbs.)	\$609.00
MEDIA-AMBER-72 ❖	Amber Glass Media (35 lbs.)	\$609.00
STONEKIT	Stone Kit	\$159.00
CDLS	Driftwood Log Set	\$629.00



ODLANAIG-72

Minimum Fireplace Opening
(see manual before framing)

	VOFB42		
Height	Width	Depth	
39 3/4"	76 3/4"	13 3/8"	



CDLS

Lanai 60 Ventless Outdoor Gas Fireplace

- Multicolored LED Lights
- Wall Control with 15' of Wire and Junction Box
- Crystal Glass Media
- Glass Wind Guard

Model No.	Description	List Price
ODLANAIG-60	Outdoor Linear Fireplace with IntelliFire™ Plus Ignition System, 60,000 btu - NG	\$5,009.00
ODLANAIGST-60 NEW	See-Through Outdoor Linear Fireplace with IntelliFire™ Plus Ignition System, 60,000 btu - NG	\$5,859.00
LPK-ODLANAIG60	NG to LP Conversion Kit	\$159.00

ODLANAIG-60 Optional Accessories

ODLANAIG-60SCN	Framed Screen Barrier	\$519.00
ODLANAIG-60CFT	Clean Face Trim Kit	\$319.00
ODLANAIG-60DP	Drain Pan - adds 3" to framing height	\$269.00



ODLANAIG-60

Fireplace Framing Dimensions
(see manual before framing)

ODLANAIG-60		
Height	Width	Depth
39 3/4"	64 3/4"	13 3/8"

ODLANAIG-48		
Height	Width	Depth
39 3/4"	52 3/4"	13 3/8"

Lanai 48 Ventless Outdoor Gas Fireplace

- Multicolored LED Lights
- Wall Control with 15' of Wire and Junction Box
- Crystal Glass Media
- Glass Wind Guard

Model No.	Description	List Price
ODLANAIG-48	Outdoor Linear Fireplace with IntelliFire Plus Ignition, 55,000 btu - NG	\$4,639.00
ODLANAIGST-48	See-Through Outdoor Linear Fireplace with IntelliFire Plus Ignition, 55,000 btu - NG	\$5,249.00
LPK-ODLANAIG48	NG to LP Conversion Kit	\$136.00

ODLANAIG-48 Optional Accessories

ODLANAIG-48SCN	Framed Screen Barrier	\$439.00
ODLANAIG-48CFT	Clean Face Trim Kit	\$299.00
ODLANAIG-48DP	Drain Pan - adds 3" to framing height	\$249.00

ODLANAIG-60/48 Optional Accessories

CDLS	Driftwood Log Set	\$629.00
MEDIA-CLEAR-48 ❖	Crystal (translucent white) Glass Media (25lbs.)	\$279.00
MEDIA-RED-48 ❖	Scarlet (red) Glass Media (25lbs.)	\$389.00
MEDIA-EBONY-48	Ebony (black) Glass Media (25lbs.)	\$389.00
MEDIA-COBALT-48	Cobalt (blue) Glass Media (25lbs.)	\$389.00
MEDIA-AMBER-48	Amber Glass Media (25lbs.)	\$389.00
STONEKIT	Stone Kit	\$159.00