

DuraFlexSS





Typical Installations

Installation Key			
1	DuraFlex SS Cap	8	DuraFlex Trim Collar
2	DuraFlex Top Plate	9	Rigid Type B Gas Vent
3	DuraFlex (SW, Pro, 304, 316) Length	10	Rigid Pellet Vent (L Vent)
4	DuraFlex SS Tee	11	Profoil Insulation, AluFoil Tape, ProMesh
5	DuraFlex Mortar Sleeve	12	DVL or DuraBlack Pipe
6	DuraFlex SS Connector	13	Pipe Collar (B Vent)
7	PelletVent Pro Appliance Adapter		

Applications

DuraFlex Pro ultra flexible relining for masonry chimney. Use w/ gas, wood pellet, oil, or wood appliances. Applications include: fireplace inserts, furnaces, boilers, and water heaters. Its extreme flexibility facilitates problem free installations where multiple offsets are needed.

DuraFlex304 flexible relining for masonry chimney. Use w/ gas, wood pellet, oil, or wood appliances. Applications include: fireplace inserts, furnaces, boilers, and water heaters. Lighter, more economical liners. Excellent when there are minimal offsets in the chimney.



Venting Components – DuraFlex SS

DuraFlex Pro Basic Stainless Steel Kits

Kit includes: top plate, cap, connector, flex connector and flex length.

SIZE	6"	List Price
25' FLEX	6DFPRO-25K	\$1,688.84
35' FLEX	6DFPRO-35K	\$2,222.31



DuraFlex 304 Basic Stainless Steel Kits

SIZE	3"	List Price
25' FLEX	6DF304-25K	\$1,417.53
35' FLEX	6DF304-35K	\$1,859.55
25' FLEX	3DF304-25K	\$899.29




DuraFlex 304 Stainless Steel Length

SIZE	15' FLEX	List Price	25' FLEX	List Price	35' FLEX	List Price
3"	3DF304-15 ♦	\$472.57	3DF304-25 ♦	\$731.63	3DF304-35 ♦	\$1,036.49
4"	4DF304-15 ♦	\$518.24	4DF304-25 ♦	\$850.52	4DF304-35 ♦	\$1,188.89
6"	6DF304-15 ♦	\$716.38	6DF304-25	\$1,170.60	6DF304-35	\$1,640.06

DuraFlex SS Connector

Use to connect DuraFlex SS length to an appliance, rigid length, or flex vent.


SIZE	STOCK #	A	B	C	List Price
3"	3DFS-FC ♦	4 1/8"	3"	3 1/2"	\$52.10
4"	4DFS-FC ♦	4 1/8"	4"	4 1/2"	\$54.28
6"	6DFS-FC	4 1/8"	6 1/2"	6"	\$43.44



DuraFlex SS Tee w/ Cap

Use to attach to DuraFlex SS length w/ a fast connect band.


SIZE	STOCK #	A	B	List Price
4"	4DFS-T ♦	9 1/2"	4 1/4"	\$202.60
6"	6DFS-T	10 1/2"	4 3/8"	\$289.45



DuraFlex SS Top Plate and Storm Collar

Use to seal top of masonry chimney and support the flex.


SIZE	STOCK #	List Price
3"	3DFS-TPSC ❖	\$176.73
4"	4DFS-TPSC ❖	\$192.79
6"	6DFS-TPSC	\$224.92



DuraFlex SS Removable Vertical Cap

Use to terminate a relining system. Attach to storm collar with fast connect band.


SIZE	STOCK #	A	List Price
3"	3DFS-VCRC ❖	8"	\$88.36
4"	4DFS-VCRC ❖	8"	\$96.40
6"	6DFS-VCRC	11"	\$112.46



DuraFlex Mortar Sleeve

Use to protect DuraFlex when passing through a masonry wall.


SIZE	STOCK #	A	List Price
4"	4DFS-MS ❖	5"	\$25.15
6"	6DFS-MS ❖	7"	\$31.25



DuraFlex Flex Puller

Use with a rope to guide DuraFlex length down masonry chimney.

SIZE	STOCK #	List Price
3"	3DFS-FP ❖	\$66.30
4"	4DFS-FP ❖	\$86.83
6"	6DFS-FP ❖	\$68.59



Venting Components – DuraFlex SS

ProFoil

Use as insulator for SS liners in masonry chimneys.

SIZE	STOCK #	List Price
5"-6"	56RNS - PFB22x25	\$609.69
8"	8RNS - PFB29x25 ❖	\$1,219.38



AluFoil Tape

Use to seal seams of ProFoil insulation.

SIZE	STOCK #	List Price
3" x 150'	RNS -ALF ❖	\$190.53



ProMesh

Use to protect the ProFoil during installation.

SIZE	STOCK #	LENGTH	List Price
SM 3"-6"0	RNS - PM1	25'	\$117.92
LG 7"-9"0	RNS -PM2 ❖	25'	\$155.71

