

GOSS TARGET® KITS & TIPS – “SNAP-IN STYLE”

Kits feature the adjustable Target Tips for professional soldering and brazing applications. These tips are very hot and have a compact flame. Kits also include a quick disconnect handle, 12 ft. hose and UL listed regulator. Choose from a wide selection of kits below.

- Max performance turbine flame
- Adjustable flame feature
- Unique mixer design reduces brazing time over conventional tips
- Tips have a filler and removeable orifice
- Interchangeable with other quick disconnect style tips and equipment
- Made of heavy gauge stainless steel and brass



GKX-3B (shown)

KITS

RMI Part No.	Tip No.	Reg. FTG
GKX-3B	GA-3, GA-11	"B" Cylinder
GKX-4B	GA-5, GA-14	"B" Cylinder
GKX-5B	GA-5	"B" Cylinder
GKX-5MC	GA-5	"MC" Cylinder
GKX-6MC	GA-3, GA-8	"MC" Cylinder
GKX-7B	GA-8	"B" Cylinder

Contents: HA3-12 hose, GG-4 handle, tip(s), MA-2 wrench and regulator.

TIPS

RMI Part No.	Tip Size	Soft Solder	Silver Braze
GGA-2	1/4"	1/8" - 1/2"	1/8" - 1/4"
GGA-3	5/16"	1/4" - 1"	1/8" - 1/2"
GGA-5	3/8"	3/4" - 1 1/2"	1/4" - 3/4"
GGA-8	3/8"	1" - 2"	1/2" - 1"
GGA-11	7/16"	1 1/2" - 3"	7/8" - 1 5/8"
GGA-14	1/2"	2" - 4"	1" - 2"
GGA-32	3/4"	4" - 6"	1 1/2" - 4"

GOSS FEATHER FLAME® KITS & TIPS – “SCREW-IN STYLE”

These kits include our most economically priced air-acetylene tips. Their design makes them inexpensive while still producing excellent flame characteristics.

- Pencil Point/Feather Flame
- Adjustable flame feature
- Tips have a filter and removeable orifice
- Heavy-duty UL listed regulator



GKA-1H (shown)

KITS

RMI Part No.	Tip No.	Reg. FTG
GKA-1H	BA-3	"B" Cylinder
GKA-2H	BA-3	"MC" Cylinder
GKA-31*	BA-2, BA-3, BA-4	"B" Cylinder
GKA-32*	BA-2, BA-3, BA-4	"MC" Cylinder
GKA-37H*	BA-4	"B" Cylinder
GKA-38H*	BA-4	"MC" Cylinder

Contents: HA3-12 hose, regulator, AA-1 handle, MP-1 lighter and MA-2 wrench.

* These kits DO NOT include lighter.

TIPS

RMI Part No.	Tip Size	Soft Solder
GBA-1	1/16"	1/16" - 1/8"
GBA-2	1/8"	1/8" - 1/4"
GBA-3	3/16"	1/4" - 1/2"
GBA-4	1/4"	1/2" - 1"
GBA-5	5/16"	1" - 1 1/2"
GBA-6	7/16"	2" - 4"

*Call for complete GOSS catalog.

GOSS PROPANE KITS WITH PENCIL AND BRUSH TIPS

Kits contain a complete selection of high quality soldering and heating equipment.

- Quiet, adjustable brush flame
- Fits AP-1 handle

KITS

RMI Part No.	Tip No.
GKP-102	BP-2
GKP-105	BP-5

Kits include: Ap-1 handle, EP-70G regulator, MP-1 lighter and HEF-10 hose and tip listed.

TIPS

RMI Part No.	Flame	Diameter	Soft Solder	BTU's @ 40 psi
GBP-1	Pencil	5/8"	To 1/2"	6,000
GBP-2	Pencil	1"	To 1 1/2"	11,000
GBP-3	Brush	7/8"	To 2"	14,000
GBP-4	Brush	1 1/8"	To 3"	43,000
GBP-5	Brush	1 3/8"	To 4"	57,000
GBP-6	Brush	2"	To 6"	300,000



GKP-102 (shown)

GOSS TARGET PROPANE/PROPYLENE KITS AND TIPS – “SNAP-IN STYLE”

Snap-in style feature the very hot, compact Target Tips for professional soldering and brazing applications. Kits also include a quick disconnect handle, UL listed regulator and accessories.

- MaxPerformance Turbine Flame
- Tips have a filter and removeable orifice
- Interchangeable with other quick disconnect style tips and equipment
- Tips for GH-4 handle
- Color-coded O-rings

KITS

RMI Part No.	Tip No.
GKLP-2	GT-3, GT-5
GKLP-4	GT-4
GKLP-4L*	GT-4L*

Kits include: GH-4 handle, HP3-12 hose, EP-45G regulator and torch tip(s).
*Instant Igniter.

TIPS

RMI Part No.	Flame Dia.	Soft Solder	Silver Braze
GGT-2	5/16"	Up to 1/2"	Up to 1/4"
GGT-2J	5/16"	Up to 1/2"	Up to 1/4"
GGT-3	7/16"	Up to 1"	Up to 1/2"
GGT-4	1/2"	Up to 1 1/2"	Up to 3/4"
GGT-4L*	1/2"	Up to 1 1/2"	Up to 3/4"
GGT-5	3/4"	Up to 2 1/2"	Up to 1 1/4"



GKLP-4 (shown)

GOSS OUTDOOR FURNACES

Floor furnace* GFP-540

A well constructed melting furnace with brush flame burner.

BTUs	Approx. 43,200
Gas Usage	Approx. 2 lb./hr
Height	8 in.
Weight	8 lbs.
Diameter	8 1/2"



- Hose and regulator required or use.
- * For propane only

GOSS MELTING POT AND LADLE



GMP-3
7 in. diameter cast iron pot.
Holds 50 lb. of lead



GMP-5
3 in. diameter cast iron ladle

GOSS BLAZEBURNER TORCH KITS & TORCHES

This equipment can be used for weed burning, drying, heating, melting and other applications requiring large volumes of outdoor heat. Each uses vapor propane fuel and has a durable handle with rear on/off control valve. Used by contractors, farmers, fabricators as well as road, railway and industrial maintenance crews.

RMI Part No.	Description
GKP-320A	Contents: AP-20 Torch, MP-1 Lighter, HPX-10, 10 ft. hose with Cylinder Adapter
GKP-320MA	Contents: AP-20 Torch with Piezoelectric Ignighter Tip, HPX-10, 10 ft. hose with Cylinder Adapter.



GKP-320MA (shown)