

# HIGH EFFICIENCY CRAFTSMANSHIP



**BIS**

MONTECITO ESTATE WOOD BURNING FIREPLACE shown with White Stacked Textured Panels, Smooth Steel Facade and Doors

## STANDARD FEATURES

- ✦ Circulating design features facade, arch doors and ceramic glass for optimum heat transfer
- ✦ EPA variable-rate certified and Washington State approved high-efficiency wood heater
- ✦ Spacious 4.0 ft<sup>3</sup> insulated firebox accepts up to 30" log size for increased performance
- ✦ Steel double doors with heat resistant door handles that stay cool to the touch
- ✦ White stacked textured refractory panels with integrated ash lip and decorative cast iron log retainer
- ✦ Catalytic combustor for maximum performance
- ✦ Bypass control: Greater airflow during startup for faster wood ignition and no smoke spillage when reloading
- ✦ 89,000 BTUs and heats up to 2,500 square feet\*
- ✦ Limited Lifetime Warranty

\*Results obtained by burning 25 lbs. of dry maple wood. (one hour pre-heating)

*astria*  
FIREPLACES<sup>®</sup>

[astria.us.com](http://astria.us.com)

## Montecito Estate EPA Certified Wood Burning Fireplace

### Features:

- Powerful Catalytic Combustion
- Insulation
- Ceramic Glass
- 350 CFM Blower
- Textured White Stacked Refractory
- Cast Iron Log Retainer
- Efficient Air Wash System
- Outside Air Kit and Coupler are Standard

**EPA2020**



**MONTECITO  
ESTATE**

MAT.#	MODEL NUMBER	DESCRIPTION	LIST PRICE
F2845	MONTECITO ESTATE CAT	Montecito Estate EPA Wood Burning Fireplace	\$6,290.00

**USES 7" GX SECURITY VENTINGS (SEE PAGE 529).  
FIREPLACE FRAMING DIMENSIONS - SEE OWNER'S MANUAL.**

### Must Order Facade and Door to Complete Unit.

#### Facade - Required

F2859	MONEST-FAC-BLK	Facade - Black	\$595.00
F3611	MONEST-FAC-HMRD	Facade - Hammered Steel	\$1,622.00

#### Door - Required

F2855	MONEST-DOOR-BLK	Double Door - Black	\$1,069.00
F3612	MONEST-DOOR-HMRD	Double Door - Hammered Steel	\$1,622.00

### Montecito Estate Optional Accessories

#### Forced Air Heating Kit

Installed on the Side of the Fireplace - Use of the Forced Air Kit is Not Included in EPA certification.

BISFWK-1	BISFWK-1	Starter Kit for Wall or Floor Installations	\$677.00
5FLEX15	5FLEX15	Flex 5" I.D. x 15' Long	\$202.00
5FLEX25	5FLEX25 ❖	Flex 5" I.D. x 25' Long	\$334.00

The MONTECITO ESTATE CAT, now ships with a collar to use 7" Snap-Pak Vent. Must use 7" Snap-Pak Venting or purchase a collar assy, F3171, to use 7" GX Security Venting.

## Montecito™ EPA Certified Wood Burning Fireplace

### Features:

- Circulating Design Features Front, Arch Door and Ceramic Glass for Optimum Heat Transfer
- 2.0 cu ft Insulated Firebox that Accepts up to 19" Log Size
- White Stacked Textured Refractory Panels w/ Integrated Ash Lip and Decorative Cast Iron Log Retainer
- Air Combustion Control
- Includes Insulated Outside Air Kit (required for use)
- Efficient Air Wash System
- Includes Heat Activated 200 CFM UZY-5 Variable Speed Blower

MAT.#	MODEL NUMBER	DESCRIPTION	LIST PRICE
H4841	MONTE	Montecito EPA Wood Burning Fireplace	\$3,560.00

USES 6" SECURITY VENTING (SEE PAGE 522).

### Must Order a Facade and Doors to Complete Unit.

#### Facade - Required

F2320	MFBK	Facade - Black	\$476.00
F3609	MONT-FAC-HMRD	Facade - Hammered Steel	\$1,514.00

#### Doors - Required

F1857	MCBK	Arched Single Door - Black	\$951.00
F3610	MONT-DOOR-HMRD	Arched Single Door - Hammered Steel	\$1,514.00
F1859	BWBK	Arched Single Door - Black Cast Iron	\$951.00

### Montecito Optional Accessories

#### Forced Air Heating Kit

Installed on the Side of the Fireplace - Use of the Forced Air Kit is Not Included in EPA certification.

BISFWK-1	BISFWK-1	Starter Kit for Wall or Floor Installations	\$677.00
5FLEX15	5FLEX15	Flex 5" I.D. x 15' Long	\$202.00
5FLEX25	5FLEX25 ❖	Flex 5" I.D. x 25' Long	\$405.00

#### HeatFlo Kit

F3790	EPA-HEATFLO-KIT	EPA Fireplace HeatFlo Convection Kit: 2 aluminum flex w/ R4 insulated sleeve, 8" x 10' 2 wall thimbles, 2 duct adapters, 2 duct rings, 2 white grills and screws	\$420.00
-------	-----------------	--	----------

**NOTE: LIMITED QUANTITIES ON HAND. NON 2020 APPROVED PRODUCT CANNOT BE SOLD AFTER MAY 15TH, 2020. CONTACT RMI FOR AVAILABILITY AND INFO ON 2020 APPROVED MODELS.**

The MONTECITO ESTATE CAT, now ships with a collar to use 6" Snap-Pak Vent. Must use 6" Snap-Pak Venting or purchase a collar assy, F3170, to use 6" Security Venting.



**MONTE**

#### Fireplace Framing Dimensions

Height	Width	Depth
42"	36 1/4"	24 1/2"

## Brentwood™ LV EPA Phase II Wood Burning Fireplace

### Features:

- Clean Face with Black Steel Door
- Efficient Air Wash System
- Decorative Log Retainers
- Smooth Refractories
- Pre-wired 175 cfm Blower
- Double Air Combustion Control, Outside Air Kit and Air Coupler

MAT. #	MODEL NUMBER	DESCRIPTION	LIST PRICE
H8295	BRENTWOODLV	Brentwood LV Clean Face Fireplace	\$3,797.00

USES 6" SECURITY VENTING (SEE PAGE 522).

### Must Choose a Face Kit to Complete Unit.

#### Face Kits - Required

LOUVRECF	LOUVRECF	Louver Kit	\$179.00
CAPPINGCF	CAPPINGCF	Clean Face Kit - Note: Requires HeatFlo Kit	\$120.00

### Brentwood Optional Accessories

#### Forced Air Heating Kit

BISFWK-1	BISFWK-1	Starter Kit for Wall or Floor Installations	\$677.00
5FLEX15	5FLEX15	Flex 5" I.D. x 15' Long	\$202.00
5FLEX25	5FLEX25 ❖	Flex 5" I.D. x 25' Long	\$334.00

#### HeatFlo Kit

F3790	EPA-HEATFLO-KIT	EPA Fireplace HeatFlo Convection Kit: 2 aluminum flex w/ R4 insulated sleeve, 8" x 10' 2 wall thimbles, 2 duct adapters, 2 duct rings, 2 white grills and screws	\$420.00
-------	-----------------	--	----------

**NOTE: LIMITED QUANTITIES ON HAND. NON 2020 APPROVED PRODUCT CANNOT BE SOLD AFTER MAY 15TH, 2020. CONTACT RMI FOR AVAILABILITY AND INFO ON 2020 APPROVED MODELS.**

The BRENTWOODLV, now ships with a collar to use 6" Snap-Pak Vent. Must use 6" Snap-Pak Venting or purchase a collar assy, F3168, to use 6" Security Venting.



**Brentwood LV**

#### Fireplace Framing Dimensions

Height	Width	Depth
40 3/4"	36 1/4"	25"

## Villa Vista CD - BIS EPA Certified Wood Burning Fireplace

### Features:

- Single door (European-style cast-iron) design provides a tall opening for an unobstructed panoramic view of the fire.
- Catalytic technology achieves more than 75% burning efficiency for up to eight hours of burn time – resulting in fuel savings.
- Powerful blower circulates heat in large spaces or multiple rooms up to 2,500 sq. ft.
- Ceramic glass for safety and optimum heat transfer.
- Airtight combustion chamber for maximum efficiency and high heat output.
- Efficient air wash system keeps viewing glass clean.

MAT. #	MODEL NUMBER	DESCRIPTION	LIST PRICE
F3363	VILLA VISTA CD	Villa Vista CD Wood Burning Fireplace	\$5,422.00

USES 7" SECURITY ASHT VENTING (SEE PAGE 524)

### Must Choose a Louver Kit to Complete Units.

#### Louver Kits - Required

F3366	VVCD-GRILL-HOLLISTER	Hollister Louver Kit	\$239.00
F3367	VVCD-GRILL-SLEEK	Sleek Louver Kit	\$239.00
F3368	VVCD-GRILL-MADERA	Madera Louver Kit	\$239.00

### Villa Vista CD Optional Accessories

#### Forced Air Heating Kit

VRUW	VRUW	Variable Speed Control for UZY5	\$98.00
UZY5	UZY5	Blower	\$357.00
F3365	VVCD-CF-KIT	Clean Face Panel Kit (requires HeatFlor Kit F3790)	\$119.00
F3790	EPA-HEATFLO-KIT	EPA Fireplace HeatFlo Convection Kit: 2 aluminum flex w/ R4 insulated sleeve, 8" x 10' 2 wall thimbles, 2 duct adapters, 2 duct rings, 2 white grills and screws	\$420.00
BISFWK-1	BISFWK-1*	Forced Air Heating Kit for Wall or Floor Installation. Includes Blower (BISZY), flex adaptor, 2 clamps (BISAF), blower variable speed control (VRUW), thermo-disc (VTU), blower flex adaptor (BISAVF) and back draft damper (BISBD)	\$677.00
5FLEX15	5FLEX15	Flex 5" I.D. x 15' Long	\$202.00
HCTW	HCTW ❖	Heating/Cooling Thermostat - 120 volt	\$405.00

\*Forced air kit was not included in the EPA emissions testing for this fireplace, therefore cannot be sold as EPA certified.

**NOTE: LIMITED QUANTITIES ON HAND. NON 2020 APPROVED PRODUCT CANNOT BE SOLD AFTER MAY 15TH, 2020. CONTACT RMI FOR AVAILABILITY AND INFO ON 2020 APPROVED MODELS.**

The VILLA VISTA CD, now ships with a collar to use 7" Snap-Pak Vent. Must use 7" Snap-Pak Venting or purchase a collar assy, F3167, to use 7" Security Venting.



**Villa Vista**

#### Fireplace Framing Dimensions

Height	Width	Depth
47 3/8"	38 1/4"	24"

SOME BRANDS ARE ONLY AVAILABLE IN SELECTED AREAS, SEE MAP ON PAGE 4 OR CONTACT YOUR REGIONAL SALES MANGER FOR MORE INFO.

Pricing, model numbers and availability are subject to change without notice. Call for most current information.

## Ladera - BIS EPA Certified Wood Burning Fireplace

### Features:

- Clean and stylish circulating radiant design
- Ceramic glass opening with air wash system that keeps the glass clean
- Precision laser-cut heavy door with heat resistant door handle and easy-close latch
- Primary air combustion control for variable heat output
- Advanced Combustion System with bypass control for maximum performance
- 175 CFM blower included for gentle air distribution into the room
- 2.0 cubic feet insulated firebox that accepts up to 18" log size for increased performance
- White stacked, textured, interior panels with integrated ash li and hysteel log retainer
- Includes insulated outside air kit (required for use)

### EPA2020



**Ladera**

MAT.#	MODEL NUMBER	DESCRIPTION	LIST PRICE
F3556	LADERA CAT	Ladera Fireplace, EPA Wood Burning Fireplace	\$3,244.00

### Fireplace Framing Dimensions

Height	Width	Depth
37 3/4"	36"	22"

**USES 6" SECURITY ASHT VENTING (SEE PAGE 522).**

### Ladera Optional Accessories

H7303	CSK	Cast Surround Kit	\$1,306.00
H7757	CSK-DK ❖	Cast Surround Decorative Keystone	\$99.00
BISFWK-1	BSIFWK-1*	Forced Air Heating Kit for Wall or Floor Installation. Includes Blower (BISZY), flex adaptor, 2 clamps (BISAF), blower variable speed control (VRUW), thermo-disc (VTU), blower flex adaptor (BISAVF) and back draft damper (BISBD)	\$677.00
5FLEX15	5FLEX15	Flex 5" I.D. x 15' Long	\$202.00
HCTW	HCTW ❖	Heating/Cooling Thermostat - 120 volt	\$405.00

**\*Forced air kit was not included in the EPA emissions testing for this fireplace, therefore cannot be sold as EPA certified.**

The LADERA CAT, now ships with a collar to use 6" Snap-Pak Vent. Must use 6" Snap-Pak Venting or purchase a collar assy, F3169, to use 6" Security Venting.

## Brentwood™ EPA Certified Wood Burning Fireplace

### Features:

- Circulating Louvered Design Features Ceramic Glass for Optimum Heat Transfer
- 2.0 cu ft Insulated Firebox that Accepts up to 19" Log Size
- White Stacked Textured Refractory Panels w/ Integrated Ash Lip and Decorative Cast Iron Log Retainer
- Air Combustion Control
- Includes Insulated Outside Air Kit (required for use)
- Efficient Air Wash System
- Cast Iron Door (required) w/ Heat Resistant Door Handle that Stays Cool to the Touch



### BRENTWOOD SP

#### Fireplace Framing Dimensions

Height	Width	Depth
37"	36 3/8"	24 1/2"

MAT.#	MODEL NUMBER	DESCRIPTION	LIST PRICE
H4825	BRENTWOODSP	Brentwood Wood Burning Fireplace	\$2,967.00

USES 6" SECURITY VENTING (SEE PAGE 522).

### Must Order Door to Complete Unit.

#### Doors - Required

F1859	BWBK	Cast Iron Doors - Black	\$951.00
-------	------	-------------------------	----------

### BRENTWOOD SP Optional Accessories

UZY5	UZY5	Blower	\$357.00
VRUW	VRUW	Variable Speed Control for UZY5 Blower	\$98.00
H0518	BWZF ❖	Panel for Clean Face Option (Must Use Heat Flo Kit)	\$99.00
F3790	EPA-HEATFLO-KIT	EPA Fireplace HeatFlo Convection Kit: 2 aluminum flex w/ R4 insulated sleeve, 8" x 10", 2 wall thimbles, 2 duct adapters, 2 duct rings, 2 white grills and screws	\$420.00

#### Forced Air Heating Kit

Installed on the Side of the Fireplace - Use of the Forced Air Kit is Not Included in EPA certification.

BISFWK-1	BISFWK-1	Starter Kit for Wall or Floor Installations	\$677.00
5FLEX15	5FLEX15	Flex 5" I.D. x 15' Long	\$202.00
5FLEX25	5FLEX25 ❖	Flex 5" I.D. x 25' Long	\$334.00

**NOTE: LIMITED QUANTITIES ON HAND. NON 2020 APPROVED PRODUCT CANNOT BE SOLD AFTER MAY 15TH, 2020. CONTACT RMI FOR AVAILABILITY AND INFO ON 2020 APPROVED MODELS.**

The BRENTWOODSP, now ships with a collar to use 6" Snap-Pak Vent. Must use 6" Snap-Pak Venting or purchase a collar assy, F3168, to use 6" Security Venting.