



SEE-THROUGH

SINGLE SIDED

Between  
 Montigo and the  
 competition, there's  
 a clear **Distinction**<sup>TM</sup>

Available in 36", 48", 63"  
 and 72" viewing areas

Reflective black ceramic  
 glass liner

Multi-color LED  
 uplighting with full  
 function remote

Invisimesh safety  
 screen Quiet heat  
 circulating fans



**Cool Wall Advantage**  
 Elegance & heat, exactly  
 where you want it.

Mount TV or heat sensitive products directly above the unit

Reduces glass and wall temperatures

Available in sidewall and TV kits

[www.montigo.com](http://www.montigo.com)

**MONTIGO**<sup>®</sup>  
 the art of **fireplaces**

## Distinction Series - D7215

### Features:

- Ceramic Glass Door
- Power Vent Compatible
- Turn Down Gas Valve with Stepper Motor
- Full Feature Proflame 2 Remote Control
- Ceramic Glass Reflective Liner, Multi-Color LED Lighting and Star Ice Fireglass
- Quiet Circulating Fans with Remote Speed Adjustment
- Invisimesh Screen

MODEL NUMBER	DESCRIPTION	LIST PRICE
D7215NI-2	72" Fully Loaded Single Sided Linear Direct Vent Fireplace, IPI, 57,000 btu - NG	\$9,175.00
GCA013	NG to LP Conversion Kit	\$99.00

**USES 5"X 8" MONTIGO VENTING (SEE PAGE 513) OR 5"X8" DURAVENT W/ PURCHASE OF ADAPTOR OR POWER VENT COMPATIBLE - TOP VENT ONLY.**

### D7215 Optional Accessories

RR450SS	Designer Speckled Stones	\$522.00
LGS57*	Driftwood Log Set, 1 of 3	\$195.00
LGS58*	Driftwood Log Set, 2 of 3	\$230.00
LGS59*	Driftwood Log Set, 3 of 3	\$189.00

**\*INSTALLATION REQUIRES ALL 3 LOGSETS**

### Cool Wall Advantage Accessories

HDKPD72	Cool Wall Kit, Includes: louver, plenum, collars (requires HDKPDFK)	\$781.00
HDKSD	Cool Wall Advantage Side Discharge Kit, Horizontal, Includes: 2 louvers, 2 plenums (requires HDKPDFK)	\$290.00
HDKSVD	Cool Wall Advantage Side Discharge Kit, Vertical, Includes: 2 louvers, 2 plenums (requires HDKPDFK)	\$290.00
HDKPDFK	Cool Wall Flex Kit - 5" x 24"	\$134.00

### Must Use Adaptor to Vent Unit w/ DuraVent

58DVA-AD-M1	5" x 8" DuraVent Adaptor	\$66.55
-------------	--------------------------	---------



**D7215**

### Fireplace Framing Dimensions

Height	Width	Depth
59 3/8"	95 3/8"	18 1/2"

**SOME BRANDS ARE ONLY AVAILABLE IN SELECTED AREAS, SEE MAP ON PAGE 4 OR CONTACT YOUR REGIONAL SALES MANGER FOR MORE INFO.**

Pricing, model numbers and availability are subject to change without notice. Call for most current information.

## Distinction Series - D6315

### Features:

- Ceramic Glass Door
- Power Vent Compatible
- Turn Down Gas Valve with Stepper Motor
- Full Feature Proflame 2 Remote Control
- Ceramic Glass Reflective Liner, Multi-Color LED Lighting and Star Ice Fireglass
- Quiet Circulating Fans with Remote Speed Adjustment
- Invisimesh Screen

MODEL NUMBER	DESCRIPTION	LIST PRICE
D6315NI-2	63" Fully Loaded Single Sided Linear Direct Vent Fireplace, IPI, 50,000 btu - NG	\$8,229.00
GCA009	NG to LP Conversion Kit	\$99.00

**USES 5"X 8" MONTIGO VENTING (SEE PAGE 513) OR 5"X8" DURAVENT W/ PURCHASE OF ADAPTOR OR POWER VENT COMPATIBLE - TOP VENT ONLY.**

### D6315 Optional Accessories

RR450SS	Designer Speckled Stones	\$522.00
LGS58*	Driftwood Log Set, 1 of 2	\$230.00
LGS59*	Driftwood Log Set, 2 of 2	\$189.00

**\*INSTALLATION REQUIRES BOTH LOGSETS**

### Cool Wall Advantage Accessories

HDKPD63	Cool Wall Kit, Includes: louver, plenum, collars (requires HDKPDFK)	\$693.00
HDKSD	Cool Wall Advantage Side Discharge Kit, Horizontal, Includes: 2 louvers, 2 plenums (requires HDKPDFK)	\$290.00
HDKSVF	Cool Wall Advantage Side Discharge Kit, Vertical, Includes: 2 louvers, 2 plenums (requires HDKPDFK)	\$290.00
HDKPDFK	Cool Wall Flex Kit - 5" x 24'	\$134.00

### Must Use Adaptor to Vent Unit w/ DuraVent

58DVA-AD-M1	5" x 8" DuraVent Adaptor	\$66.55
-------------	--------------------------	---------



### D6315

#### Fireplace Framing Dimensions

Height	Width	Depth
50 3/8"	79 1/2"	18"

## Distinction Series - D4815

### Features:

- Ceramic Glass Door
- Turn Down Gas Valve with Stepper Motor
- Full Feature Proflame 2 Remote Control
- Ceramic Glass Reflective Liner, Multi-Color LED Lighting and Star Ice Fireglass
- Quiet Circulating Fans with Remote Speed Adjustment
- Invisimesh Screen

MODEL NUMBER	DESCRIPTION	LIST PRICE
D4815NI-2	48" Fully Loaded Single Sided Linear Direct Vent Fireplace, IPI, 40,000 btu - NG	\$4,395.00
GCA017	NG to LP Conversion Kit	\$99.00

**USES 5" X 8" MONTIGO VENTING (SEE PAGE 513) OR 5" X 8" DURAVENT W/ PURCHASE OF ADAPTOR OR POWER VENT COMPATIBLE - TOP VENT ONLY.**

### D4815 Optional Accessories

RR200SS	Designer Speckled Stones	\$235.00
LGS57*	Driftwood Log Set, 1 of 3	\$195.00
LGS59*	Driftwood Log Set, 2 of 3	\$189.00
LGS61*	Driftwood Log Set, 3 of 3	\$149.00

**\*INSTALLATION REQUIRES ALL 3 LOGSETS**

### Cool Wall Advantage Accessories

HDKPD48	Cool Wall Kit, Includes: louver, plenum, collars (requires HDKPDFK)	\$495.00
HDKSD	Cool Wall Advantage Side Discharge Kit, Horizontal, Includes: 2 louvers, 2 plenums (requires HDKPDFK)	\$290.00
HDKSVF	Cool Wall Advantage Side Discharge Kit, Vertical, Includes: 2 louvers, 2 plenums (requires HDKPDFK)	\$290.00
HDKPDFK	Cool Wall Flex Kit - 5" x 24'	\$134.00

### Must Use Adaptor to Vent Unit w/ DuraVent

58DVA-AD-M1	5" x 8" DuraVent Adaptor	\$66.55
-------------	--------------------------	---------



### D4815

#### Fireplace Framing Dimensions

Height	Width	Depth
50"	71 3/4"	17 1/2"

**SOME BRANDS ARE ONLY AVAILABLE IN SELECTED AREAS, SEE MAP ON PAGE 4 OR CONTACT YOUR REGIONAL SALES MANGER FOR MORE INFO.**

Pricing, model numbers and availability are subject to change without notice. Call for most current information.

## Distinction Series - D3615

### Features:

- Ceramic Glass Door
- Turn Down Gas Valve with Stepper Motor
- Full Feature Proflame 2 Remote Control
- Ceramic Glass Reflective Liner, Multi-Color LED Lighting and Star Ice Fireglass
- Quiet Circulating Fans with Remote Speed Adjustment
- Invisimesh Screen

MODEL NUMBER	DESCRIPTION	LIST PRICE
D3615NI-2	36" Fully Loaded Single Sided Linear Direct Vent Fireplace, IPI, 35,000 btu - NG	\$3,295.00
GCA015	NG to LP Conversion Kit	\$99.00

**USES 5"X 8" MONTIGO VENTING (SEE PAGE 513) OR 5"X8" DURAVENT W/ PURCHASE OF ADAPTOR OR POWER VENT COMPATIBLE - TOP VENT ONLY.**

### D3615 Optional Accessories

RR150SS	Designer Speckled Stones	\$177.00
LGS59*	Driftwood Log Set, 1 of 2	\$189.00
LGS60*	Driftwood Log Set, 2 of 2	\$206.00

**\*INSTALLATION REQUIRES ALL BOTH LOGSETS**

### Cool Wall Advantage Accessories

HDKPD36	Cool Wall Kit, Includes: louver, plenum, collars (requires HDKPDFK)	\$379.00
HDKSD	Cool Wall Advantage Side Discharge Kit, Horizontal, Includes: 2 louvers, 2 plenums (requires HDKPDFK)	\$290.00
HDKSVD	Cool Wall Advantage Side Discharge Kit, Vertical, Includes: 2 louvers, 2 plenums (requires HDKPDFK-1)	\$290.00
HDKPDFK-1	Cool Wall Flex Kit - 5" x 12'	\$66.00

### Must Use Adaptor to Vent Unit w/ Duravent

58DVA-AD-M1	5" x 8" DuraVent Adaptor	\$66.55
-------------	--------------------------	---------



**D3615**

### Fireplace Framing Dimensions

Height	Width	Depth
49 15/16"	59 1/4"	17 1/2"



DelRay DRL3613



## Beautify your home at an entry level price point

*The DelRay, functionality and ease of installation all within a stunning clean face design*

- Concealed ribbon burner with Ice fireglass
- Convert to propane in minutes with our simple field conversion kit
- Thin 14¼" framing depth with 4"/7" venting for ease of installation
- Finish materials right up to the fireplace's edges for a clean finish.
- Easily accessible control board and valve at the front of the unit for easy maintenance and adjustment

## DelRay DRL3613 Linear Gas Fireplace



### Features:

- Concealed Ribbon Burner with Star Ice Fireglass
- Simple Field Conversion Kit
- Thin 14 1/4" Framing Depth
- Finish Materials Right up to the Fireplace's Edges for a Clean Finish
- Comes with Proflame II Basic Control Module

MODEL NUMBER	DESCRIPTION	LIST PRICE
DRL3613NI	36" Linear Direct Vent Fireplace, IPI, 16,000 btu - NG	\$1,745.00
GCA010	NG to LP Conversion Kit	\$69.00

**USES 4" X 6 5/8" DURAVENT APPROVED W/ PURCHASE OF ADAPTER OR MONTIGO VENT - TOP VENT ONLY.**

### D3613 Optional Accessories

RR150	Designer Speckled Stones	\$177.00
LGS59	Driftwood Log Set	\$189.00
RX60	Remote Control Kit - On/Off plus Thermostatic Control	\$277.00
MFVK05	Wall Penetration Flex Kit. Includes-RHS100 wall heat shield, 5' flex pipe (with spacers), and MTO4F termination with frame. Suitable for corner installations and up and out installations.	\$230.00

### Must Use Adaptor to Vent Unit w/ DuraVent Pipe

46DVA-AD-M1	4" x 6 5/8" DuraVent Appliance Adaptor	\$38.00
46DVA-AD-M2	4" x 6 5/8" DuraVent Termination Adaptor	\$38.95

**NOTE: IF USING DURAVENT, YOU MUST USE MONTIGO TERMINATION W/ 46DVA-AD-M2 ADAPTOR.**



**DRL3613**

### Fireplace Framing Dimensions

Height	Width	Depth
33 11/16"	43 3/8"	14 1/4"

## P52 Linear Direct Vent Fireplace

### Features:

- Clean Face Design
- Snap-Lock Door for Access to the Firebox
- Remote Flame Level Adjustment
- Full Feature Proflame II Remote Control
- Remote Controlled Fan
- Concealed Ribbon Burner, Reflective Black Porcelain Panels, Up-Lighting and Firestones

MODEL NUMBER	DESCRIPTION	LIST PRICE
P52DFNI-2	52" Linear Direct Vent Fireplace, IPI, 40,000 btu - NG	\$5,142.00
P52DFLI-2	52" Linear Direct Vent Fireplace, IPI, 40,000 btu - LP	\$5,142.00

**USES 5" X 10" MONTIGO VENTING OR POWER VENT COMPATIBLE - TOP/REAR VENT**

### P52 Optional Accessories

P52SFPSB ❖	Satin Black Decorative Surround	\$634.00
P52SFPS ❖	Stainless Steel Decorative Surround	\$1,142.00
RR350SS	Designer Specked Stones	\$4,047.00
LGSPseries	Driftwood Log Set	\$375.00

### 5" x 10" Power Vent Systems

PVHEX510-300	5"x10" Horizontal External Wall Mount Vent System + Mounting Frame	\$2,341.00
PVHFL510-300 ❖	5"x10" Flush Louvered External Wall Mount Power Vent System + Mounting Frame	\$2,574.00
PVVEX510-300	5"x10" Vertical External Roof Mount Power Vent System + Mounting Frame	\$2,341.00

### EDPV Power Cords - Required with each power vent unit

EPVH-20	20' Power Vent System Power Cord	\$119.00
EPVH-40	40' Power Vent System Power Cord	\$186.00
EPVH-60	60' Power Vent System Power Cord	\$253.00
EPVH-80	80' Power Vent System Power Cord	\$319.00
EPVH-100	100' Power Vent System Power Cord	\$386.00



**P52**

### Fireplace Framing Dimensions

Height	Width	Depth
43 3/4"	52"	24 1/2"

**SOME BRANDS ARE ONLY AVAILABLE IN SELECTED AREAS, SEE MAP ON PAGE 4 OR CONTACT YOUR REGIONAL SALES MANGER FOR MORE INFO.**

Pricing, model numbers and availability are subject to change without notice. Call for most current information.



## P42 Linear Direct Vent Fireplace

### Features:

- Clean Face Design
- Snap-Lock Door for Access to the Firebox
- Remote Flame Level Adjustment
- Full Feature Proflame II Remote Control
- Remote Controlled Fan
- Concealed Ribbon Burner, Reflective Black Porcelain Panels, Up-Lighting and Firestones



**P42**

### Fireplace Framing Dimensions

Height	Width	Depth
42"	42"	21 7/8"

MODEL NUMBER	DESCRIPTION	LIST PRICE
P42DFNI-2	42" Linear Direct Vent Fireplace, IPI 32,000 btu - NG	\$4,557.00
P42DFLI-2	42" Linear Direct Vent Fireplace, IPI, 32,000 btu - LP	\$4,557.00

**USES 5"X 8" MONTIGO VENTING (SEE PAGE 513) OR 5"X8" DURAVENT W/ PURCHASE OF ADAPTOR - TOP/REAR VENT**

### P42 Optional Accessories

P42SFPSB	Satin Black Decorative Surround	\$571.00
P42SFPS ❖	Stainless Steel Decorative Surround	\$1,077.00
RR300SS	Designer Specked Stones	\$346.00
LGSPseries	Driftwood Log Set	\$375.00

### Must Use Adaptor to Vent Unit w/ DuraVent Pipe

58DVA-AD-M1	5" x 8" DuraVent Adaptor	\$66.55
-------------	--------------------------	---------

**SOME BRANDS ARE ONLY AVAILABLE IN SELECTED AREAS, SEE MAP ON PAGE 4 OR CONTACT YOUR REGIONAL SALES MANGER FOR MORE INFO.**

Pricing, model numbers and availability are subject to change without notice. Call for most current information.

❖ – Non Stock Special Order

**Goldsboro (Best & Langston) Ph: 888-260-1900 Fax: 919-739-9920**

## P38 Linear Direct Vent Fireplace

### Features:

- Clean Face Design
- Snap-Lock Door for Access to the Firebox
- Remote Flame Level Adjustment
- Full Feature Proflame II Remote Control
- Remote Controlled Fan
- Concealed Ribbon Burner, Reflective Black Porcelain Panels, Up-Lighting and Firestones

MODEL NUMBER	DESCRIPTION	LIST PRICE
P38DFNI-2	38" Linear Direct Vent Fireplace, IPI, 25,000 btu - NG	\$4,090.00
P38DFLI-2 ❖	38" Linear Direct Vent Fireplace, IPI, 25,000 btu - LP	\$4,090.00

**USES 5" X 8" MONTIGO VENTING (SEE PAGE 513) OR 5" X 8" DURAVENT W/ PURCHASE OF ADAPTOR - TOP/REAR VENT**

### P38 Optional Accessories

P38SFPSB ❖	Satin Black Decorative Surround	\$508.00
P38SFPS S ❖	Stainless Steel Decorative Surround	\$1,014.00
RR250SS	Designer Specked Stones	\$295.00
LGSPseries	Driftwood Log Set	\$375.00

### Must Use Adaptor to Vent Unit w/ DuraVent Pipe

58DVA-AD-M1	5" x 8" DuraVent Adaptor	\$66.55
-------------	--------------------------	---------



**P38**

### Fireplace Framing Dimensions

Height	Width	Depth
41 1/4"	37 3/4"	20 1/8"

**SOME BRANDS ARE ONLY AVAILABLE IN SELECTED AREAS, SEE MAP ON PAGE 4 OR CONTACT YOUR REGIONAL SALES MANGER FOR MORE INFO.**

Pricing, model numbers and availability are subject to change without notice. Call for most current information.

## PL52 Linear Direct Vent Fireplace

### Features:

- Clean Face Design
- Snap-Lock Door for Access to the Firebox
- Concealed Ribbon Burner and Firestones
- Proflame II Basic Control Module

MODEL NUMBER	DESCRIPTION	LIST PRICE
PL52DFNI	52" Linear Direct Vent Fireplace, IPI, 40,000 btu - NG	\$3,895.00
PL52DFLI	52" Linear Direct Vent Fireplace, IPI, 40,000 btu - LP	\$3,895.00

**USES 5"X10" MONTIGO VENTING - TOP/REAR VENT**

### PL52 Optional Accessories

P52SFPSB	Satin Black Decorative Surround	\$634.00
P52SFPS ❖	Stainless Steel Decorative Surround	\$1,142.00
RR350SS	Designer Speckled Stones	\$404.00
LGSPseries	Driftwood Log Set	\$375.00
PPL52	Porcelain Panel Kit	\$557.00
HFK50R	Fan Kit	\$307.00
RX200NG	Wireless Full Load Remote Control Kit - NG	\$552.00
RX200LP	Wireless Full Load Remote Control Kit - LP	\$552.00

### 5" x 10" Power Vent Systems

PVHEX510-300	5"x10" Horizontal External Wall Mount Vent System + Mounting Frame	\$2,341.00
PVHFL510-300 ❖	5"x10" Flush Louvered External Wall Mount Power Vent System + Mounting Frame	\$2,574.00
PVVE510-300	5"x10" Vertical External Roof Mount Power Vent System + Mounting Frame	\$2,341.00

### EDPV Power Cords - Required with each power vent unit

EPVH-20	20' Power Vent System Power Cord	\$119.00
EPVH-40	40' Power Vent System Power Cord	\$186.00
EPVH-60	60' Power Vent System Power Cord	\$253.00
EPVH-80	80' Power Vent System Power Cord	\$319.00
EPVH-100	100' Power Vent System Power Cord	\$386.00



**PL52**

### Fireplace Framing Dimensions

Height	Width	Depth
43 3/4"	52"	24 1/2"

**SOME BRANDS ARE ONLY AVAILABLE IN SELECTED AREAS, SEE MAP ON PAGE 4 OR CONTACT YOUR REGIONAL SALES MANGER FOR MORE INFO.**

Pricing, model numbers and availability are subject to change without notice. Call for most current information.

❖ – Non Stock Special Order

**Goldsboro (Best & Langston) Ph: 888-260-1900 Fax: 919-739-9920**

## PL42 Linear Direct Vent Fireplace

### Features:

- Clean Face Design
- Snap-Lock Door for Access to the Firebox
- Concealed Ribbon Burner and Firestones
- Proflame II Basic Control Module

MODEL NUMBER	DESCRIPTION	LIST PRICE
PL42DFNI	42" Linear Direct Vent Fireplace, IPI, 32,000 btu - NG	\$3,338.00
PL42DFLI	42" Linear Direct Vent Fireplace, IPI 32,000 btu - LP	\$3,338.00

**USES 5"X 8" MONTIGO VENTING (SEE PAGE 513) OR 5"X8" DURAVENT W/ PURCHASE OF ADAPTOR - TOP/REAR VENT**

### PL42 Optional Accessories

P42SFPSB	Satin Black Decorative Surround	\$571.00
P42SFPS ❖	Stainless Steel Decorative Surround	\$1,077.00
RR300SS	Designer Specked Stones	\$346.00
LGSPseries	Driftwood Log Set	\$375.00
PPL42	Porcelain Panel Kit	\$469.00
HFK50R	Fan Kit	\$307.00
RX200NG	Wireless Full Load Remote Control Kit - NG	\$552.00
RX200LP	Wireless Full Load Remote Control Kit - LP	\$552.00

### Must Use Adaptor to Vent Unit w/ DuraVent Pipe

58DVA-AD-M1	5" x 8" DuraVent Adaptor	\$66.55
-------------	--------------------------	---------



**PL42**

### Fireplace Framing Dimensions

Height	Width	Depth
42"	42"	21 7/8"

**SOME BRANDS ARE ONLY AVAILABLE IN SELECTED AREAS, SEE MAP ON PAGE 4 OR CONTACT YOUR REGIONAL SALES MANGER FOR MORE INFO.**

Pricing, model numbers and availability are subject to change without notice. Call for most current information.

## PL38 Linear Direct Vent Fireplace

### Features:

- Clean Face Design
- Snap-Lock Door for Access to the Firebox
- Concealed Ribbon Burner and Firestones
- Proflame II Basic Control Module

MODEL NUMBER	DESCRIPTION	LIST PRICE
PL38DFNI	38" Linear Direct Vent Fireplace, IPI, 25,000 btu - NG	\$2,892.00
PL38DFLI	38" Linear Direct Vent Fireplace, IPI, 25,000 btu - LP	\$2,892.00

**USES 5" X 8" MONTIGO VENTING (SEE PAGE 513) OR 5" X 8" DURAVENT W/ PURCHASE OF ADAPTOR - TOP/REAR VENT**

FRAMING DIMENSIONS - 41 1/4" H X 37 3/4" W X 20 1/8" D

### P38 Optional Accessories

P38SFPSB ❖	Satin Black Decorative Surround	\$508.00
P38SFPS5 ❖	Stainless Steel Decorative Surround	\$1,014.00
RR250SS	Designer Specked Stones	\$295.00
LGSPseries	Driftwood Log Set	\$375.00
PPL38	Porcelain Panel Kit	\$440.00
HFK50R	Fan Kit	\$369.00
RX200NG	Wireless Full Load Remote Control Kit - NG	\$552.00
RX200LP	Wireless Full Load Remote Control Kit - LP	\$552.00

### Must Use Adaptor to Vent Unit w/ DuraVent Pipe

58DVA-AD-M1	5" x 8" DuraVent Adaptor	\$66.55
-------------	--------------------------	---------

**SOME BRANDS ARE ONLY AVAILABLE IN SELECTED AREAS, SEE MAP ON PAGE 4 OR CONTACT YOUR REGIONAL SALES MANGER FOR MORE INFO.**

Pricing, model numbers and availability are subject to change without notice. Call for most current information.

❖ – Non Stock Special Order

**Goldsboro (Best & Langston) Ph: 888-260-1900 Fax: 919-739-9920**

## RP620 Linear Gas Fireplace

### Features:

- Frameless Window Design
- Rock or Tile can be installed over the frame
- Rectangular Door with Tempered Glass
- Standard Power Vent Control Box
- Reflective Black Porcelain Panels, Accent Up-Lighting, Opal Firestones

MODEL NUMBER	DESCRIPTION	LIST PRICE
RP620N	6' Linear Direct Vent Fireplace w/ Concealed Ribbon Burner, Honeywell Hot Surface Ignition, 75,000 btu - NG	\$14,031.00
RP620L ❖	6' Linear Direct Vent Fireplace w/ Concealed Ribbon Burner, Honeywell Hot Surface Ignition, 75,000 btu - LP	\$14,031.00



**RP620 with Logs and Stones**

### USES 5" X 8" MONTIGO POWER VENT PIPE (SEE PAGE 515) - TOP/REAR VENT

FRAMING DIMENSIONS (TOP VENT)- 66" H X 96" W X 26" D

FRAMING DIMENSIONS (REAR VENT)- 55 1/2" H X 90 11/16" W X 26" D

### RP620 Optional Accessories

RXM5010	Skytech Wireless Remote Control Kit - on/off only	\$302.00
RR600SS	Designer Speckled Stones	\$690.00
LGRP6N	Driftwood Log Set for NG Fireplace	\$739.00
LGRP6L ❖	Driftwood Log Set for LP Fireplace	\$580.00

### 5" x 8" Power Vent Systems

Used on any R-Series, R-ST Series, RP Series

PVHIN58-300	5"x8" Flush Louvered Wall Mount Termination + Inline Power Vent	\$2,223.00
PVHEX58-300	5"x8" Horizontal External Wall Mount Vent System + Mounting Frame	\$2,341.00
PVVEX58-300	5"x8" Vertical External Roof Mount Power Vent System + Mounting Frame	\$2,341.00
PVHFL58-300	5"x8" Flush Louvered External Wall Mount Power Vent System + Mounting Frame	\$2,574.00

### EDPV Power Cords

EPVH-20	20' Power Vent System Power Cord	\$119.00
EPVH-40	40' Power Vent System Power Cord	\$186.00
EPVH-60	60' Power Vent System Power Cord	\$253.00
EPVH-80	80' Power Vent System Power Cord	\$319.00
EPVH-100	100' Power Vent System Power Cord	\$386.00

**SOME BRANDS ARE ONLY AVAILABLE IN SELECTED AREAS, SEE MAP ON PAGE 4 OR CONTACT YOUR REGIONAL SALES MANGER FOR MORE INFO.**

Pricing, model numbers and availability are subject to change without notice. Call for most current information.