Echelon II 72 Linear Direct Vent Fireplace



Prices Reflect 1/29/22 Pricing

MODEL NUMBER	DESCRIPTION	LIST PRICE
ECHEL72IN-C	Echelon II 72" Direct Vent Fireplace, 58,000 btu - NG	\$10,259.00
LPKECHEL72	NG to LP Conversion Kit	\$95.00

USES 5" X 8" DVP VENTING (SEE PAGE 403) - TOP VENT ONLY.

Must Choose a Front to Complete Unit.

Fronts - Non-Operable - Required			
CFT-72-BK-C Clean Face Trim - Black			
CFT-72-BZ-C ❖	Clean Face Trim - Bronze	\$859.00	
CFT-72-PT-C ❖ Clean Face Trim - Pewter		\$859.00	

ECHEL72 Optional Accessories

BGK-72	Reflective Black Ceramic Glass Liner Kit	\$909.00
LOGS-DRTWOOD-72	Driftwood Log Set	\$729.00
IFT-RC150-MAJ	IntelliFire Touch White Wireless Wall Switch (on/off, cold climate, battery strength indicator)	\$114.00
IFT-RC400	IntelliFire Touch Black Remote Control, Docking Station and Auxiliary Control Module (on/off, flame height, thermostat mode, fan control, child lock, cold climate timer mode, hot indicator lights, on-screen maintenance and troubleshooting notifications)	\$369.00
IFT-WFM		\$209.00

Heat Management			
PH-FRT	Passive Heat Kit for Front or Top Discharge	\$149.00	
PHTRIM-72C	Vent Trim for Front Discharge Passive Heat	\$219.00	
PH-SIDE	Passive Heat Kit for Side Discharge (Includes 2 Side Registers)	\$219.00	
PHTRIM-MCE-72 ❖	Ducted Vent Trim for Front Discharge Using Ducted Passive Heat (PHFR-MCE-72)	\$259.00	
PHFR-MCE-72 ❖	Ducted Passive Heat for Front Discharge (requires PHTRIM-MCE-72)	\$759.00	
HEAT-OUT-GAS	Heat Out Kit (Includes Termination Cap, 25' of 6" Round Duct, Fireplace Adapter, Damper, Wall Switch and 350 cfm Fan at Termination	\$1,459.00	
HEAT-ZONE-GAS	Heat-Zone Kit(Includes: Fan, 20' Of 6" Round Duct, Vent, Wall Adapter and On/Off Control	\$539.00	
HZLIN-ADP	Heat Zone Adapter, Must Order for Using HEAT-ZONE- Gas	\$149.00	

Media			
GLASS-SP	Sapphire Glass (3 lbs.)	\$70.00	
GLASS-OY	Onyx Glass (3 lbs.)	\$70.00	
GLASS-DM	Diamond Glass (3 lbs.)	\$70.00	
GLASS-BZ	Bronze Glass (Comes Standard w/ Unit) (3 lbs.)	\$70.00	
STONES-NATURAL	Natural Stones	\$106.00	

Note: If changing media, follow the required number of bags below:

Glass media - 7 bags of glass, Natural Stones - 4 bags of stones, Log Set & Stones - 1 bag of stone.



ECHEL72IN

Fireplace Framing Dimensions

Height	Width	Depth
48"	84 1/4"	18 1/4"

Features:

- Clear LED Lights
- IntelliFire Touch Ignition System
- **Optional Passive Heat**
- RC400 Remote Control
- **Battery Backup**
- Ceramic Glass
- Standard w/ Bronze Glass Media



Prices Reflect 1/29/22 Pricing



ECHEL60IN

Fireplace Framing Dimensions

Height	Width	Depth
48"	72 1/4"	18 1/4"

Features:

- Clear LED Lights
- IntelliFire Touch Ignition System
- Optional Passive Heat
- **RC400 Remote Control**
- Battery Backup
- Ceramic Glass
- Standard w/ Bronze Glass Media

	0.10		ear Dire	4	4 Finan	240
40112		nu i ine				7.141
		OO LIII	.ui Dii C		CITTOP	I CI C C

MODEL NUMBER	DESCRIPTION	LIST PRICE
ECHEL60IN-C	Echelon II 60" Direct Vent Fireplace, 50,000 btu - NG	\$7,809.00
LPKECHEL60	NG to LP Conversion Kit	\$95.00

USES 5" X 8" DVP VENTING (SEE PAGE 403) - TOP VENT ONLY.

Must Choose a Front to Complete Unit.

Fronts - Non-Operable - Required			
CFT-60-BK-C	Clean Face Trim - Black	\$749.00	
CFT-60-BZ-C ❖ Clean Face Trim - Bronze		\$789.00	
CFT-60-PT-C	Clean Face Trim - Pewter	\$789.00	
PFF-60-CH-C ❖	Picture Frame Front - Charcoal	\$859.00	

ECHL60 Optional Accessories

BGK-60	Reflective Black Ceramic Glass Liner Kit	\$769.00
LOGS-DRTWOOD-60	Driftwood Log Set	\$609.00
IFT-RC150-MAJ	IntelliFire Touch White Wireless Wall Switch (on/off, cold climate, battery strength indicator)	\$114.00
IFT-RC400	IntelliFire Touch Black Remote Control, Docking Station and Auxiliary Control Module (on/off, flame height, thermostat mode, fan control, child lock, cold climate timer mode, hot indicator lights, on-screen maintenance and troubleshooting notifications)	\$369.00
IFT-WFM	IntelliFire Wi-Fi Module that works with the Intellifire IOS and Android App. Use to control all the features of your fireplace via a smart device. An RC400 or RC500 is required for thermostat control.	\$209.00

Heat Management			
PH-FRT	Passive Heat Kit for Front or Top Discharge	\$149.00	
PHTRIM-60C	Vent Trim for Front Discharge Passive Heat	\$219.00	
PH-SIDE	Passive Heat Kit for Side Discharge (Includes 2 Side Registers)	\$219.00	
PHFR-MCE-60 ❖	Ducted Passive Heat Kit for Front Discharge (requires PHTRIM-PRIMO-60 front trim)	\$709.00	
PHTRIM-PRIMO-60 ❖	Vent Trim for Front Register Passive Heat	\$239.00	
HEAT-OUT-GAS	Heat Out Kit (Includes Termination Cap, 25' of 6" Round Duct, Fireplace Adapter, Damper, Wall Switch and 350 cfm Fan at Termination	\$1,459.00	
HEAT-ZONE-GAS	Heat-Zone Kit(Includes: Fan, 20' Of 6" Round Duct, Vent, Wall Adapter and On/Off Control	\$539.00	
HZLIN-ADP	Heat Zone Adapter, Must Order for Using HEAT-ZONE- Gas	\$149.00	

Media		
GLASS-SP	Sapphire Glass (3 lbs.)	\$70.00
GLASS-OY	Onyx Glass (3 lbs.)	\$70.00
GLASS-DM	Diamond Glass (3 lbs.)	\$70.00
GLASS-BZ	Bronze Glass (Comes Standard w/ Unit) (3 lbs.)	\$70.00
STONES-NATURAL	Natural Stones	\$106.00

Note: If changing media, follow the required number of bags below:

Glass media - 6 bags of glass, Natural Stones - 3 bags of stones, Log Set & Stones - 1 bag of stone.



Echelon II 48 Linear Direct Vent Fireplace

MODEL NUMBER	DESCRIPTION	LIST PRICE
ECHEL48IN-C	Echelon II 48" Direct Vent Fireplace, 40,000 btu - NG	\$5,529.00
LPKECHEL48	NG to LP Conversion Kit	\$95.00

USES 5" X 8" DVP VENTING (SEE PAGE 403) - TOP VENT ONLY. FIREPLACE FRAMING DIMENSIONS - 60 1/4" W X 42" H X 18 1/4" D.

Must Choose a Front to Complete Unit.

Fronts - Non-Operable - Required		
CFT-48-BK-C	Clean Face Trim - Black	\$439.00
CFT-48-BZ-C ❖	Clean Face Trim - Bronze	\$479.00
CFT-48-PT-C ❖	Clean Face Trim - Pewter	\$479.00
PFF-48-CH-C	Picture Frame Front - Charcoal	\$809.00

ECHEL48 Optional Accessories

BGK-48	Reflective Black Ceramic Glass Liner Kit	\$719.00
LOGS-DRTWOOD-48	Driftwood Log Set	\$489.00
IFT-WFM	IntelliFire Wi-Fi Module that works with the Intellifire IOS and Android App. Use to control all the features of your fireplace via a smart device. An RC400 or RC500 is required for thermostat control.	\$209.00
IFT-RC150-MAJ	IntelliFire Touch White Wireless Wall Switch (on/off, cold climate, battery strength indicator)	\$114.00
IFT-RC400	IntelliFire Touch Black Remote Control, Docking Station and Auxiliary Control Module (on/off, flame height, thermostat mode, fan control, child lock, cold climate timer mode, hot indicator lights, on-screen maintenance and troubleshooting notifications)	\$369.00

Heat Management		
PH-FRT	Passive Heat Kit for Front or Top Discharge	\$149.00
PHTRIM-48C	Vent Trim for Front Discharge Passive Heat	\$199.00
PH-SIDE	Passive Heat Kit for Side Discharge (Includes 2 Side Registers)	\$219.00
PHSI-MCE ❖	Ducted Passive Heat Kit for Side Discharge (includes duct and 2 side registers)	\$529.00
PHFR-MCE-48 ❖	Ducted Passive Heat Kit for Front Discharge (requires PHTRIM-PRIMO-48 front trim)	\$639.00
PHTRIM-PRIMO-48 ❖	Vent Trim for Front Register Passive Heat	\$239.00
HEAT-OUT-GAS	Heat Out Kit (Includes Termination Cap, 25' of 6" Round Duct, Fireplace Adapter, Damper, Wall Switch and 350 cfm Fan at Termination	\$1,459.00
HEAT-ZONE-GAS	Heat-Zone Kit (Includes: Fan, 20' Of 6" Round Duct, Vent, Wall Adapter and On/Off Control	\$539.00
HZLIN-ADP	Heat Zone Adapter, Must Order for Using HEAT-ZONE- Gas	\$149.00
Media		
GLASS-SP	Sapphire Glass (3 lbs.)	\$70.00
GLASS-OY	Onyx Glass (3 lbs.)	\$70.00
GLASS-DM	Diamond Glass (3 lbs.)	\$70.00
GLASS-BZ	Bronze Glass (Comes Standard w/ Unit) (3 lbs.)	\$70.00
STONES-NATURAL	Natural Stones	\$106.00

Note: If changing media, follow the required number of bags below:

Glass media - 4 bags of glass, Natural Stones - 3 bags of stones, Log Set & Stones - 1 bag of stone.

Prices Reflect 1/29/22 Pricing

Features:

- Clear LED Lights
- IntelliFire Touch Ignition System
- **Optional Passive Heat**
- **RC400 Remote Control**
- **Battery Backup**
- Ceramic Glass
- Standard w/ Bronze Glass Media



Prices Reflect 1/29/22 Pricing



ECHEL36IN

Fireplace Framing Dimensions

Height	Width	Depth
42"	48 1/4"	18 1/4"

Features:

- Clear LED Lights
- IntelliFire Touch Ignition System
- **Optional Passive Heat**
- **RC400 Remote Control**
- **Battery Backup**
- Ceramic Glass
- Standard w/ Bronze Glass Media

Echelon II 36 I	Linear Direct Vent Fire	place

MODEL NUMBER	DESCRIPTION	LIST PRICE
ECHEL36IN-C	Echelon II 36" Direct Vent Fireplace, 30,000 btu - NG	\$4,379.00
LPKECHEL36	NG to LP Conversion Kit	\$95.00

USES 5" X 8" DVP VENTING (SEE PAGE 403) - TOP VENT ONLY.

Must Choose a Front to Complete Unit.

Fronts - Non-Operable - Required		
CFT-36-BK-C	Clean Face Trim - Black	\$409.00
CFT-36-BZ-C ❖	Clean Face Trim - Bronze	\$459.00
CFT-36-PT-C ❖	Clean Face Trim - Pewter	\$459.00
PFF-36-CH-C ❖	Picture Frame Front - Charcoal	\$709.00

ECHEL36 Optional Accessories

BGK-36	Reflective Black Ceramic Glass Liner Kit	\$599.00
LOGS-DRTWOOD-36	Driftwood Log Set	\$369.00
IFT-WFM	IntelliFire Wi-Fi Module that works with the Intellifire IOS and Android App. Use to control all the features of your fireplace via a smart device. An RC400 or RC500 is required for thermostat control.	\$209.00
IFT-RC150-MAJ	IntelliFire Touch White Wireless Wall Switch (on/off, cold climate, battery strength indicator)	\$114.00
IFT-RC400	IntelliFire Touch Black Remote Control, Docking Station and Auxiliary Control Module (on/off, flame height, thermostat mode, fan control, child lock, cold climate timer mode, hot indicator lights, on-screen maintenance and troubleshooting notifications)	\$369.00

Heat Management		
PH-FRT	Passive Heat Kit for Front or Top Discharge	\$149.00
PHTRIM-36C	Vent Trim for Front Discharge Passive Heat	\$199.00
PH-SIDE	Passive Heat Kit for Side Discharge (Includes 2 Side Registers)	\$219.00
PHTRIM-PRIMO-36 ❖	Ducted Vent Trim for Front Discharge Using Ducted Passive Heat (PHFR-MCE-36)	\$179.00
PHSI-MCE �	Ducted Passive Heat for Side Discharge (includes duct and 2 side registers)	\$529.00
PHFR-MCE-36 ❖	Ducted Passive Heat Kit for Front Discharge (requires PHTRIM-MCE-36 front trim)	\$589.00
HEAT-OUT-GAS	Heat Out Kit (Includes Termination Cap, 25' of 6" Round Duct, Fireplace Adapter, Damper, Wall Switch and 350 cfm Fan at Termination	\$1,459.00
HEAT-ZONE-GAS	Heat-Zone Kit (Includes: Fan, 20' Of 6" Round Duct, Vent, Wall Adapter and On/Off Control	\$539.00
HZLIN-ADP	Heat Zone Adapter, Must Order for Using HEAT-ZONE- Gas	\$149.00

Media		
GLASS-SP	Sapphire Glass (3 lbs.)	\$70.00
GLASS-OY	Onyx Glass (3 lbs.)	\$70.00
GLASS-DM	Diamond Glass (3 lbs.)	\$70.00
GLASS-BZ	Bronze Glass (Comes Standard w/ Unit) (3 lbs.)	\$70.00
STONES-NATURAL	Natural Stones	\$106.00

Note: If changing media, follow the required number of bags below:

Glass media - 3 bags of glass, Natural Stones - 2 bags of stones, Log Set & Stones - 1 bag of stone.



Prices Reflect 1/29/22 Pricing

Jade 42 Linear Direct Vent Fireplace

Features:

- IntelliFire Touch Ignition System
- Bronze Glass Media
- Tempered Glass

NOTE: If installing a Passive Heat kit you cannot use a fan.

NOTE: If installing a SmartWall kit you cannot use a power vent or fan. NOTE: If ordering lights, fan or SmartWall kit, must order IFT-RC400.

MODEL NUMBER	DESCRIPTION	LIST PRICE
JADE42IN-B	Jade 42" Direct Vent Fireplace, 25,250 btu - NG	\$3,139.00
JADE42IL-B	Jade 42" Direct Vent Fireplace, 25,500 btu - NG	\$3,139.00

USES 4" X 6 5/8" SLP VENTING (SEE PAGE 402) - TOP VENT ONLY

Must Choose a Front to Complete Unit.

Fronts - Non-Operable - Required		
CFTF-42-BK	Clean Face Trim - Black	\$439.00
CFTF-42-BZ ❖	Clean Face Trim - Bronze	\$479.00
CFTF-42-PT ❖	Clean Face Trim - Pewter	\$479.00
PFF-42-CH	Picture Frame Front - Charcoal	\$729.00

JADE32 Optional Accessories

GFK-160A	Fan Kit 160 CFM (includes rheostat and temperature sensor)	\$319.00
DRTWOOD-JADE	Driftwood Log Set	\$449.00
GLASS-42LINEAR	Fade-Resistant Reflective Black Blass Interior Panels	\$549.00
LED-LINEAR	LED Accent Lights	\$349.00

Media		
GLASS-SP	Sapphire Glass (3 lbs.)	\$70.00
GLASS-OY	Onyx Glass (3 lbs.)	\$70.00
GLASS-DM	Diamond Glass (3 lbs.)	\$70.00
GLASS-BZ	Bronze Glass (Comes Standard w/ Unit) (3 lbs.)	\$70.00
STONES-NATURAL	Natural Stones	\$106.00

NOTE: IF CHANGING MEDIA, FOLLOW THE REQUIRED NUMBER OF BAGS BELOW: GLASS MEDIA - 3 BAGS OF GLASS, NATURAL STONES - 6 BAGS OF STONES, LOG SET & STONES - 1 BAG OF STONES.

Continued on next page



JADE42

Fireplace Framing Dimensions

Height	Width	Depth
32 3/4"	49"	17 3/4"



Prices Reflect 1/29/22 Pricing

	r Direct Vent Fireplace - Cont.	
MODEL NUMBER	DESCRIPTION	LIST PRICE
Heat Management		
HEAT-DUCT	Home Heat Distribution Kit - heat distributions via home furnace air handler (includes fan, 20' of 6" round duct, vent, adaptor, and adjustment control)	\$379.00
PHTRIM-42LINEAR	Vent Trim for Front Discharge Passive Heat	\$172.00
PH-FRT-LINEAR	Passive Heat Kit for Front or Top Discharge	\$159.00
PH-LINEAR ❖	Passive Heat Kit for Side Discharge (includes 2 side registers)	\$169.00
HEAT-OUT-GAS	Heat Out Kit (includes termination cap, 25' of 6" round duct, fireplace adapter, damper, wall switch and 350CFM fan at termination)	\$1,459.00
HEAT-ZONE GAS	Heat-Zone Kit (includes fan, 20' of 6" round duct, vent, wall adapter and on/off control)	\$539.00
SMART-WALL-B	Smart Wall TV Kit (includes fan, 20' of 6" round duct, vent register); allows for TV installation of a TV 12" above the fireplace with no mantel or shelf *Refer to manual for installation requirements.	\$1,049.00
Controls		
IFT-WFM	IntelliFire Wi-Fi Module that works with the Intellifire IOS and Android App. Use to control all the features of your fireplace via a smart device. An RC400 or RC500 is required for thermostat control.	\$209.00
IFT-ACM	IntelliFire Touch Aux Module. Must Order if Adding Fan, Lights or Power Vent and Want to Use the IFT-WFM. Do Not Need to Order if Using IFT-RC400 (includes IFT-ACM)	\$94.00
IFT-RC150-MAJ	IntelliFire Touch White Wireless Wall Switch (on/off, cold climate, battery strength indicator)	\$114.00
IFT-RC400	IntelliFire Touch Black Remote Control, Docking Station and Auxiliary Control Module (on/off, flame height, thermostat mode, fan control, child lock, cold climate, timer mode, hot indicator, lights, on-screen maintenance and troubleshooting notifications)	\$369.00
LED-SWITCH	3 Toggle Wall Switch for Multi-Color Selection	\$130.00



Prices Reflect 1/29/22 Pricing

Jade 32 Linear Direct Vent Fireplace

Features:

- IntelliFire Touch Ignition System
- Bronze Glass Media
- Tempered Glass

NOTE: If installing a Passive Heat kit you cannot use a fan.

NOTE: If installing a SmartWall kit you cannot use a power vent or fan NOTE: If ordering lights, fan or SmartWall kit, must order IFT-RC400

MODEL NUMBER	DESCRIPTION	LIST PRICE
JADE32IN-B	Jade 32" Direct Vent Fireplace, 19,000 btu - NG	\$2,529.00
LPK-32LINEAR	LP Conversion Kit	\$95.00

USES 4" X 6 5/8" SLP VENTING (SEE PAGE 402) - TOP VENT ONLY

Must Choose a Front to Complete Unit.

Fronts - Non-Operable - Required		
CFTF-32-BK	Clean Face Trim - Black	\$409.00
PFF-32-CH	Picture Frame Front - Charcoal	\$709.00

JADE32 Optional Accessories

GFK-160A	Fan Kit 160 CFM (includes rheostat and temperature sensor)	\$319.00
DRTWOOD-JADE	Driftwood Log Set	\$449.00
GLASS-32LINEAR	Fade-Resistant Reflective Black Blass Interior Panels	\$509.00
LED-LINEAR	LED Accent Lights	\$349.00

Media		
GLASS-SP	Sapphire Glass (3 lbs.)	\$70.00
GLASS-OY	Onyx Glass (3 lbs.)	\$70.00
GLASS-DM	Diamond Glass (3 lbs.)	\$70.00
GLASS-BZ	Bronze Glass (Comes Standard w/ Unit) (3 lbs.)	\$70.00
STONES-NATURAL	Natural Stones	\$106.00

NOTE: IF CHANGING MEDIA, FOLLOW THE REQUIRED NUMBER OF BAGS BELOW: GLASS MEDIA - 2 BAGS OF GLASS, NATURAL STONES - 4 BAGS OF STONES, LOG SET & STONES - 1/2 BAG OF STONES.

Continued on next page



JADE32

Fireplace Framing Dimensions

Height	Width	Depth
36 1/2"	37"	17 3/4"



Prices Reflect 1/29/22 Pricing

Jade 32 Linear Direct Vent Fireplace - Cont.		
MODEL NUMBER	DESCRIPTION	LIST PRICE
Heat Management		
HEAT-DUCT	Home Heat Distribution Kit - heat distributions via home furnace air handler (includes fan, 20' of 6" round duct, vent, adaptor, and adjustment control)	\$379.00
PHTRIM-32LINEAR	Vent Trim for Front Discharge Passive Heat	\$127.00
PH-FRT-LINEAR	Passive Heat Kit for Front or Top Discharge	\$159.00
PH-LINEAR �	Passive Heat Kit for Side Discharge (includes 2 side registers)	\$169.00
HEAT-OUT-GAS	Heat Out Kit (includes termination cap, 25' of 6" round duct, fireplace adapter, damper, wall switch and 350CFM fan at termination)	\$1,459.00
HEAT-ZONE GAS	Heat-Zone Kit (includes fan, 20' of 6" round duct, vent, wall adapter and on/off control)	\$539.00
SMART-WALL-B	Smart Wall TV Kit (includes fan, 20' of 6" round duct, vent register); allows for TV installation of a TV 12" above the fireplace with no mantel or shelf *Refer to manual for installation requirements.	\$1,049.00
Controls		
IFT-WFM	IntelliFire Wi-Fi Module that works with the Intellifire IOS and Android App. Use to control all the features of your fireplace via a smart device. An RC400 or RC500 is required for thermostat control.	\$209.00
IFT-ACM	IntelliFire Touch Aux Module. Must Order if Adding Fan, Lights or Power Vent and Want to Use the IFT- WFM. Do Not Need to Order if Using IFT-RC400 (includes IFT-ACM)	\$94.00
IFT-RC150-MAJ	IntelliFire Touch White Wireless Wall Switch (on/off, cold climate, battery strength indicator)	\$114.00
IFT-RC400	IntelliFire Touch Black Remote Control, Docking Station and Auxiliary Control Module (on/off, flame height, thermostat mode, fan control, child lock, cold climate, timer mode, hot indicator, lights, on-screen maintenance and troubleshooting notifications)	\$369.00
LED-SWITCH	3 Toggle Wall Switch for Multi-Color Selection	\$130.00




Prices Reflect 1/29/22 Pricing

DV Linear 36 Direct Vent Fireplace

Features:

- IntelliFire Touch Ignition System
- Onxy Media
- Tempered Glass

MODEL NUMBER	DESCRIPTION	LIST PRICE
DVLINEAR36	36" Direct Vent Fireplace, 16,500 btu - NG	\$2,189.00
LPK-DVLIN36	NG to LP Conversion Kit	\$95.00



DVLINEAR Optional Accessories

RCT-MLT-HHT	IP Remote Control (on/off, fan speed, flame control, temperature readout, thermostat mode, timer mode)	\$389.00
SMART-STAT-HHT	Remote Control - IPI or SP (on/off, temperature readout, thermostat mode, timer mode)	



DVLINEAR36

Fireplace Framing Dimensions

Height	Width	Depth
36 1/2"	37"	17 3/4"