

Gas Fireplaces – Direct Vent Linear



Echelon II 72 Linear Direct Vent Fireplace

MODEL NUMBER	DESCRIPTION	LIST PRICE
ECHEL72IN-C	Echelon II 72" Direct Vent Fireplace, 58,000 btu - NG	\$9,769.00
LPKECHEL72	NG to LP Conversion Kit	\$95.00

USES 5" X 8" DVP VENTING (SEE PAGE 403) - TOP VENT ONLY.

Must Choose a Front to Complete Unit.

Fronts - Non-Operable - Required

CFT-72-BK-C	Clean Face Trim - Black	\$739.00
CFT-72-BZ-C ❖	Clean Face Trim - Bronze	\$789.00
CFT-72-PT-C ❖	Clean Face Trim - Pewter	\$789.00

ECHEL72 Optional Accessories

BGK-72	Reflective Black Ceramic Glass Liner Kit	\$839.00
LOGS-DRTWOOD-72	Driftwood Log Set	\$669.00
IFT-RC150-MAJ	IntelliFire Touch White Wireless Wall Switch (on/off, cold climate, battery strength indicator)	\$106.00
IFT-RC400	IntelliFire Touch Black Remote Control, Docking Station and Auxiliary Control Module (on/off, flame height, thermostat mode, fan control, child lock, cold climate timer mode, hot indicator lights, on-screen maintenance and troubleshooting notifications)	\$339.00
IFT-WFM		\$189.00

Heat Management

PH-FRT	Passive Heat Kit for Front or Top Discharge	\$138.00
PHTRIM-72C	Vent Trim for Front Discharge Passive Heat	\$199.00
PH-SIDE	Passive Heat Kit for Side Discharge (Includes 2 Side Registers)	\$199.00
PHTRIM-MCE-72 ❖	Ducted Vent Trim for Front Discharge Using Ducted Passive Heat (PHFR-MCE-72)	\$219.00
PHFR-MCE-72 ❖	Ducted Passive Heat for Front Discharge (requires PHTRIM-MCE-72)	\$649.00
HEAT-OUT-GAS	Heat Out Kit (Includes Termination Cap, 25' of 6" Round Duct, Fireplace Adapter, Damper, Wall Switch and 350 cfm Fan at Termination)	\$1,349.00
HEAT-ZONE-GAS	Heat-Zone Kit (Includes: Fan, 20' Of 6" Round Duct, Vent, Wall Adapter and On/Off Control)	\$499.00
HZLIN-ADP	Heat Zone Adapter, Must Order for Using HEAT-ZONE-Gas	\$138.00

Media

GLASS-SP	Sapphire Glass (3 lbs.)	\$65.00
GLASS-OY	Onyx Glass (3 lbs.)	\$65.00
GLASS-DM	Diamond Glass (3 lbs.)	\$65.00
GLASS-BZ	Bronze Glass (Comes Standard w/ Unit) (3 lbs.)	\$65.00
STONES-NATURAL	Natural Stones	\$98.00

Note: If changing media, follow the required number of bags below:

Glass media - 7 bags of glass, Natural Stones - 4 bags of stones, Log Set & Stones - 1 bag of stone.

SOME BRANDS ARE ONLY AVAILABLE IN SELECTED AREAS, SEE MAP ON PAGE 4 OR CONTACT YOUR REGIONAL SALES MANAGER FOR MORE INFO.

Pricing, model numbers and availability are subject to change without notice. Call for most current information.

❖ – Non Stock Special Order - NO RETURNS or CANCELATIONS

RMI Ph: 800-628-5044 Fax: 800-243-8341 raymurray.com

73



ECHEL72IN

Fireplace Framing Dimensions

Height	Width	Depth
48"	84 1/4"	18 1/4"

Features:

- Clear LED Lights
- IntelliFire Touch Ignition System
- Optional Passive Heat
- RC400 Remote Control
- Battery Backup
- Ceramic Glass
- Standard w/ Bronze Glass Media

Gas Fireplaces – Direct Vent Linear



Echelon II 60 Linear Direct Vent Fireplace

MODEL NUMBER	DESCRIPTION	LIST PRICE
ECHEL60IN-C	Echelon II 60" Direct Vent Fireplace, 50,000 btu - NG	\$7,429.00
LPKECHEL60	NG to LP Conversion Kit	\$95.00

USES 5" X 8" DVP VENTING (SEE PAGE 403) - TOP VENT ONLY.

Must Choose a Front to Complete Unit.

Fronts - Non-Operable - Required

CFT-60-BK-C	Clean Face Trim - Black	\$689.00
CFT-60-BZ-C ❖	Clean Face Trim - Bronze	\$729.00
CFT-60-PT-C	Clean Face Trim - Pewter	\$729.00
PFF-60-CH-C ❖	Picture Frame Front - Charcoal	\$859.00

ECHL60 Optional Accessories

BGK-60	Reflective Black Ceramic Glass Liner Kit	\$709.00
LOGS-DRTWOOD-60	Driftwood Log Set	\$559.00
IFT-RC150-MAJ	IntelliFire Touch White Wireless Wall Switch (on/off, cold climate, battery strength indicator)	\$106.00
IFT-RC400	IntelliFire Touch Black Remote Control, Docking Station and Auxiliary Control Module (on/off, flame height, thermostat mode, fan control, child lock, cold climate timer mode, hot indicator lights, on-screen maintenance and troubleshooting notifications)	\$339.00
IFT-WFM	IntelliFire Wi-Fi Module that works with the IntelliFire IOS and Android App. Use to control all the features of your fireplace via a smart device. An RC400 or RC500 is required for thermostat control.	\$189.00



ECHEL60IN

Fireplace Framing Dimensions

Height	Width	Depth
48"	72 1/4"	18 1/4"

Features:

- Clear LED Lights
- IntelliFire Touch Ignition System
- Optional Passive Heat
- RC400 Remote Control
- Battery Backup
- Ceramic Glass
- Standard w/ Bronze Glass Media

Heat Management

PH-FRT	Passive Heat Kit for Front or Top Discharge	\$138.00
PHTRIM-60C	Vent Trim for Front Discharge Passive Heat	\$199.00
PH-SIDE	Passive Heat Kit for Side Discharge (Includes 2 Side Registers)	\$199.00
PHFR-MCE-60 ❖	Ducted Passive Heat Kit for Front Discharge (requires PHTRIM-PRIMO-60 front trim)	\$599.00
PHTRIM-PRIMO-60 ❖	Vent Trim for Front Register Passive Heat	\$199.00
HEAT-OUT-GAS	Heat Out Kit (Includes Termination Cap, 25' of 6" Round Duct, Fireplace Adapter, Damper, Wall Switch and 350 cfm Fan at Termination)	\$1,349.00
HEAT-ZONE-GAS	Heat-Zone Kit (Includes: Fan, 20' Of 6" Round Duct, Vent, Wall Adapter and On/Off Control)	\$499.00
HZLIN-ADP	Heat Zone Adapter, Must Order for Using HEAT-ZONE-Gas	\$138.00

Media

GLASS-SP	Sapphire Glass (3 lbs.)	\$65.00
GLASS-OY	Onyx Glass (3 lbs.)	\$65.00
GLASS-DM	Diamond Glass (3 lbs.)	\$65.00
GLASS-BZ	Bronze Glass (Comes Standard w/ Unit) (3 lbs.)	\$65.00
STONES-NATURAL	Natural Stones	\$98.00

Note: If changing media, follow the required number of bags below:

Glass media - 6 bags of glass, Natural Stones - 3 bags of stones, Log Set & Stones - 1 bag of stone.

SOME BRANDS ARE ONLY AVAILABLE IN SELECTED AREAS, SEE MAP ON PAGE 4 OR CONTACT YOUR REGIONAL SALES MANAGER FOR MORE INFO.

Pricing, model numbers and availability are subject to change without notice. Call for most current information.

Gas Fireplaces – Direct Vent Linear



Echelon II 48 Linear Direct Vent Fireplace

MODEL NUMBER	DESCRIPTION	LIST PRICE
ECH48IN-C	Echelon II 48" Direct Vent Fireplace, 40,000 btu - NG	\$5,259.00
LPKECH48	NG to LP Conversion Kit	\$95.00

**USES 5" X 8" DVP VENTING (SEE PAGE 403) - TOP VENT ONLY.
FIREPLACE FRAMING DIMENSIONS - 60 1/4" W X 42" H X 18 1/4" D.**

Must Choose a Front to Complete Unit.

Fronts - Non-Operable - Required

CFT-48-BK-C	Clean Face Trim - Black	\$399.00
CFT-48-BZ-C ❖	Clean Face Trim - Bronze	\$439.00
CFT-48-PT-C ❖	Clean Face Trim - Pewter	\$439.00
PFF-48-CH-C	Picture Frame Front - Charcoal	\$749.00

ECHEL48 Optional Accessories

BGK-48	Reflective Black Ceramic Glass Liner Kit	\$659.00
LOGS-DRTWOOD-48	Driftwood Log Set	\$449.00
IFT-WFM	IntelliFire Wi-Fi Module that works with the Intellifire IOS and Android App. Use to control all the features of your fireplace via a smart device. An RC400 or RC500 is required for thermostat control.	\$189.00
IFT-RC150-MAJ	IntelliFire Touch White Wireless Wall Switch (on/off, cold climate, battery strength indicator)	\$106.00
IFT-RC400	IntelliFire Touch Black Remote Control, Docking Station and Auxiliary Control Module (on/off, flame height, thermostat mode, fan control, child lock, cold climate timer mode, hot indicator lights, on-screen maintenance and troubleshooting notifications)	\$339.00

Heat Management

PH-FRT	Passive Heat Kit for Front or Top Discharge	\$138.00
PHTRIM-48C	Vent Trim for Front Discharge Passive Heat	\$179.00
PH-SIDE	Passive Heat Kit for Side Discharge (Includes 2 Side Registers)	\$199.00
PHSI-MCE ❖	Ducted Passive Heat Kit for Side Discharge (includes duct and 2 side registers)	\$449.00
PHFR-MCE-48 ❖	Ducted Passive Heat Kit for Front Discharge (requires PHTRIM-PRIMO-48 front trim)	\$549.00
PHTRIM-PRIMO-48 ❖	Vent Trim for Front Register Passive Heat	\$199.00
HEAT-OUT-GAS	Heat Out Kit (Includes Termination Cap, 25' of 6" Round Duct, Fireplace Adapter, Damper, Wall Switch and 350 cfm Fan at Termination)	\$1,349.00
HEAT-ZONE-GAS	Heat-Zone Kit (Includes: Fan, 20' Of 6" Round Duct, Vent, Wall Adapter and On/Off Control)	\$499.00
HZLIN-ADP	Heat Zone Adapter, Must Order for Using HEAT-ZONE-Gas	\$138.00

Media

GLASS-SP	Sapphire Glass (3 lbs.)	\$65.00
GLASS-OY	Onyx Glass (3 lbs.)	\$65.00
GLASS-DM	Diamond Glass (3 lbs.)	\$65.00
GLASS-BZ	Bronze Glass (Comes Standard w/ Unit) (3 lbs.)	\$65.00
STONES-NATURAL	Natural Stones	\$98.00

Note: If changing media, follow the required number of bags below:

Glass media - 4 bags of glass, Natural Stones - 3 bags of stones, Log Set & Stones - 1 bag of stone.

SOME BRANDS ARE ONLY AVAILABLE IN SELECTED AREAS, SEE MAP ON PAGE 4 OR CONTACT YOUR REGIONAL SALES MANAGER FOR MORE INFO.

Pricing, model numbers and availability are subject to change without notice. Call for most current information.

❖ – Non Stock Special Order - NO RETURNS or CANCELATIONS

RMI Ph: 800-628-5044 Fax: 800-243-8341 raymurray.com

Features:

- Clear LED Lights
- IntelliFire Touch Ignition System
- Optional Passive Heat
- RC400 Remote Control
- Battery Backup
- Ceramic Glass
- Standard w/ Bronze Glass Media

Gas Fireplaces – Direct Vent Linear



Echelon II 36 Linear Direct Vent Fireplace

MODEL NUMBER	DESCRIPTION	LIST PRICE
ECHEL36IN-C	Echelon II 36" Direct Vent Fireplace, 30,000 btu - NG	\$4,169.00
LPKECHEL36	NG to LP Conversion Kit	\$95.00

USES 5" X 8" DVP VENTING (SEE PAGE 403) - TOP VENT ONLY.

Must Choose a Front to Complete Unit.

Fronts - Non-Operable - Required

CFT-36-BK-C	Clean Face Trim - Black	\$379.00
CFT-36-BZ-C ❖	Clean Face Trim - Bronze	\$419.00
CFT-36-PT-C ❖	Clean Face Trim - Pewter	\$419.00
PFF-36-CH-C ❖	Picture Frame Front - Charcoal	\$649.00

ECHEL36 Optional Accessories

BGK-36	Reflective Black Ceramic Glass Liner Kit	\$549.00
LOGS-DRTWOOD-36	Driftwood Log Set	\$339.00
IFT-WFM	IntelliFire Wi-Fi Module that works with the Intellifire IOS and Android App. Use to control all the features of your fireplace via a smart device. An RC400 or RC500 is required for thermostat control.	\$189.00
IFT-RC150-MAJ	IntelliFire Touch White Wireless Wall Switch (on/off, cold climate, battery strength indicator)	\$106.00
IFT-RC400	IntelliFire Touch Black Remote Control, Docking Station and Auxiliary Control Module (on/off, flame height, thermostat mode, fan control, child lock, cold climate timer mode, hot indicator lights, on-screen maintenance and troubleshooting notifications)	\$339.00

Heat Management

PH-FRT	Passive Heat Kit for Front or Top Discharge	\$138.00
PHTRIM-36C	Vent Trim for Front Discharge Passive Heat	\$179.00
PH-SIDE	Passive Heat Kit for Side Discharge (Includes 2 Side Registers)	\$199.00
PHTRIM-PRIMO-36 ❖	Ducted Vent Trim for Front Discharge Using Ducted Passive Heat (PHFR-MCE-36)	\$179.00
PHSI-MCE ❖	Ducted Passive Heat for Side Discharge (includes duct and 2 side registers)	\$449.00
PHFR-MCE-36 ❖	Ducted Passive Heat Kit for Front Discharge (requires PHTRIM-MCE-36 front trim)	\$499.00
HEAT-OUT-GAS	Heat Out Kit (Includes Termination Cap, 25' of 6" Round Duct, Fireplace Adapter, Damper, Wall Switch and 350 cfm Fan at Termination)	\$1,349.00
HEAT-ZONE-GAS	Heat-Zone Kit (Includes: Fan, 20' Of 6" Round Duct, Vent, Wall Adapter and On/Off Control)	\$499.00
HZLIN-ADP	Heat Zone Adapter, Must Order for Using HEAT-ZONE-Gas	\$138.00

Media

GLASS-SP	Sapphire Glass (3 lbs.)	\$65.00
GLASS-OY	Onyx Glass (3 lbs.)	\$65.00
GLASS-DM	Diamond Glass (3 lbs.)	\$65.00
GLASS-BZ	Bronze Glass (Comes Standard w/ Unit) (3 lbs.)	\$65.00
STONES-NATURAL	Natural Stones	\$98.00

Note: If changing media, follow the required number of bags below:

Glass media - 3 bags of glass, Natural Stones - 2 bags of stones, Log Set & Stones - 1 bag of stone.

SOME BRANDS ARE ONLY AVAILABLE IN SELECTED AREAS, SEE MAP ON PAGE 4 OR CONTACT YOUR REGIONAL SALES MANAGER FOR MORE INFO.

Pricing, model numbers and availability are subject to change without notice. Call for most current information.



ECHEL36IN

Fireplace Framing Dimensions

Height	Width	Depth
42"	48 1/4"	18 1/4"

Features:

- Clear LED Lights
- IntelliFire Touch Ignition System
- Optional Passive Heat
- RC400 Remote Control
- Battery Backup
- Ceramic Glass
- Standard w/ Bronze Glass Media



Jade 42 Linear Direct Vent Fireplace

Features:

- IntelliFire Touch Ignition System
- Bronze Glass Media
- Tempered Glass

NOTE: If installing a Passive Heat kit you cannot use a fan.

NOTE: If installing a SmartWall kit you cannot use a power vent or fan.

NOTE: If ordering lights, fan or SmartWall kit, must order IFT-RC400.

MODEL NUMBER	DESCRIPTION	LIST PRICE
JADE42IN-B	Jade 42" Direct Vent Fireplace, 25,250 btu - NG	\$2,959.00
JADE42IL-B	Jade 42" Direct Vent Fireplace, 25,500 btu - NG	\$2,959.00

USES 4" X 6 5/8" SLP VENTING (SEE PAGE 402) - TOP VENT ONLY

Must Choose a Front to Complete Unit.

Fronts - Non-Operable - Required

CFTF-42-BK	Clean Face Trim - Black	\$399.00
CFTF-42-BZ ❖	Clean Face Trim - Bronze	\$439.00
CFTF-42-PT ❖	Clean Face Trim - Pewter	\$439.00
PFF-42-CH	Picture Frame Front - Charcoal	\$669.00

JADE32 Optional Accessories

GFK-160A	Fan Kit 160 CFM (includes rheostat and temperature sensor)	\$299.00
DRTWOOD-JADE	Driftwood Log Set	\$409.00
GLASS-42LINEAR	Fade-Resistant Reflective Black Glass Interior Panels	\$509.00
LED-LINEAR	LED Accent Lights	\$319.00

Media

GLASS-SP	Sapphire Glass (3 lbs.)	\$65.00
GLASS-OY	Onyx Glass (3 lbs.)	\$65.00
GLASS-DM	Diamond Glass (3 lbs.)	\$65.00
GLASS-BZ	Bronze Glass (Comes Standard w/ Unit) (3 lbs.)	\$65.00
STONES-NATURAL	Natural Stones	\$98.00

NOTE: IF CHANGING MEDIA, FOLLOW THE REQUIRED NUMBER OF BAGS BELOW:

GLASS MEDIA - 3 BAGS OF GLASS, NATURAL STONES - 6 BAGS OF STONES, LOG SET & STONES - 1 BAG OF STONES.



JADE42

Fireplace Framing Dimensions

Height	Width	Depth
32 3/4"	49"	17 3/4"

Continued on next page



Jade 42 Linear Direct Vent Fireplace - Cont.

MODEL NUMBER	DESCRIPTION	LIST PRICE
Heat Management		
HEAT-DUCT	Home Heat Distribution Kit - heat distributions via home furnace air handler (includes fan, 20' of 6" round duct, vent, adaptor, and adjustment control)	\$379.00
PHTRIM-42LINEAR	Vent Trim for Front Discharge Passive Heat	\$142.00
PH-FRT-LINEAR	Passive Heat Kit for Front or Top Discharge	\$159.00
PH-LINEAR ❖	Passive Heat Kit for Side Discharge (includes 2 side registers)	\$179.00
HEAT-OUT-GAS	Heat Out Kit (includes termination cap, 25' of 6" round duct, fireplace adapter, damper, wall switch and 350CFM fan at termination)	\$1,349.00
HEAT-ZONE GAS	Heat-Zone Kit (includes fan, 20' of 6" round duct, vent, wall adapter and on/off control)	\$499.00
SMART-WALL-B	Smart Wall TV Kit (includes fan, 20' of 6" round duct, vent register); allows for TV installation of a TV 12" above the fireplace with no mantel or shelf *Refer to manual for installation requirements.	\$969.00
Controls		
IFT-WFM	IntelliFire Wi-Fi Module that works with the Intellifire IOS and Android App. Use to control all the features of your fireplace via a smart device. An RC400 or RC500 is required for thermostat control.	\$189.00
IFT-ACM	IntelliFire Touch Aux Module. Must Order if Adding Fan, Lights or Power Vent and Want to Use the IFT-WFM. Do Not Need to Order if Using IFT-RC400 (includes IFT-ACM)	\$87.00
IFT-RC150-MAJ	IntelliFire Touch White Wireless Wall Switch (on/off, cold climate, battery strength indicator)	\$106.00
IFT-RC400	IntelliFire Touch Black Remote Control, Docking Station and Auxiliary Control Module (on/off, flame height, thermostat mode, fan control, child lock, cold climate, timer mode, hot indicator, lights, on-screen maintenance and troubleshooting notifications)	\$339.00
LED-SWITCH	3 Toggle Wall Switch for Multi-Color Selection	\$120.00

SOME BRANDS ARE ONLY AVAILABLE IN SELECTED AREAS, SEE MAP ON PAGE 4 OR CONTACT YOUR REGIONAL SALES MANAGER FOR MORE INFO.

Pricing, model numbers and availability are subject to change without notice. Call for most current information.



Jade 32 Linear Direct Vent Fireplace

Features:

- IntelliFire Touch Ignition System
- Bronze Glass Media
- Tempered Glass

NOTE: If installing a Passive Heat kit you cannot use a fan.

NOTE: If installing a SmartWall kit you cannot use a power vent or fan

NOTE: If ordering lights, fan or SmartWall kit, must order IFT-RC400

MODEL NUMBER	DESCRIPTION	LIST PRICE
JADE32IN-B	Jade 32" Direct Vent Fireplace, 19,000 btu - NG	\$2,379.00
LPK-32LINEAR	LP Conversion Kit	\$95.00

USES 4" X 6 5/8" SLP VENTING (SEE PAGE 402) - TOP VENT ONLY

Must Choose a Front to Complete Unit.

Fronts - Non-Operable - Required

CFTF-32-BK	Clean Face Trim - Black	\$379.00
PFF-32-CH	Picture Frame Front - Charcoal	\$649.00

JADE32 Optional Accessories

GFK-160A	Fan Kit 160 CFM (includes rheostat and temperature sensor)	\$299.00
DRTWOOD-JADE	Driftwood Log Set	\$409.00
GLASS-32LINEAR	Fade-Resistant Reflective Black Glass Interior Panels	\$469.00
LED-LINEAR	LED Accent Lights	\$319.00

Media

GLASS-SP	Sapphire Glass (3 lbs.)	\$65.00
GLASS-OY	Onyx Glass (3 lbs.)	\$65.00
GLASS-DM	Diamond Glass (3 lbs.)	\$65.00
GLASS-BZ	Bronze Glass (Comes Standard w/ Unit) (3 lbs.)	\$65.00
STONES-NATURAL	Natural Stones	\$98.00

**NOTE: IF CHANGING MEDIA, FOLLOW THE REQUIRED NUMBER OF BAGS BELOW:
GLASS MEDIA - 2 BAGS OF GLASS, NATURAL STONES - 4 BAGS OF STONES, LOG SET &
STONES - 1/2 BAG OF STONES.**



JADE32

Fireplace Framing Dimensions

Height	Width	Depth
36 1/2"	37"	17 3/4"

Continued on next page



Jade 32 Linear Direct Vent Fireplace - Cont.

MODEL NUMBER	DESCRIPTION	LIST PRICE
Heat Management		
HEAT-DUCT	Home Heat Distribution Kit - heat distributions via home furnace air handler (includes fan, 20' of 6" round duct, vent, adaptor, and adjustment control)	\$379.00
PHTRIM-32LINEAR	Vent Trim for Front Discharge Passive Heat	\$127.00
PH-FRT-LINEAR	Passive Heat Kit for Front or Top Discharge	\$159.00
PH-LINEAR ❖	Passive Heat Kit for Side Discharge (includes 2 side registers)	\$179.00
HEAT-OUT-GAS	Heat Out Kit (includes termination cap, 25' of 6" round duct, fireplace adapter, damper, wall switch and 350CFM fan at termination)	\$1,349.00
HEAT-ZONE GAS	Heat-Zone Kit (includes fan, 20' of 6" round duct, vent, wall adapter and on/off control)	\$499.00
SMART-WALL-B	Smart Wall TV Kit (includes fan, 20' of 6" round duct, vent register); allows for TV installation of a TV 12" above the fireplace with no mantel or shelf *Refer to manual for installation requirements.	\$969.00
Controls		
IFT-WFM	IntelliFire Wi-Fi Module that works with the Intellifire IOS and Android App. Use to control all the features of your fireplace via a smart device. An RC400 or RC500 is required for thermostat control.	\$189.00
IFT-ACM	IntelliFire Touch Aux Module. Must Order if Adding Fan, Lights or Power Vent and Want to Use the IFT-WFM. Do Not Need to Order if Using IFT-RC400 (includes IFT-ACM)	\$87.00
IFT-RC150-MAJ	IntelliFire Touch White Wireless Wall Switch (on/off, cold climate, battery strength indicator)	\$106.00
IFT-RC400	IntelliFire Touch Black Remote Control, Docking Station and Auxiliary Control Module (on/off, flame height, thermostat mode, fan control, child lock, cold climate, timer mode, hot indicator, lights, on-screen maintenance and troubleshooting notifications)	\$339.00
LED-SWITCH	3 Toggle Wall Switch for Multi-Color Selection	\$120.00

SOME BRANDS ARE ONLY AVAILABLE IN SELECTED AREAS, SEE MAP ON PAGE 4 OR CONTACT YOUR REGIONAL SALES MANAGER FOR MORE INFO.

Pricing, model numbers and availability are subject to change without notice. Call for most current information.



DV Linear 36 Direct Vent Fireplace

Features:

- IntelliFire Touch Ignition System
- Onyx Media
- Tempered Glass

MODEL NUMBER	DESCRIPTION	LIST PRICE
DVLINEAR36	36" Direct Vent Fireplace, 16,500 btu - NG	\$2,059.00
LPK-DVLIN36	NG to LP Conversion Kit	\$95.00

USES 4" X 6 5/8" SLP VENTING (SEE PAGE 402) - TOP VENT ONLY

DVLINEAR Optional Accessories

RCT-MLT-MAJ	IP Remote Control (on/off, fan speed, flame control, temperature readout, thermostat mode, timer mode)	\$379.00
SMART-STAT-MAJ	Remote Control - IPI or SP (on/off, temperature readout, thermostat mode, timer mode)	\$259.00



DVLINEAR36

Fireplace Framing Dimensions

Height	Width	Depth
36 1/2"	37"	17 3/4"

SOME BRANDS ARE ONLY AVAILABLE IN SELECTED AREAS, SEE MAP ON PAGE 4 OR CONTACT YOUR REGIONAL SALES MANAGER FOR MORE INFO.

Pricing, model numbers and availability are subject to change without notice. Call for most current information.