

Carol Rose Coastal Collection -
Outdoor Burners, Log Sets, Firepits,
and Fireplaces

Carol Rose Coastal Collection Outdoor Loft Burners

Approximate Turndown 33%

Decorative Glass not available on this model

Min Opening OLI24: 18 H x 34 W x 18 D

Min Opening OLI30: 18 H x 36 W x 18 D



Outdoor Loft Series Stainless Steel Burners

Intermittent Ignition Control include Variable Remote Control

| Model | BTU Max/Min | Description | Wt | List |
|--------|---------------|----------------------------------|----|-------------|
| OLI24P | 36,000/28,000 | IP, Variable Remote, 24, Propane | 16 | \$ 1,509.00 |
| OLI24N | 36,000/27,000 | IP, Variable Remote, 24, Nat | 16 | \$ 1,509.00 |
| OLI30P | 40,000/28,000 | IP, Variable Remote, 30, Propane | 18 | \$ 1,605.00 |
| OLI30N | 36,000/27,000 | IP, Variable Remote, 30, Nat | 18 | \$ 1,605.00 |

Gas Supply Timer Options

| Model | BTU Max/Min | Description | Wt | List |
|-------|-------------|-------------------------------------------|-----|-----------|
| GT060 | | E-Stop Gas Timer, 1 to 60 min. | 3 | \$ 215.00 |
| GTCSS | | E-Stop Timer Compartment, Stainless Steel | 1.5 | \$ 155.00 |

Carol Rose Coastal Collection Outdoor Refractory Log Sets & Burners

Min Opening OLX24: 24 3/16 H x 34 3/16 W x 15 9/16 D
 Min Opening OLX30: 24 3/16 H x 38 5/16 W x 15 9/16 D



Outdoor Wildwood Refractory Log Set (Req Burner)

| Model | Pallet Qty | Description | Wt | List |
|---------|------------|---------------------------|----|-----------|
| OLX24WR | 25/pallet | 7-pc., 24-in., Refractory | 66 | \$ 415.00 |
| OLX30WR | 25/pallet | 7-pc., 30-in., Refractory | 70 | \$ 455.00 |

Outdoor Harmony Stainless Steel Burners Millivolt Control with On/Off Switch

| Model | BTU Max/Min | Description | Wt | List |
|--------|---------------|---------------------|----|-------------|
| ONR24P | 50,000/38,000 | MV, 24-in., Propane | 24 | \$ 1,095.00 |
| ONR24N | 50,000/38,000 | MV, 24-in., Nat | 24 | \$ 1,095.00 |
| ONR30P | 50,000/38,000 | MV, 30-in., Propane | 25 | \$ 1,189.00 |
| ONR30N | 50,000/38,000 | MV, 30-in., Nat | 25 | \$ 1,189.00 |

Outdoor Harmony Stainless Steel Burners, Intermittent Ignition System includes Variable Remote Control

| Model | BTU Max/Min | Description | Wt | List |
|--------|---------------|---------------------------------|----|-------------|
| ONI24P | 50,000/34,000 | IP Variable Remote, 24, Propane | 24 | \$ 1,529.00 |
| ONI24N | 50,000/32,000 | IP Variable Remote, 24, Nat | 24 | \$ 1,529.00 |
| ONI30P | 50,000/34,000 | IP Variable Remote, 30, Propane | 25 | \$ 1,605.00 |
| ONI30N | 50,000/32,000 | IP Variable Remote, 30, Nat | 25 | \$ 1,605.00 |

Control Options for MV

| Model | Description | Wt | List |
|-------|-----------------------------------------|----|-----------|
| FRBC | Remote, Battery Receiver/Remote, On/Off | 1 | \$ 195.00 |
| FWS1 | Wall Switch, On/Off | 1 | \$ 31.00 |

Gas Supply Timer Options

| Model | Description | Wt | List |
|-------|-------------------------------------------|-----|-----------|
| GT060 | E-Stop Gas Timer, 1 to 60 min. | 3 | \$ 215.00 |
| GTCSS | E-Stop Timer Compartment, Stainless Steel | 1.5 | \$ 155.00 |

Carol Rose Coastal Collection Outdoor Firebox, Premium 36

Ventless Firebox for outdoor installation
 Opening 15 9/16 x 36
 Framing 36 H x 41 W x 19 1/4 D (see manual before framing)



Includes:

- Stainless Steel Hood and Mesh Curtain

Requires:

- Burner and Log Set

Outdoor Stainless Steel Firebox 36

| Model | Description | Wt | List |
|-----------|-------------------------------|-----|-------------|
| OP36FB2MF | Flush Front, Refractory Liner | 150 | \$ 1,459.00 |

Accessories

| Model | Description | Wt | List |
|---------|---------------------------------------|----|-----------|
| BDO36SS | Bi-Fold Glass Doors SS | 14 | \$ 619.00 |
| DT36SS | Drain Tray, 36-in., Stainless Steel | 12 | \$ 395.00 |
| WD36SS | Weather Door, 36-in., Stainless Steel | 17 | \$ 325.00 |

Gas Supply Timer Options

| Model | Description | Wt | List |
|-------|-------------------------------------------|-----|-----------|
| GT060 | E-Stop Gas Timer, 1 to 60 min. | 3 | \$ 215.00 |
| GTCSS | E-Stop Timer Compartment, Stainless Steel | 1.5 | \$ 155.00 |

Carol Rose Coastal Collection Outdoor Firebox, Premium 42

Ventless Firebox for outdoor installation
 Opening 15 9/16 x 42
 Framing 36 H x 45 W x 19 1/4 D (see manual before framing)



Includes:

- Stainless Steel Hood and Mesh Curtain

Requires:

- Burner and Log Set

Outdoor Stainless Steel Firebox 42

| Model | Description | Wt | List |
|-----------|-------------------------------|-----|-------------|
| OP42FB2MF | Flush Front, Refractory Liner | 160 | \$ 1,605.00 |

Accessories

| Model | Description | Wt | List |
|---------|---------------------------------------|----|-----------|
| BDO42SS | Bi-Fold Glass Doors SS | 15 | \$ 725.00 |
| DT42SS | Drain Tray, 42-in., Stainless Steel | 15 | \$ 469.00 |
| WD42SS | Weather Door, 42-in., Stainless Steel | 20 | \$ 359.00 |

Gas Supply Timer Options

| Model | Description | Wt | List |
|-------|-------------------------------------------|-----|-----------|
| GT060 | E-Stop Gas Timer, 1 to 60 min. | 3 | \$ 215.00 |
| GTCSS | E-Stop Timer Compartment, Stainless Steel | 1.5 | \$ 155.00 |

Carol Rose Coastal Collection Outdoor Fireplace, Premium 36

Ventless Fireplace for outdoor installation
 Opening 24 1/4 x 36
 Framing 36 H x 41 W x 19 1/4 D (see manual before framing)



Includes:

- Stainless Steel Hood and Mesh Curtain
- Refractory Liner

Requires:

- Outdoor Wildwood Refractory Log Set

Outdoor Stainless Steel Fireplace - Millivolt

Refractory Liner, Millivolt Control with On/Off Switch, Standing Pilot, Remote Ready

| Model | BTU Max/Min | Description | Wt | List |
|------------|---------------|-------------------------------|-----|-------------|
| OP36FP32MP | 50,000/36,000 | MV, Refractory Liner, Propane | 162 | \$ 2,659.00 |
| OP36FP32MN | 50,000/38,000 | MV, Refractory Liner, Nat | 162 | \$ 2,659.00 |

Carol Rose Collection Outdoor Stainless Steel Fireplace - Intermittent Ignition

Refractory Liner, Intermittent Ignition includes Variable Remote Control

| Model | BTU Max/Min | Description | Wt | List |
|------------|---------------|------------------------------------|-----|-------------|
| OP36FP72MP | 50,000/36,000 | Int Ign, Refractory Liner, Propane | 161 | \$ 2,989.00 |
| OP36FP72MN | 50,000/38,000 | Int Ign, Refractory Liner, Nat | 161 | \$ 2,989.00 |

Outdoor Wildwood Refractory Log Set (Req)

| Model | | Description | Wt | List |
|---------|-----------|---------------------------|----|-----------|
| OLX24WR | 25/pallet | 7-pc., 24-in., Refractory | 66 | \$ 415.00 |

Accessories

| Model | | Description | Wt | List |
|---------|--|---------------------------------------|----|-----------|
| BDO36SS | | Bi-Fold Glass Doors SS | 14 | \$ 619.00 |
| DT36SS | | Drain Tray, 36-in., Stainless Steel | 12 | \$ 395.00 |
| WD36SS | | Weather Door, 36-in., Stainless Steel | 17 | \$ 325.00 |

Control Options for MV

| Model | | Description | Wt | List |
|-------|--|-----------------------------------------|----|-----------|
| FRBC | | Remote, Battery Receiver/Remote, On/Off | 1 | \$ 195.00 |
| FWS1 | | Wall Switch, On/Off | 1 | \$ 31.00 |

Gas Supply Timer Options

| Model | | Description | Wt | List |
|-------|--|-------------------------------------------|-----|-----------|
| GT060 | | E-Stop Gas Timer, 1 to 60 min. | 3 | \$ 215.00 |
| GTCSS | | E-Stop Timer Compartment, Stainless Steel | 1.5 | \$ 155.00 |

Conversion Kits

| Model | | Description | Wt | List |
|-------|--|---------------------|----|----------|
| 31996 | | Nat to Propane - MV | 1 | \$ 65.00 |
| 31997 | | Propane to Nat - MV | 1 | \$ 65.00 |
| 31992 | | Nat to Propane - IP | 1 | \$ 75.00 |
| 31993 | | Propane to Nat - IP | 1 | \$ 75.00 |

Carol Rose Coastal Collection Outdoor Fireplace, Premium 42

Ventless Fireplace for outdoor installation
 Opening 24 1/4 x 42
 Framing 36 H x 45 W x 19 1/4 D (see manual before framing)

Includes:

- Stainless Steel Hood and Mesh Curtain
- Refractory Liner

Requires:

- Outdoor Wildwood Refractory Log Set



Outdoor Stainless Steel Fireplace - Millivolt

Refractory Liner, Millivolt Control with On/Off Switch, Standing Pilot, Remote Ready

| Model | BTU Max/Min | Description | Wt | List |
|------------|---------------|-------------------------------|-----|-------------|
| OP42FP32MP | 50,000/36,000 | MV, Refractory Liner, Propane | 168 | \$ 2,919.00 |
| OP42FP32MN | 50,000/38,000 | MV, Refractory Liner, Nat | 164 | \$ 2,919.00 |

Outdoor Stainless Steel Fireplace - Intermittent Ignition

Refractory Liner, Intermittent Ignition includes Variable Remote Control

| Model | BTU Max/Min | Description | Wt | List |
|------------|---------------|------------------------------------|-----|-------------|
| OP42FP72MP | 50,000/36,000 | Int Ign, Refractory Liner, Propane | 170 | \$ 3,259.00 |
| OP42FP72MN | 50,000/38,000 | Int Ign, Refractory Liner, Nat | 165 | \$ 3,259.00 |

Outdoor Wildwood Refractory Log Set (Req)

| Model | | Description | Wt | List |
|---------|-----------|---------------------------|----|-----------|
| OLX30WR | 25/pallet | 7-pc., 30-in., Refractory | 70 | \$ 455.00 |

Accessories

| Model | | Description | Wt | List |
|---------|--|---------------------------------------|----|-----------|
| BDO42SS | | Bi-Fold Glass Doors SS | 15 | \$ 725.00 |
| DT42SS | | Drain Tray, 42-in., Stainless Steel | 15 | \$ 469.00 |
| WD42SS | | Weather Door, 42-in., Stainless Steel | 20 | \$ 359.00 |

Control Options for MV

| Model | | Description | Wt | List |
|-------|--|-----------------------------------------|----|-----------|
| FRBC | | Remote, Battery Receiver/Remote, On/Off | 1 | \$ 195.00 |
| FWS1 | | Wall Switch, On/Off | 1 | \$ 31.00 |

Gas Supply Timer Options


| Model | | Description | Wt | List |
|-------|--|-------------------------------------------|-----|-----------|
| GT060 | | E-Stop Gas Timer, 1 to 60 min. | 3 | \$ 215.00 |
| GTCSS | | E-Stop Timer Compartment, Stainless Steel | 1.5 | \$ 155.00 |

Conversion Kits

| Model | | Description | Wt | List |
|-------|--|---------------------|----|----------|
| 31998 | | Nat to Propane - MV | 1 | \$ 65.00 |
| 31999 | | Propane to Nat - MV | 1 | \$ 65.00 |
| 31994 | | Nat to Propane - IP | 1 | \$ 75.00 |
| 31995 | | Propane to Nat - IP | 1 | \$ 75.00 |

Carol Rose Coastal Collection Outdoor Fire Pit, Linear 48

For outdoor installation
 Available with Pre-Programmed-Color
 LED Lighting beneath burner
 Opening 13 11/16 x 46 7/8
 See manual before framing



Includes:

- Manual Electronic Ignition with AA Battery
- 3-Stage Manually Variable Flame

Requires:

- Crushed Glass (6 sq. ft.)
 (Glass Drops or Droplets may be added to area surrounding burner)

Outdoor Stainless Steel Linear Fire Pit

| Model | BTU Max/Min | Description | Wt | List |
|-----------|---------------|--------------------------------------------------|----|-------------|
| OL48TP10P | 55,000/35,500 | 48-in., Manual, Propane | 62 | \$ 2,245.00 |
| OL48TP10N | 55,000/39,500 | 48-in., Manual, Nat | 62 | \$ 2,245.00 |
| OL48TP18P | 55,000/35,500 | 48-in., Manual, Multicolor LED Lighting, Propane | 62 | \$ 2,805.00 |
| OL48TP18N | 55,000/39,500 | 48-in., Manual, Multicolor LED Lighting, Nat | 62 | \$ 2,805.00 |

Accessories

| Model | Description | Wt | List |
|---------|--------------------------------------------------------------------|------|-----------|
| BBA | Stainless Steel Tilt-out Propane Tank Door | 19 | \$ 359.00 |
| BRB | Stainless Steel Register Kit (2 registers, for island ventilation) | 1 | \$ 74.00 |
| DT48LSS | Drain Tray, 48/60 Linear, Stainless Steel | 10.5 | \$ 359.00 |
| WC48LSS | Weather Cover | 14 | \$ 445.00 |
| WG484LT | Wind Deflector Glass, Tall | 35 | \$ 289.00 |

Crushed Glass (translucent) - place over LED lighting

| Model | Description | Wt | List |
|--------|-----------------------------------------------------|-----|----------|
| DG1BZR | Crushed Glass, Bronze Reflective, approx. 1 sq. ft. | 2.5 | \$ 76.00 |
| DG1BCR | Crushed Glass, Copper Reflective, approx. 1 sq. ft. | 2.5 | \$ 76.00 |
| DG1CLF | Crushed Glass, Clear Frost, approx. 1 sq. ft. | 2.5 | \$ 76.00 |

Crushed Glass (opaque), Glass Drops, and Glass Droplets – for accent only

| Model | Description | Wt | List |
|--------|---------------------------------------------------|------|----------|
| DG1BKP | Crushed Glass, Black Polished, approx. 1 sq. ft. | 2.5 | \$ 76.00 |
| DG1BUC | Crushed Glass, Blue Clear, approx. 1 sq. ft. | 2.5 | \$ 76.00 |
| DG1NXS | Drops 1-in., Onyx Solid, approx. 1 sq. ft. | 3.75 | \$ 64.00 |
| DG1GC | Droplets, 1/2-in., Glacier Ice, approx. 1 sq. ft. | 3 | \$ 44.00 |

Gas Supply Timer Options

| Model | Description | Wt | List |
|-------|-------------------------------------------|-----|-----------|
| GT060 | E-Stop Gas Timer, 1 to 60 min. | 3 | \$ 215.00 |
| GTCSS | E-Stop Timer Compartment, Stainless Steel | 1.5 | \$ 155.00 |

Conversion Kits

| Model | Description | Wt | List |
|-------|----------------|----|-----------|
| 37991 | Propane to Nat | 1 | \$ 155.00 |
| 37992 | Nat to Propane | 1 | \$ 155.00 |

Carol Rose Coastal Collection Outdoor Fire Pit, Linear 60

For outdoor installation
 Available with Pre-Programmed-Color
 LED Lighting beneath burner
 Opening 13 11/16 x 58 7/8
 See manual before framing



Includes:

- Manual Electronic Ignition with AA Battery
- 3-Stage Manually Variable Flame

Requires:

- Crushed Glass (7 sq. ft.)
 (Glass Drops or Droplets may be added to area surrounding burner)

Outdoor Stainless Steel Linear Fire Pit

| Model | BTU Max/Min | Description | Wt | List |
|-----------|---------------|--------------------------------------------------|----|-------------|
| OL60TP10P | 65,000/38,000 | 60-in., Manual, Propane | 99 | \$ 2,505.00 |
| OL60TP10N | 65,000/46,500 | 60-in., Manual, Nat | 99 | \$ 2,505.00 |
| OL60TP18P | 65,000/38,000 | 60-in., Manual, Multicolor LED Lighting, Propane | 99 | \$ 3,075.00 |
| OL60TP18N | 65,000/46,500 | 60-in., Manual, Multicolor LED Lighting, Nat | 99 | \$ 3,075.00 |

Accessories

| Model | Description | Wt | List |
|---------|--------------------------------------------------------------------|------|-----------|
| BBA | Stainless Steel Tilt-out Propane Tank Door | 19 | \$ 359.00 |
| BRB | Stainless Steel Register Kit (2 registers, for island ventilation) | 1 | \$ 74.00 |
| DT48LSS | Drain Tray, 48/60 Linear, Stainless Steel | 10.5 | \$ 359.00 |
| WC60LSS | Weather Cover | 16 | \$ 515.00 |
| WG604LT | Wind Deflector Glass, Tall | 43 | \$ 395.00 |

Crushed Glass (translucent) - place over LED lighting

| Model | Description | Wt | List |
|--------|-----------------------------------------------------|-----|----------|
| DG1BZR | Crushed Glass, Bronze Reflective, approx. 1 sq. ft. | 2.5 | \$ 76.00 |
| DG1BCR | Crushed Glass, Copper Reflective, approx. 1 sq. ft. | 2.5 | \$ 76.00 |
| DG1CLF | Crushed Glass, Clear Frost, approx. 1 sq. ft. | 2.5 | \$ 76.00 |

Crushed Glass (opaque), Glass Drops, and Glass Droplets – for accent only

| Model | Description | Wt | List |
|--------|---------------------------------------------------|------|----------|
| DG1BKP | Crushed Glass, Black Polished, approx. 1 sq. ft. | 2.5 | \$ 76.00 |
| DG1BUC | Crushed Glass, Blue Clear, approx. 1 sq. ft. | 2.5 | \$ 76.00 |
| DG1NXS | Drops 1-in., Onyx Solid, approx. 1 sq. ft. | 3.75 | \$ 64.00 |
| DG1GC | Droplets, 1/2-in., Glacier Ice, approx. 1 sq. ft. | 3 | \$ 44.00 |

Gas Supply Timer Options

| Model | Description | Wt | List |
|-------|-------------------------------------------|-----|-----------|
| GT060 | E-Stop Gas Timer, 1 to 60 min. | 3 | \$ 215.00 |
| GTCSS | E-Stop Timer Compartment, Stainless Steel | 1.5 | \$ 155.00 |

Conversion Kits

| Model | Description | Wt | List |
|-------|----------------|----|-----------|
| 37993 | Propane to Nat | 1 | \$ 155.00 |
| 37994 | Nat to Propane | 1 | \$ 155.00 |

Carol Rose Coastal Collection Outdoor Fireplace, Linear 48

Ventless Fireplace for outdoor installation
 Opening 16 3/16 x 48
 Framing 40 13/16 H x 52 W x 19 1/4 D (see manual before framing)

Includes:

- Pre-Programmed-Color LED Lighting beneath burner
- Manual Electronic Ignition with AA Battery
- 3-Stage Manually Variable Flame Height
- Weather Deflector Glass Panels (Taller panel available for windy applications)

Requires:

- Crushed Glass (8 sq. ft.)
 (Glass Drops or Droplets may be added to area surrounding burner)



Outdoor Stainless Steel Linear Fireplace

| Model | BTU Max/Min | Description | Wt | List |
|-------------|---------------|-------------------------|-----|-------------|
| OLL48FP12SP | 55,000/35,000 | 48-in., Manual, Propane | 178 | \$ 3,935.00 |
| OLL48FP12SN | 55,000/35,000 | 48-in., Manual, Nat | 178 | \$ 3,935.00 |

Accessories

| Model | Description | Wt | List |
|---------|----------------------------------------------|------|-----------|
| DT48LSS | Drain Tray, 48/60 Linear, Stainless Steel | 10.5 | \$ 359.00 |
| WD48LSS | Weather Door, 48-in. Linear, Stainless Steel | 12 | \$ 299.00 |
| WG48LT1 | Deflector Glass, 48-in. Linear | 27 | \$ 259.00 |

Gas Supply Timer Options

| Model | Description | Wt | List |
|-------|-------------------------------------------|-----|-----------|
| GT060 | E-Stop Gas Timer, 1 to 60 min. | 3 | \$ 215.00 |
| GTCSS | E-Stop Timer Compartment, Stainless Steel | 1.5 | \$ 155.00 |

Conversion Kits

| Model | Description | Wt | List |
|-------|-------------------------|----|-----------|
| 33814 | Propane to Nat - Manual | 1 | \$ 159.00 |
| 33815 | Nat to Propane - Manual | 1 | \$ 159.00 |

Crushed Glass (translucent) - place over LED lighting

| Model | Description | Wt | List |
|--------|-----------------------------------------------------|-----|----------|
| DG1BZR | Crushed Glass, Bronze Reflective, approx. 1 sq. ft. | 2.5 | \$ 76.00 |
| DG1BCR | Crushed Glass, Copper Reflective, approx. 1 sq. ft. | 2.5 | \$ 76.00 |
| DG1CLF | Crushed Glass, Clear Frost, approx. 1 sq. ft. | 2.5 | \$ 76.00 |

Crushed Glass (opaque), Glass Drops, and Glass Droplets – for accent only

| Model | Description | Wt | List |
|--------|---------------------------------------------------|------|----------|
| DG1BKP | Crushed Glass, Black Polished, approx. 1 sq. ft. | 2.5 | \$ 76.00 |
| DG1BUC | Crushed Glass, Blue Clear, approx. 1 sq. ft. | 2.5 | \$ 76.00 |
| DG1NXS | Drops 1-in., Onyx Solid, approx. 1 sq. ft. | 3.75 | \$ 64.00 |
| DG1GC | Droplets, 1/2-in., Glacier Ice, approx. 1 sq. ft. | 3 | \$ 44.00 |

Carol Rose Coastal Collection Outdoor Fireplace, Linear 60

Ventless Fireplace for outdoor installation
 Opening 16 3/16 x 60
 Framing 31 H x 64 W x 19 1/4 D (see manual before framing)



Includes:

- Pre-Programmed-Color LED Lighting beneath burner
- Manual Electronic Ignition with AA Battery
- 3-Stage Manually Variable Flame Height
- Weather Deflector Glass Panels (Taller panel available for windy applications)

Requires:

- Crushed Glass (10 sq. ft.)
 (Glass Drops or Droplets may be added to area surrounding burner)

Outdoor Stainless Steel Linear Fireplace

| Model | BTU Max/Min | Description | Wt | List |
|-------------|---------------|-------------------------|-----|-------------|
| OLL60FP12SP | 65,000/39,000 | 60-in., Manual, Propane | 253 | \$ 5,019.00 |
| OLL60FP12SN | 65,000/39,000 | 60-in., Manual, Nat | 253 | \$ 5,019.00 |

| ACCESSORIES | Description | Wt | List |
|-------------|----------------------------------------------|------|-----------|
| DT48LSS | Drain Tray, 48/60 Linear, Stainless Steel | 10.5 | \$ 359.00 |
| WD60LSS | Weather Door, 60-in. Linear, Stainless Steel | 14.5 | \$ 375.00 |
| WG60LT1 | Deflector Glass, 60-in. Linear | 37 | \$ 309.00 |

Gas Supply Timer Options

| Model | Description | Wt | List |
|-------|-------------------------------------------|-----|-----------|
| GT060 | E-Stop Gas Timer, 1 to 60 min. | 3 | \$ 215.00 |
| GTCSS | E-Stop Timer Compartment, Stainless Steel | 1.5 | \$ 155.00 |

Conversion Kits

| Model | Description | Wt | List |
|-------|-------------------------|----|-----------|
| 35829 | Nat to Propane - Manual | 1 | \$ 159.00 |
| 35830 | Propane to Nat - Manual | 1 | \$ 159.00 |

Crushed Glass (translucent) - place over LED lighting

| Model | Description | Wt | List |
|--------|-----------------------------------------------------|-----|----------|
| DG1BZR | Crushed Glass, Bronze Reflective, approx. 1 sq. ft. | 2.5 | \$ 76.00 |
| DG1BCR | Crushed Glass, Copper Reflective, approx. 1 sq. ft. | 2.5 | \$ 76.00 |
| DG1CLF | Crushed Glass, Clear Frost, approx. 1 sq. ft. | 2.5 | \$ 76.00 |

Crushed Glass (opaque), Glass Drops, and Glass Droplets – for accent only

| Model | Description | Wt | List |
|--------|---------------------------------------------------|------|----------|
| DG1BKP | Crushed Glass, Black Polished, approx. 1 sq. ft. | 2.5 | \$ 76.00 |
| DG1BUC | Crushed Glass, Blue Clear, approx. 1 sq. ft. | 2.5 | \$ 76.00 |
| DG1NXS | Drops 1-in., Onyx Solid, approx. 1 sq. ft. | 3.75 | \$ 64.00 |
| DG1GC | Droplets, 1/2-in., Glacier Ice, approx. 1 sq. ft. | 3 | \$ 44.00 |

Carol Rose Coastal Collection Outdoor Fireplace, Linear See-Through 48

Ventless Fireplace for outdoor installation
 Opening 16 3/16 x 48
 Framing 40 13/16 H x 52 W x 22 5/16 D (see manual before framing)



Includes:

- Pre-Programmed-Color LED Lighting beneath burner
- Manual Electronic Ignition with AA Battery
- 3-Stage Manually Variable Flame Height
- Weather Deflector Glass Panels (Taller panel available for windy applications)

Requires:

- Crushed Glass (8 sq. ft.)
 (Glass Drops or Droplets may be added to area surrounding burner)

Outdoor Stainless Steel Linear Fireplace

| Model | BTU Max/Min | Description | Wt | List |
|-------------|---------------|--------------------------------------|-----|-------------|
| OLL48SP12SP | 55,000/35,000 | See-Through, 48-in., Manual, Propane | 198 | \$ 4,209.00 |
| OLL48SP12SN | 55,000/35,000 | See-Through 48-in., Manual, Nat | 198 | \$ 4,209.00 |

| ACCESSORIES | Description | Wt | List |
|-------------|----------------------------------------------|------|-----------|
| DT48LSS | Drain Tray, 48/60 Linear, Stainless Steel | 10.5 | \$ 359.00 |
| WD48LSS | Weather Door, 48-in. Linear, Stainless Steel | 12 | \$ 299.00 |
| WG48LT1 | Deflector Glass, 48-in. Linear | 27 | \$ 259.00 |

Order Two Weather Doors and Deflector Glass Kits for See-Through Fireplace

Gas Supply Timer Options

| Model | Description | Wt | List |
|-------|-------------------------------------------|-----|-----------|
| GT060 | E-Stop Gas Timer, 1 to 60 min. | 3 | \$ 215.00 |
| GTCSS | E-Stop Timer Compartment, Stainless Steel | 1.5 | \$ 155.00 |

Conversion Kits

| Model | Description | Wt | List |
|-------|-------------------------|----|-----------|
| 33814 | Propane to Nat - Manual | 1 | \$ 159.00 |
| 33815 | Nat to Propane - Manual | 1 | \$ 159.00 |

Crushed Glass (translucent) - place over LED lighting

| Model | Description | Wt | List |
|--------|-----------------------------------------------------|-----|----------|
| DG1BZR | Crushed Glass, Bronze Reflective, approx. 1 sq. ft. | 2.5 | \$ 76.00 |
| DG1BCR | Crushed Glass, Copper Reflective, approx. 1 sq. ft. | 2.5 | \$ 76.00 |
| DG1CLF | Crushed Glass, Clear Frost, approx. 1 sq. ft. | 2.5 | \$ 76.00 |

Crushed Glass (opaque), Glass Drops, and Glass Droplets – for accent only

| Model | Description | Wt | List |
|--------|---------------------------------------------------|------|----------|
| DG1BKP | Crushed Glass, Black Polished, approx. 1 sq. ft. | 2.5 | \$ 76.00 |
| DG1BUC | Crushed Glass, Blue Clear, approx. 1 sq. ft. | 2.5 | \$ 76.00 |
| DG1NXS | Drops 1-in., Onyx Solid, approx. 1 sq. ft. | 3.75 | \$ 64.00 |
| DG1GC | Droplets, 1/2-in., Glacier Ice, approx. 1 sq. ft. | 3 | \$ 44.00 |

Carol Rose Coastal Collection Outdoor Fireplace, Linear See-Through 60

Ventless Fireplace for outdoor installation
 Opening 16 3/16 x 60
 Framing 31 H x 64 W x 22 1/2 D (see manual before framing)



Includes:

- Pre-Programmed-Color LED Lighting beneath burner
- Manual Electronic Ignition with AA Battery
- 3-Stage Manually Variable Flame Height
- Weather Deflector Glass Panels (Taller panel available for windy applications)

Requires:

- Crushed Glass (10 sq. ft.)
 (Glass Drops or Droplets may be added to area surrounding burner)

Outdoor Stainless Steel Linear Fireplace

| Model | BTU Max/Min | Description | Wt | List |
|-------------|---------------|--------------------------------------|-----|-------------|
| OLL60SP12SP | 65,000/39,000 | See-Through, 60-in., Manual, Propane | 296 | \$ 5,145.00 |
| OLL60SP12SN | 65,000/39,000 | See-Through 60-in., Manual, Nat | 296 | \$ 5,145.00 |

| ACCESSORIES | Description | Wt | List |
|-------------|----------------------------------------------|------|-----------|
| DT48LSS | Drain Tray, 48/60 Linear, Stainless Steel | 10.5 | \$ 359.00 |
| WD60LSS | Weather Door, 60-in. Linear, Stainless Steel | 14.5 | \$ 375.00 |
| WG60LT1 | Deflector Glass, 60-in. Linear | 37 | \$ 309.00 |

Order Two Weather Doors and Deflector Glass Kits for See-Through Fireplace

Gas Supply Timer Options

| Model | Description | Wt | List |
|-------|-------------------------------------------|-----|-----------|
| GT060 | E-Stop Gas Timer, 1 to 60 min. | 3 | \$ 215.00 |
| GTCSS | E-Stop Timer Compartment, Stainless Steel | 1.5 | \$ 155.00 |

Conversion Kits

| Model | Description | Wt | List |
|-------|-------------------------|----|-----------|
| 35829 | Nat to Propane - Manual | 1 | \$ 159.00 |
| 35830 | Propane to Nat - Manual | 1 | \$ 159.00 |

Crushed Glass (translucent) - place over LED lighting

| Model | Description | Wt | List |
|--------|-----------------------------------------------------|-----|----------|
| DG1BZR | Crushed Glass, Bronze Reflective, approx. 1 sq. ft. | 2.5 | \$ 76.00 |
| DG1BCR | Crushed Glass, Copper Reflective, approx. 1 sq. ft. | 2.5 | \$ 76.00 |
| DG1CLF | Crushed Glass, Clear Frost, approx. 1 sq. ft. | 2.5 | \$ 76.00 |

Crushed Glass (opaque), Glass Drops, and Glass Droplets – for accent only

| Model | Description | Wt | List |
|--------|---------------------------------------------------|------|----------|
| DG1BKP | Crushed Glass, Black Polished, approx. 1 sq. ft. | 2.5 | \$ 76.00 |
| DG1BUC | Crushed Glass, Blue Clear, approx. 1 sq. ft. | 2.5 | \$ 76.00 |
| DG1NXS | Drops 1-in., Onyx Solid, approx. 1 sq. ft. | 3.75 | \$ 64.00 |
| DG1GC | Droplets, 1/2-in., Glacier Ice, approx. 1 sq. ft. | 3 | \$ 44.00 |