



PRICE LIST – USA

MADE IN CANADA



WWW.OSBURN-MFG.COM

STOVE BUILDER INTERNATIONAL INC. (SBI)
250, DE COPENHAGUE
ST-AUGUSTIN-DE-DESMARES
(QUEBEC) CANADA G3A 2H3

CUSTOMER SERVICE
PHONE: 844-344-3071
FAX: 1-888-355-5067
E-MAIL: SAC@SBI-INTERNATIONAL.COM

2023

VALID FROM JANUARY 1ST 2023

Valid from January 1st 2023
Printed on January 17th 2023



GENERAL POLICIES

**PURCHASE ORDERS MUST BE SENT BY FAX: 888-676-4413,
or EMAIL: orders@sbi-international.com**

YOU NEED INFORMATION ABOUT YOUR ORDER?

Contact our customer service team at **1-844-344-3071** and follow the instructions.

By email at sac@sbi-international.com

YOU NEED TECHNICAL ADVICE?

Contact our technical support team at **1-877-356-6663** and follow the instructions.

By email at tech@sbi-international.com

ORDER CANCELLATION

SBI will charge a fee of 8% for the cancellation of any order with a value greater than \$2,000. This fee will be increased to 15% if the cancellation occurs within 2 weeks of the expected ship date. Returns of merchandise must be authorized.

CHANGES TO THE PRICE LIST

SBI reserves the right, without notice, to make changes to the price lists during the year (addition, withdrawal, price change, etc.). It is the customer's responsibility to always download the most up-to-date price list from the customer portal.

FUEL SURCHARGE

In the case of a crisis in the oil products industry, a fuel surcharge per stove or insert will be applied according to the following table if the recommended fuel surcharge as published by the Freight Carriers Association of Canada is above 50% for truckloads or containers under 55,000 lb (25,000 kg).

FCA PUBLISHED SURCHARGE	TRANSPORT SURCHARGE IN \$/STOVE
< 50%	N/A
50% to 54.9%	\$4.00
55% to 59.9%	\$6.00
60% to 64.9%	\$8.00
65% to 69.9%	\$10.00
70% to 74.9%	\$12.00
75% to 79.9%	\$14.00
80% and more	\$16.00

The fuel surcharge will only be applicable to customers whose prices may include prepaid freight or who benefit from fixed freight rate brackets. The fuel surcharge invoiced by SBI is calculated at the date of shipment. In addition, the fuel surcharge will be applicable if the FCA published surcharge remains higher than 50% for at least 2 weeks. Should this occur, the surcharge applied by SBI will be in effect for a minimum period of 2 weeks. The goal of the surcharge is to make commerce viable between SBI and its customers would a crisis occur.

NORTH AMERICAN PREPAID & CHARGE FREIGHT POLICIES FOR PARTS AND ACCESSORIES

All part and accessories are shipped collect on the customer's courier account (UPS, Fedex, Puro, etc.). If the customer does not have a courier account, parts can be shipped "prepaid & charge". For customers ordering at least one stove, parts, and accessories with a total weight of less than 200 lb will ship free of charge under the customer's appliance freight program.

Table of contents

WOOD STOVES (EPA 2020) - SMALL	4
950 WOOD STOVE - OB00950	4
WOOD STOVES (EPA 2020) - MEDIUM	5
1700 WOOD STOVE - OB01700	5
WOOD STOVES (EPA 2020) - LARGE	6
2000 WOOD STOVE WITH BLOWER - OB02015	6
INSPIRE 2000 WOOD STOVE - OB02042	7
MATRIX WOOD STOVE WITH BLOWER - OB02032	8
WOOD STOVES (EPA 2020) - EXTRA LARGE	9
3300 WOOD STOVE - OB03300	9
3500 WOOD STOVE WITH BLOWER - OB03500	10
WOOD INSERTS (EPA 2020) - SMALL	11
MATRIX 1900 WOOD INSERT - OB01900	11
MATRIX 1900 WOOD INSERT WITH CONNECTOR AND 5.5" X 25' LINER KIT - OB01900K	12
WOOD INSERTS (EPA 2020) - MEDIUM	13
1700 WOOD INSERT - OB01705	13
1700 WOOD INSERT WITH 5.5" X 25' FOREVER FLEX LINER KIT - OB01705K	14
WOOD INSERTS (EPA 2020) - LARGE	15
2000 WOOD INSERT - OB02016	15
2000 WOOD INSERT WITH 5.5" X 25' FOREVER FLEX LINER KIT - OB02016K	16
INSPIRE 2000-I WOOD INSERT - OB02045	17
INSPIRE 2000-I WOOD INSERT WITH CONNECTOR AND 5.5" X 25' LINER KIT - OB02045K	18
MATRIX 2700 WOOD INSERT - OB02700	19
MATRIX 2700 WOOD INSERT WITH 5.5" X 25' FOREVER FLEX LINER KIT - OB02700K	20
MATRIX WOOD INSERT - OB02028	21
MATRIX WOOD INSERT WITH CONNECTOR AND 5.5" X 25' LINER KIT - OB02028K	22
WOOD INSERTS (EPA 2020) - EXTRA LARGE	23
3500 WOOD INSERT - OB03510	23
3500 WOOD INSERT WITH 5.5" X 25' FOREVER FLEX LINER KIT - OB03510K	24
WOOD FIREPLACES (EPA 2020) - LARGE	25
EVEREST II WOOD FIREPLACE - OB04016	25
EVEREST II WOOD FIREPLACE INCLUDING 4 LENGTHS OF 6" X 36" CHIMNEY - OB04016K	26
STRATFORD II WOOD FIREPLACE - OB04007	27
STRATFORD II WOOD FIREPLACE INCLUDING 4 LENGTHS OF 6" X 36" CHIMNEY - OB04007K	28
WOOD FIREPLACES (EPA 2020) - EXTRA LARGE	29
HORIZON WOOD FIREPLACE - OB04010	29
HORIZON WOOD FIREPLACE INCLUDING 4 LENGTHS OF 8" X 36" CHIMNEY - OB04010K	30
PELLET STOVES (EPA 2020) - MEDIUM	31
2500 PELLET STOVE - OP00025	31
FIREPLACE TOOL SETS	32

950 WOOD STOVE



Manufacturer code
OB00950

MSRP
\$1799.00

UPC code 773388203577

INSTALLATION AUTHORIZED ON THE ISLAND OF MONTREAL

EPA
2020

OPTIONS

MSRP

AC01349	• 5"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$250.00
AC01420	• RIGID FIRESCREEN	\$160.00
AC01421	• 5"Ø FRESH AIR INTAKE KIT FOR WOOD STOVE	\$150.00
AC02023	• BLOWER WITH THERMODISC	\$250.00
AC02090	• 5"Ø X 4' INSULATED FLEX PIPE FOR FRESH AIR INTAKE KIT	\$45.00

FEATURES

• Approved for an alcove installation	: Yes
• Chimney diameter	: 6"
• Height X Width X Depth - Overall	: 28 7/8" X 20 1/4" X 27 7/8"
• Average particulate emissions rate	: 1.8 g/h
• Maximum log length	: 17"
• Approved for a mobile home installation	: Yes, with fresh air intake
• Shipping Weight	: 317 lb (144 kg)
• Recommended heating area-ft ²	: 250 - 1,200
• Combustion Technology	: Non-catalytic
• Maximum burn time	: 5 h
• Blower included	: No
• Overall firebox volume-ft ³	: 1.8

1700 WOOD STOVE



Manufacturer code
OB01700

MSRP
\$1799.00

UPC code 773388177861

INSTALLATION AUTHORIZED ON THE ISLAND OF MONTREAL

EPA
2020

Requires the addition of accessories (A) and (B) to complete the unit

REQUIRED ACCESSORIES

MSRP

A

OA10249	• BLACK DOOR OVERLAY	\$100.00
OA10250	• BRUSHED NICKEL DOOR OVERLAY	\$250.00

B

OA10244	• PEDESTAL WITH ASH DRAWER	\$350.00
OA10245	• BLACK CAST IRON STRAIGHT LEGS WITH ASH DRAWER	\$500.00
OA10246	• BRUSHED NICKEL CAST IRON STRAIGHT LEGS WITH ASH DRAWER	\$750.00
OA10247	• BLACK CAST IRON TRADITIONAL LEGS WITH ASH DRAWER	\$300.00
OA10248	• BRUSHED NICKEL CAST IRON TRADITIONAL LEGS WITH ASH DRAWER	\$700.00

OPTIONS

MSRP

AC01000	• 130 CFM BLOWER WITH VARIABLE SPEED CONTROL (THERMODISC INCLUDED)	\$350.00
AC01291	• 5"Ø FRESH AIR INTAKE KIT FOR WOOD STOVE ON LEGS	\$200.00
AC01299	• RIGID FIRESCREEN	\$180.00
AC01336	• 5"Ø FRESH AIR INTAKE KIT FOR WOOD STOVE ON PEDESTAL	\$110.00
AC02090	• 5"Ø X 4' INSULATED FLEX PIPE FOR FRESH AIR INTAKE KIT	\$45.00
OA10132	• GLASS ASH LIP	\$150.00

FEATURES

• Approved for an alcove installation	: Yes
• Chimney diameter	: 6"
• Height X Width X Depth - Overall	: 30 3/8" X 24 7/8" X 23 1/4"
• Average particulate emissions rate	: 1.26 g/h
• Maximum log length	: 18"
• Approved for a mobile home installation	: Yes
• Shipping Weight	: 331 lb (150 kg)
• Recommended heating area-ft ²	: 500 - 1,800
• Combustion Technology	: Non-catalytic
• Maximum burn time	: 6 h
• Blower included	: No

2000 WOOD STOVE WITH BLOWER



Manufacturer code
OB02015

MSRP
\$2299.00

UPC code 773388164168

INSTALLATION AUTHORIZED ON THE ISLAND OF MONTREAL

EPA
2020

Requires the addition of accessories (A) and (B) to complete the unit

REQUIRED ACCESSORIES

MSRP

A

OA10237	• BLACK DOOR OVERLAY	\$100.00
OA10238	• BRUSHED NICKEL DOOR OVERLAY	\$300.00

B

OA10226	• BLACK CAST IRON TRADITIONAL LEGS WITH ASH DRAWER	\$300.00
OA10228	• BRUSHED NICKEL CAST IRON TRADITIONAL LEGS WITH ASH DRAWER	\$650.00
OA10235	• BLACK CAST IRON STRAIGHT LEGS WITH ASH DRAWER	\$500.00
OA10236	• BRUSHED NICKEL CAST IRON STRAIGHT LEGS WITH ASH DRAWER	\$750.00
OA10239	• PEDESTAL WITH ASH DRAWER	\$400.00

OPTIONS

MSRP

AC01211	• 5"Ø FRESH AIR INTAKE KIT FOR WOOD STOVE ON LEGS	\$200.00
AC01315	• RIGID FIRESCREEN	\$180.00
AC01336	• 5"Ø FRESH AIR INTAKE KIT FOR WOOD STOVE ON PEDESTAL	\$110.00
AC01349	• 5"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$250.00
AC02055	• QUICK CONNECT THERMODISC	\$75.00
AC02090	• 5"Ø X 4' INSULATED FLEX PIPE FOR FRESH AIR INTAKE KIT	\$45.00
AC02703	• TEMPERED GLASS HEARTH PAD 10 mm - 54" X 46 3/4"	\$849.00
OA10132	• GLASS ASH LIP	\$150.00

FEATURES

• Approved for an alcove installation	: Yes
• Chimney diameter	: 6"
• Height X Width X Depth - Overall	: 33 1/8" X 27" X 29"
• Average particulate emissions rate	: 2.3 g/h
• Maximum log length	: 20"
• Approved for a mobile home installation	: Yes
• Shipping Weight	: 390 lb (177 kg)
• Recommended heating area-ft ²	: 500 - 2,100
• Combustion Technology	: Non-catalytic
• Maximum burn time	: 8h
• Blower included	: Yes
• Overall firebox volume-ft ³	: 2.4

WOOD STOVES (EPA 2020) - LARGE

INSPIRE 2000 WOOD STOVE



Manufacturer code
OB02042

MSRP
\$2949.00

UPC code 773388165943

INSTALLATION AUTHORIZED ON THE ISLAND OF MONTREAL



Requires the addition of accessories (A) and (B) to complete the unit

REQUIRED ACCESSORIES

MSRP

A		
OA10242	• BLACK DECORATIVE SIDE PANEL	\$200.00
B		
OA10240	• BLACK STEEL BASE	\$550.00
OA10241	• SOAPSTONE BASE	\$1150.00
OA10243	• MINIMALIST BASE	\$350.00

OPTIONS

MSRP

AC01236	• MOULDED REFRACTORY PANELS	\$700.00
AC01237	• MOULDED REFRACTORY PANELS FOR MINIMALIST BASE AND INSERT	\$800.00
AC01349	• 5"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$250.00
AC02055	• QUICK CONNECT THERMODISC	\$75.00
AC02090	• 5"Ø X 4' INSULATED FLEX PIPE FOR FRESH AIR INTAKE KIT	\$45.00
AC03095	• BLOWER WITH VARIABLE SPEED CONTROL (UP TO 130 CFM)	\$300.00

FEATURES

• Approved for an alcove installation	: Yes
• Chimney diameter	: 6"
• Height X Width X Depth - Overall	: 35 5/8" X 27 7/8" X 24 1/4"
• Average particulate emissions rate	: 2.3 g/h
• Maximum log length	: 20"
• Approved for a mobile home installation	: Yes
• Shipping Weight	: 537 lb (244 kg)
• Recommended heating area-ft ²	: 500 - 2,100
• Combustion Technology	: Non-catalytic
• Maximum burn time	: 8 h
• Blower included	: No
• Overall firebox volume-ft ³	: 2.4

Effective January 1st 2023

MATRIX WOOD STOVE WITH BLOWER



Manufacturer code
OB02032

MSRP
\$3299.00

UPC code 773388173856

INSTALLATION AUTHORIZED ON THE ISLAND OF MONTREAL

EPA
2020

Requires the addition of accessories (A) and (B) to complete the unit

REQUIRED ACCESSORIES

MSRP

A

OA10700	• BLACK SIDE PANELS KIT	\$350.00
OA10701	• SOAPSTONE SIDE PANELS KIT	\$900.00

B

OA10703	• SOAPSTONE PANEL TOP	\$400.00
OA10704	• BLACK STEEL PANEL TOP	\$150.00

OPTIONS

MSRP

AC01315	• RIGID FIRESCREEN	\$180.00
AC01349	• 5"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$250.00
AC02090	• 5"Ø X 4' INSULATED FLEX PIPE FOR FRESH AIR INTAKE KIT	\$45.00
AC02703	• TEMPERED GLASS HEARTH PAD 10 mm - 54" X 46 3/4"	\$849.00

FEATURES

• Approved for an alcove installation	: Yes
• Chimney diameter	: 6"
• Height X Width X Depth - Overall	: 36 7/8" X 27 1/8" X 25"
• Average particulate emissions rate	: 2.3 g/h
• Maximum log length	: 20"
• Approved for a mobile home installation	: Yes
• Shipping Weight	: 506 lb (230 kg)
• Recommended heating area-ft ²	: 500 - 2,100
• Combustion Technology	: Non-catalytic
• Maximum burn time	: 8 h
• Blower included	: Yes
• Overall firebox volume-ft ³	: 2.4

WOOD STOVES (EPA 2020) - EXTRA LARGE

3300 WOOD STOVE



Manufacturer code
OB03300

MSRP
\$2749.00

UPC code 773388198354

INSTALLATION AUTHORIZED ON THE ISLAND OF MONTREAL

EPA
2020

Requires the addition of accessories (A) and (B) to complete the unit

REQUIRED ACCESSORIES

MSRP

A		
OA10260	• BLACK DOOR OVERLAY	\$100.00
OA10261	• BRUSHED NICKEL DOOR OVERLAY	\$300.00
B		
OA10262	• PEDESTAL WITH ASH DRAWER	\$400.00
OA10263	• BLACK CAST IRON TRADITIONAL LEGS WITH ASH DRAWER	\$350.00
OA10264	• BRUSHED NICKEL CAST IRON STRAIGHT LEGS WITH ASH DRAWER	\$750.00
OA10265	• BRUSHED NICKEL CAST IRON TRADITIONAL LEGS WITH ASH DRAWER	\$650.00
OA10266	• BLACK CAST IRON STRAIGHT LEGS WITH ASH DRAWER	\$500.00

OPTIONS

MSRP

AC01000	• 130 CFM BLOWER WITH VARIABLE SPEED CONTROL (THERMODISC INCLUDED)	\$350.00
AC01204	• 5"Ø FRESH AIR INTAKE KIT FOR WOOD STOVE ON LEGS	\$200.00
AC01336	• 5"Ø FRESH AIR INTAKE KIT FOR WOOD STOVE ON PEDESTAL	\$110.00
AC01349	• 5"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$250.00
AC01397	• RIGID FIRESCREEN	\$180.00
AC02090	• 5"Ø X 4' INSULATED FLEX PIPE FOR FRESH AIR INTAKE KIT	\$45.00
AC02711	• 54" X 46 3/4" MODULAR FLOOR PROTECTION SYSTEM	\$460.00
OA10132	• GLASS ASH LIP	\$150.00

FEATURES

• Approved for an alcove installation	: Yes
• Chimney diameter	: 6"
• Height X Width X Depth - Overall	: 34" X 24 1/4" X 30 1/2"
• Average particulate emissions rate	: 0.95 g/h
• Maximum log length	: 20"
• Approved for a mobile home installation	: Yes, with fresh air intake
• Shipping Weight	: 525 lb (238 kg)
• Recommended heating area-ft ²	: 900 - 2,300
• Combustion Technology	: Non-catalytic
• Maximum burn time	: 10 h
• Blower included	: No
• Overall firebox volume-ft ³	: 3.3

Effective January 1st 2023

WOOD STOVES (EPA 2020) - EXTRA LARGE

3500 WOOD STOVE WITH BLOWER



Manufacturer code
OB03500

MSRP
\$3399.00

UPC code 773388186443

INSTALLATION AUTHORIZED ON THE ISLAND OF MONTREAL



Requires the addition of accessories (A) to complete the unit

REQUIRED ACCESSORIES

MSRP

A		
OA10163	• BLACK DOOR OVERLAY	\$100.00
OA10164	• BRUSHED NICKEL DOOR OVERLAY	\$300.00

OPTIONS

MSRP

AC01281	• RIGID FIRESCREEN	\$180.00
AC01336	• 5"Ø FRESH AIR INTAKE KIT FOR WOOD STOVE ON PEDESTAL	\$110.00
OA10166	• GLASS ASH LIP	\$200.00

FEATURES

• Approved for an alcove installation	: Yes
• Chimney diameter	: 6"
• Height X Width X Depth - Overall	: 34 3/4" X 28 7/8" X 33 1/2"
• Average particulate emissions rate	: 1.6 g/h
• Maximum log length	: 22"
• Approved for a mobile home installation	: Yes
• Shipping Weight	: 524 lb (238 kg)
• Recommended heating area-ft ²	: 1,000 - 2,700
• Combustion Technology	: Non-catalytic
• Maximum burn time	: 10 h
• Blower included	: Yes
• Overall firebox volume-ft ³	: 3.5

MATRIX 1900 WOOD INSERT



Manufacturer code
OB01900

MSRP
\$2599.00

UPC code 773388223582

INSTALLATION AUTHORIZED ON THE ISLAND OF MONTREAL

EPA
2020

Requires the addition of accessories (A) to complete the unit

REQUIRED ACCESSORIES

MSRP

A

OA10041	• BLACK DOOR OVERLAY	\$100.00
OA10042	• BRUSHED NICKEL DOOR OVERLAY	\$250.00

OPTIONS

MSRP

AC01213	• RIGID FIRESCREEN	\$180.00
AC01214	• OFFSET LINER ADAPTER	\$270.00
AC01298	• 5"Ø FRESH AIR INTAKE KIT	\$90.00
AC01349	• 5"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$250.00
AC02006	• LINER HOOK UP SYSTEM	\$110.00
AC02082	• 32" X 44" CUTTABLE FACEPLATE (18 GA)	\$200.00
AC02090	• 5"Ø X 4' INSULATED FLEX PIPE FOR FRESH AIR INTAKE KIT	\$45.00

FEATURES

• Chimney diameter	: 6"
• Height X Width X Depth - Overall	: 23 7/8" X 36" X 21"
• Average particulate emissions rate	: 1.5 g/h
• Maximum log length	: 17"
• Fireplace opening - minimum (Height X Width X Depth)	: 19" X 25" X 15 1/2"
• Shipping Weight	: 332 lb (151 kg)
• Moulded refractory bricks	
• Recommended heating area-ft ²	: 250 - 1,200
• Combustion Technology	: Non-catalytic
• Maximum burn time	: 7 h
• Blower included	: Yes
• Overall firebox volume-ft ³	: 1.1

WOOD INSERTS (EPA 2020) - SMALL

MATRIX 1900 WOOD INSERT WITH CONNECTOR AND 5.5" X 25' LINER KIT



Manufacturer code
OB01900K

UPC code 773388231716

MSRP
\$3049.00



Requires the addition of accessories (A) to complete the unit

REQUIRED ACCESSORIES

MSRP

A		
OA10041	• BLACK DOOR OVERLAY	\$100.00
OA10042	• BRUSHED NICKEL DOOR OVERLAY	\$250.00

OPTIONS

MSRP

AC01213	• RIGID FIRESCREEN	\$180.00
AC01214	• OFFSET LINER ADAPTER	\$270.00
AC01298	• 5"Ø FRESH AIR INTAKE KIT	\$90.00
AC01349	• 5"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$250.00
AC02006	• LINER HOOK UP SYSTEM	\$110.00
AC02082	• 32" X 44" CUTTABLE FACEPLATE (18 GA)	\$200.00
AC02090	• 5"Ø X 4' INSULATED FLEX PIPE FOR FRESH AIR INTAKE KIT	\$45.00

FEATURES

• Blower included	: Yes
-------------------	-------

1700 WOOD INSERT



Manufacturer code
OB01705

MSRP
\$2329.00

UPC code 773388186412

INSTALLATION AUTHORIZED ON THE ISLAND OF MONTREAL

EPA
2020

Requires the addition of accessories (A), (B) and (C) to complete the unit

REQUIRED ACCESSORIES

MSRP

A

OA10249	• BLACK DOOR OVERLAY	\$100.00
OA10250	• BRUSHED NICKEL DOOR OVERLAY	\$250.00

B

OA10116	• REGULAR FACEPLATE (29" X 44")	\$150.00
OA10117	• LARGE FACEPLATE (32" X 50")	\$200.00

C

OA10122	• BLACK FACEPLATE TRIMS (29" X 44")	\$120.00
OA10123	• BRUSHED NICKEL FACEPLATE TRIMS (29" X 44")	\$120.00
OA10128	• BLACK LARGE FACEPLATE TRIMS (32" X 50")	\$120.00
OA10129	• BRUSHED NICKEL LARGE FACEPLATE TRIMS (32" X 50")	\$120.00

OPTIONS

MSRP

AC01214	• OFFSET LINER ADAPTER	\$270.00
AC01298	• 5"Ø FRESH AIR INTAKE KIT	\$90.00
AC01299	• RIGID FIRESCREEN	\$180.00
AC01349	• 5"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$250.00
AC02090	• 5"Ø X 4' INSULATED FLEX PIPE FOR FRESH AIR INTAKE KIT	\$45.00

FEATURES

• Chimney diameter	: 6"
• Height X Width X Depth - Overall	: 21 1/4" X 27 1/8" X 22 3/8"
• Average particulate emissions rate	: 1.26 g/h
• Maximum log length	: 18"
• Fireplace opening - minimum (Height X Width X Depth)	: 21 1/2" X 27 1/2" X 12 7/8"
• Shipping Weight	: 361 lb (164 kg)
• Recommended heating area-ft²	: 500 - 1,800
• Combustion Technology	: Non-catalytic
• Maximum burn time	: 6 h
• Blower included	: Yes

1700 WOOD INSERT WITH 5.5" X 25' FOREVER FLEX LINER KIT



Manufacturer code

OB01705K

MSRP

\$2779.00

UPC code 773388214115

Included items: one Osburn 1700 wood insert (OB01705), one connector with Forever Flex 5.5"Ø x 25' flexible liner, one 13" x 13" top plate and one chimney cap with screen, entirely made of stainless steel.

INSTALLATION AUTHORIZED ON THE ISLAND OF MONTREAL

EPA
2020

Requires the addition of accessories (A), (B) and (C) to complete the unit

REQUIRED ACCESSORIES

MSRP

A

OA10249	• BLACK DOOR OVERLAY	\$100.00
OA10250	• BRUSHED NICKEL DOOR OVERLAY	\$250.00

B

OA10116	• REGULAR FACEPLATE (29" X 44")	\$150.00
OA10117	• LARGE FACEPLATE (32" X 50")	\$200.00

C

OA10122	• BLACK FACEPLATE TRIMS (29" X 44")	\$120.00
OA10123	• BRUSHED NICKEL FACEPLATE TRIMS (29" X 44")	\$120.00
OA10128	• BLACK LARGE FACEPLATE TRIMS (32" X 50")	\$120.00
OA10129	• BRUSHED NICKEL LARGE FACEPLATE TRIMS (32" X 50")	\$120.00

OPTIONS

MSRP

AC01214	• OFFSET LINER ADAPTER	\$270.00
AC01298	• 5"Ø FRESH AIR INTAKE KIT	\$90.00
AC01299	• RIGID FIRESCREEN	\$180.00
AC01349	• 5"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$250.00
AC02090	• 5"Ø X 4' INSULATED FLEX PIPE FOR FRESH AIR INTAKE KIT	\$45.00

FEATURES

• Chimney diameter	: 6"
• Height X Width X Depth - Overall	: 21 1/4" X 27 1/8" X 22 3/8"
• Average particulate emissions rate	: 1.26 g/h
• Maximum log length	: 18"
• Fireplace opening - minimum (Height X Width X Depth)	: 21 1/2" X 27 1/2" X 12 7/8"
• Recommended heating area-ft ²	: 500 - 1,800
• Combustion Technology	: Non-catalytic
• Maximum burn time	: 6 h
• Blower included	: Yes
• Overall firebox volume-ft ³	: 1.9

2000 WOOD INSERT



Manufacturer code

OB02016

MSRP

\$2629.00

UPC code 773388164175

INSTALLATION AUTHORIZED ON THE ISLAND OF MONTREAL

If your installation requires the use of the optional AC01357 cuttable faceplate, only accessory A is required.

Requires the addition of accessories (A), (B) and (C) to complete the unit

REQUIRED ACCESSORIES

MSRP

A		
OA10237	• BLACK DOOR OVERLAY	\$100.00
OA10238	• BRUSHED NICKEL DOOR OVERLAY	\$300.00
B		
AC03410	• REGULAR FACEPLATE (29" X 44")	\$150.00
AC03411	• LARGE FACEPLATE (32" X 50")	\$200.00
C		
OA10122	• BLACK FACEPLATE TRIMS (29" X 44")	\$120.00
OA10123	• BRUSHED NICKEL FACEPLATE TRIMS (29" X 44")	\$120.00
OA10128	• BLACK LARGE FACEPLATE TRIMS (32" X 50")	\$120.00
OA10129	• BRUSHED NICKEL LARGE FACEPLATE TRIMS (32" X 50")	\$120.00

OPTIONS

MSRP

AC01214	• OFFSET LINER ADAPTER	\$270.00
AC01298	• 5"Ø FRESH AIR INTAKE KIT	\$90.00
AC01315	• RIGID FIRESCREEN	\$180.00
AC01317	• 7 3/16" X 26" HEAT SHIELD FOR SURROUND/SHELF	\$110.00
AC01349	• 5"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$250.00
AC01357	• 32" X 50" CUTTABLE FACEPLATE (18 GA)	\$200.00

FEATURES

• Chimney diameter	: 6"
• Height X Width X Depth - Overall	: 23 1/8" X 28 3/8" X 26 3/8"
• Average particulate emissions rate	: 2.3 g/h
• Maximum log length	: 20"
• Fireplace opening - minimum (Height X Width X Depth)	: 23 3/8" X 28 7/8" X 15 3/4"
• Shipping Weight	: 432 lb (196 kg)
• Recommended heating area-ft²	: 500 - 2,100
• Combustion Technology	: Non-catalytic
• Maximum burn time	: 8 h
• Blower included	: Yes
• Overall firebox volume-ft³	: 2.4

WOOD INSERTS (EPA 2020) - LARGE

2000 WOOD INSERT WITH 5.5" X 25' FOREVER FLEX LINER KIT



Manufacturer code
OB02016K

MSRP
\$3079.00

UPC code 773388174075

Included items: one Osburn 2000 wood insert (OB02016), one connector with Forever Flex 5.5"Ø x 25' flexible liner, one 13" x 13" top plate and one chimney cap with screen, entirely made of stainless steel.

INSTALLATION AUTHORIZED ON THE ISLAND OF MONTREAL



Requires the addition of accessories (A), (B) and (C) to complete the unit

REQUIRED ACCESSORIES

MSRP

A		
OA10237	• BLACK DOOR OVERLAY	\$100.00
OA10238	• BRUSHED NICKEL DOOR OVERLAY	\$300.00
B		
AC03410	• REGULAR FACEPLATE (29" X 44")	\$150.00
AC03411	• LARGE FACEPLATE (32" X 50")	\$200.00
C		
OA10122	• BLACK FACEPLATE TRIMS (29" X 44")	\$120.00
OA10123	• BRUSHED NICKEL FACEPLATE TRIMS (29" X 44")	\$120.00
OA10128	• BLACK LARGE FACEPLATE TRIMS (32" X 50")	\$120.00
OA10129	• BRUSHED NICKEL LARGE FACEPLATE TRIMS (32" X 50")	\$120.00

OPTIONS

MSRP

AC01214	• OFFSET LINER ADAPTER	\$270.00
AC01298	• 5"Ø FRESH AIR INTAKE KIT	\$90.00
AC01315	• RIGID FIRESCREEN	\$180.00
AC01317	• 7 3/16" X 26" HEAT SHIELD FOR SURROUND/SHELF	\$110.00
AC01349	• 5"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$250.00
AC01357	• 32" X 50" CUTTABLE FACEPLATE (18 GA)	\$200.00

FEATURES

• Chimney diameter	: 6"
• Height X Width X Depth - Overall	: 23 1/8" X 28 3/8" X 26 3/8"
• Average particulate emissions rate	: 1.54 g/h
• Maximum log length	: 20"
• Fireplace opening - minimum (Height X Width X Depth)	: 23 3/8" X 28 7/8" X 15 3/4"
• Shipping Weight	: 407 lb (185 kg)
• Recommended heating area-ft²	: 500 - 2,100
• Maximum burn time	: 8 h
• Blower included	: Yes
• Overall firebox volume-ft³	: 2.4

Effective January 1st 2023

WOOD INSERTS (EPA 2020) - LARGE

INSPIRE 2000-I WOOD INSERT



Manufacturer code
OB02045

MSRP
\$3049.00

UPC code 773388169507

INSTALLATION AUTHORIZED ON THE ISLAND OF MONTREAL



Requires the addition of accessories (A) to complete the unit

REQUIRED ACCESSORIES

MSRP

A		
AC01020	• 30" X 25 1/8" NARROW FACEPLATE (U SHAPE)	\$250.00
AC01021	• 32" X 50" CUTTABLE FACEPLATE (16 GA)	\$250.00
AC01022	• 30" X 26 7/8" NARROW FACEPLATE (4 SIDED)	\$300.00

OPTIONS

MSRP

AC01214	• OFFSET LINER ADAPTER	\$270.00
AC01237	• MOULDED REFRACTORY PANELS FOR MINIMALIST BASE AND INSERT	\$800.00
AC01298	• 5"Ø FRESH AIR INTAKE KIT	\$90.00
AC01349	• 5"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$250.00

FEATURES

• Chimney diameter	: 6"
• Height X Width X Depth - Overall	: 24" X 28 1/2" X 20 3/4"
• Average particulate emissions rate	: 2.3 g/h
• Maximum log length	: 20"
• Fireplace opening - minimum (Height X Width X Depth)	: 24 5/8" X 29" X 20 3/4"
• Shipping Weight	: 435 lb (197 kg)
• Recommended heating area-ft ²	: 500 - 2,100
• Combustion Technology	: Non-catalytic
• Maximum burn time	: 8 h
• Blower included	: Yes
• Overall firebox volume-ft ³	: 2.4

WOOD INSERTS (EPA 2020) - LARGE

INSPIRE 2000-I WOOD INSERT WITH CONNECTOR AND 5.5" X 25' LINER KIT



Manufacturer code
OB02045K

MSRP
\$3499.00

UPC code 773388174112

Included items: one Inspire 2000-I wood insert (OB02045), one connector with Forever Flex 5.5"Ø x 25' flexible liner, one 13" x 13" top plate and one chimney cap with screen, entirely made of stainless steel.

INSTALLATION AUTHORIZED ON THE ISLAND OF MONTREAL



Requires the addition of accessories (A) to complete the unit

REQUIRED ACCESSORIES

MSRP

A		
AC01020	• 30" X 25 1/8" NARROW FACEPLATE (U SHAPE)	\$250.00
AC01021	• 32" X 50" CUTTABLE FACEPLATE (16 GA)	\$250.00
AC01022	• 30" X 26 7/8" NARROW FACEPLATE (4 SIDED)	\$300.00

OPTIONS

MSRP

AC01214	• OFFSET LINER ADAPTER	\$270.00
AC01237	• MOULDED REFRACTORY PANELS FOR MINIMALIST BASE AND INSERT	\$800.00
AC01298	• 5"Ø FRESH AIR INTAKE KIT	\$90.00
AC01349	• 5"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$250.00

FEATURES

• Chimney diameter	: 6"
• Height X Width X Depth - Overall	: 25 1/8" X 30 1/8" X 21 1/8"
• Average particulate emissions rate	: 1.54 g/h
• Maximum log length	: 20"
• Fireplace opening - minimum (Height X Width X Depth)	: 23 3/4" X 28 7/8" X 19 5/8"
• Shipping Weight	: 484 lbs
• Recommended heating area-ft²	: 500 à 2,100
• Maximum burn time	: 8 h
• Blower included	: Yes
• Overall firebox volume-ft³	: 2.4

Effective January 1st 2023

WOOD INSERTS (EPA 2020) - LARGE

MATRIX 2700 WOOD INSERT



Manufacturer code
OB02700

MSRP
\$3899.00

UPC code 773388186436

INSTALLATION AUTHORIZED ON THE ISLAND OF MONTREAL



Requires the addition of accessories (A) to complete the unit

REQUIRED ACCESSORIES

MSRP

A		
OA10253	• BLACK DOOR OVERLAY	\$100.00
OA10254	• BRUSHED NICKEL DOOR OVERLAY	\$350.00

OPTIONS

MSRP

AC01214	• OFFSET LINER ADAPTER	\$270.00
AC01263	• 2" OR 4" PROJECTION KIT FOR INSERT	\$150.00
AC01275	• FIRESCREEN DOOR	\$300.00
AC01277	• 34" X 50" CUTTABLE FACEPLATE (18 GA)	\$250.00
AC01298	• 5"Ø FRESH AIR INTAKE KIT	\$90.00
AC02006	• LINER HOOK UP SYSTEM	\$110.00

FEATURES

• Chimney diameter	: 6"
• Height X Width X Depth - Overall	: 30 1/8" X 43 5/8" X 27 1/4"
• Average particulate emissions rate	: 1.2 g/h
• Maximum log length	: 20"
• Fireplace opening - minimum (Height X Width X Depth)	: 27 1/8" X 31 3/4" X 22 1/8"
• Shipping Weight	: 535 lb (243kg)
• Moulded refractory bricks	
• Recommended heating area-ft ²	: 750 - 2,200
• Combustion Technology	: Non-catalytic
• Maximum burn time	: 8 h
• Blower included	: Yes
• Overall firebox volume-ft ³	: 2.5

Effective January 1st 2023

WOOD INSERTS (EPA 2020) - LARGE

MATRIX 2700 WOOD INSERT WITH 5.5" X 25' FOREVER FLEX LINER KIT



Manufacturer code
OB02700K

MSRP
\$4349.00

UPC code 773388211114

Included items: one Osburn Matrix 2700 wood insert (OB02700), one connector with Forever Flex 5.5"Ø x 25' flexible liner, one 13" x 13" top plate and one chimney cap with screen, entirely made of stainless steel.

INSTALLATION AUTHORIZED ON THE ISLAND OF MONTREAL

**EPA
2020**

Requires the addition of accessories (A) to complete the unit

REQUIRED ACCESSORIES

MSRP

A

OA10253	• BLACK DOOR OVERLAY	\$100.00
OA10254	• BRUSHED NICKEL DOOR OVERLAY	\$350.00

OPTIONS

MSRP

AC01214	• OFFSET LINER ADAPTER	\$270.00
AC01263	• 2" OR 4" PROJECTION KIT FOR INSERT	\$150.00
AC01275	• FIRESCREEN DOOR	\$300.00
AC01277	• 34" X 50" CUTTABLE FACEPLATE (18 GA)	\$250.00
AC01298	• 5"Ø FRESH AIR INTAKE KIT	\$90.00
AC02006	• LINER HOOK UP SYSTEM	\$110.00

FEATURES

• Chimney diameter	: 6"
• Height X Width X Depth - Overall	: 24 3/4" X 33" X 24 7/8"
• Average particulate emissions rate	: 1.14 g/h
• Maximum log length	: 20"
• Shipping Weight	: 561 lb (255 kg)
• Moulded refractory bricks	
• Recommended heating area-ft ²	: 750 - 2,200
• Combustion Technology	: Non-catalytic
• Maximum burn time	: 8 h
• Blower included	: Yes
• Overall firebox volume-ft ³	: 2.5

Effective January 1st 2023

WOOD INSERTS (EPA 2020) - LARGE

MATRIX WOOD INSERT



Manufacturer code
OB02028

MSRP
\$3499.00

UPC code 773388164199

INSTALLATION AUTHORIZED ON THE ISLAND OF MONTREAL



OPTIONS

MSRP

AC01214	• OFFSET LINER ADAPTER	\$270.00
AC01298	• 5"Ø FRESH AIR INTAKE KIT	\$90.00
AC01315	• RIGID FIRESCREEN	\$180.00
AC01321	• BOTTOM FACEPLATE BACKING PLATE 44" X 6"	\$80.00
AC01322	• 29" X 44" FACEPLATE BACKING PLATE KIT	\$200.00
AC01323	• PROJECTION KIT FOR INSERT 2" OR 4"	\$120.00
AC01332	• 29" X 50" FACEPLATE BACKING PLATE KIT	\$250.00
AC01333	• BOTTOM FACEPLATE BACKING PLATE 50" X 6"	\$90.00
AC01349	• 5"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$250.00

FEATURES

• Chimney diameter	: 6"
• Height X Width X Depth - Overall	: 25 1/8" X 36 1/8" X 23 1/8"
• Average particulate emissions rate	: 2.3 g/h
• Maximum log length	: 20"
• Fireplace opening - minimum (Height X Width X Depth)	: 23 3/8" X 28 7/8" X 19 5/8"
• Shipping Weight	: 491 lb (223 kg)
• Recommended heating area-ft ²	: 500 - 2,100
• Combustion Technology	: Non-catalytic
• Maximum burn time	: 8 h
• Blower included	: Yes
• Overall firebox volume-ft ³	: 2.4

WOOD INSERTS (EPA 2020) - LARGE

MATRIX WOOD INSERT WITH CONNECTOR AND 5.5" X 25' LINER KIT



Manufacturer code
OB02028K

MSRP
\$3949.00

UPC code 773388174099

Included items: one Osburn Matrix wood insert (OB02028), one connector with Forever Flex 5.5"Ø x 25' flexible liner, one 13" x 13" top plate and one chimney cap with screen, entirely made of stainless steel.

INSTALLATION AUTHORIZED ON THE ISLAND OF MONTREAL



OPTIONS

MSRP

AC01214	• OFFSET LINER ADAPTER	\$270.00
AC01298	• 5"Ø FRESH AIR INTAKE KIT	\$90.00
AC01315	• RIGID FIRESCREEN	\$180.00
AC01321	• BOTTOM FACEPLATE BACKING PLATE 44" X 6"	\$80.00
AC01322	• 29" X 44" FACEPLATE BACKING PLATE KIT	\$200.00
AC01323	• PROJECTION KIT FOR INSERT 2" OR 4"	\$120.00
AC01332	• 29" X 50" FACEPLATE BACKING PLATE KIT	\$250.00
AC01333	• BOTTOM FACEPLATE BACKING PLATE 50" X 6"	\$90.00
AC01349	• 5"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$250.00

FEATURES

• Chimney diameter	: 6"
• Height X Width X Depth - Overall	: 25 1/8" X 36 1/8" X 23 1/8"
• Average particulate emissions rate	: 1.54 g/h
• Maximum log length	: 20"
• Fireplace opening - minimum (Height X Width X Depth)	: 23 3/4" X 28 7/8" X 19 5/8"
• Shipping Weight	: 510 lb (231 kg)
• Recommended heating area-ft ²	: 500 - 2,100
• Maximum burn time	: 8 h
• Blower included	: Yes
• Overall firebox volume-ft ³	: 2.4

WOOD INSERTS (EPA 2020) - EXTRA LARGE

3500 WOOD INSERT



Manufacturer code
OB03510

MSRP
\$3379.00

UPC code 773388210124

INSTALLATION AUTHORIZED ON THE ISLAND OF MONTREAL



Requires the addition of accessories (A), (B) and (C) to complete the unit

REQUIRED ACCESSORIES

MSRP

A		
OA10163	• BLACK DOOR OVERLAY	\$100.00
OA10164	• BRUSHED NICKEL DOOR OVERLAY	\$300.00
B		
OA10032	• MEDIUM FACEPLATE (32" X 44")	\$200.00
OA10033	• LARGE FACEPLATE (32" X 50")	\$200.00
C		
OA10125	• BLACK FACEPLATE TRIMS (32" X 44")	\$120.00
OA10126	• BRUSHED NICKEL FACEPLATE TRIMS (32" X 44")	\$120.00
OA10128	• BLACK LARGE FACEPLATE TRIMS (32" X 50")	\$120.00
OA10129	• BRUSHED NICKEL LARGE FACEPLATE TRIMS (32" X 50")	\$120.00

OPTIONS

MSRP

AC01214	• OFFSET LINER ADAPTER	\$270.00
AC01281	• RIGID FIRESCREEN	\$180.00
AC01298	• 5"Ø FRESH AIR INTAKE KIT	\$90.00

FEATURES

• Chimney diameter	: 6"
• Height X Width X Depth - Overall	: 24 7/8" X 30 3/8" X 29"
• Average particulate emissions rate	: 1.6 g/h
• Maximum log length	: 22"
• Fireplace opening - minimum (Height X Width X Depth)	: 26 1/4" X 31" X 18 3/8"
• Shipping Weight	: 540 lb (245 kg)
• Recommended heating area-ft ²	: 1,000 - 2,700
• Combustion Technology	: Non-catalytic
• Maximum burn time	: 10 h
• Blower included	: Yes
• Overall firebox volume-ft ³	: 3.5

Effective January 1st 2023

WOOD INSERTS (EPA 2020) - EXTRA LARGE

3500 WOOD INSERT WITH 5.5" X 25' FOREVER FLEX LINER KIT



Manufacturer code
OB03510K

MSRP
\$3829.00

UPC code 773388213668

Included items: one Osburn 3500 wood insert (OB03510), one connector with Forever Flex 5.5"Ø x 25' flexible liner, one 13" x 13" top plate and one chimney cap with screen, entirely made of stainless steel.

INSTALLATION AUTHORIZED ON THE ISLAND OF MONTREAL



Requires the addition of accessories (A), (B) and (C) to complete the unit

REQUIRED ACCESSORIES

MSRP

A		
OA10163	• BLACK DOOR OVERLAY	\$100.00
OA10164	• BRUSHED NICKEL DOOR OVERLAY	\$300.00
B		
OA10032	• MEDIUM FACEPLATE (32" X 44")	\$200.00
OA10033	• LARGE FACEPLATE (32" X 50")	\$200.00
C		
OA10125	• BLACK FACEPLATE TRIMS (32" X 44")	\$120.00
OA10126	• BRUSHED NICKEL FACEPLATE TRIMS (32" X 44")	\$120.00
OA10128	• BLACK LARGE FACEPLATE TRIMS (32" X 50")	\$120.00
OA10129	• BRUSHED NICKEL LARGE FACEPLATE TRIMS (32" X 50")	\$120.00

OPTIONS

MSRP

AC01214	• OFFSET LINER ADAPTER	\$270.00
AC01281	• RIGID FIRESCREEN	\$180.00
AC01298	• 5"Ø FRESH AIR INTAKE KIT	\$90.00

FEATURES

• Chimney diameter	: 6"
• Height X Width X Depth - Overall	: 24 7/8" X 30 3/8" X 29"
• Average particulate emissions rate	: 1.32 g/h
• Fireplace opening - minimum (Height X Width X Depth)	: 26 1/4" X 31" X 18 3/8"
• Recommended heating area-ft ²	: 1,000 - 2,700
• Combustion Technology	: Non-catalytic
• Maximum burn time	: 10 h
• Blower included	: Yes
• Overall firebox volume-ft ³	: 3.5

Effective January 1st 2023

WOOD FIREPLACES (EPA 2020) - LARGE

EVEREST II WOOD FIREPLACE



Manufacturer code
OB04016

MSRP
\$4399.00

UPC code 773388204925

INSTALLATION AUTHORIZED ON THE ISLAND OF MONTREAL

**EPA
2020**

Requires the addition of accessories (A) and (B) to complete the unit

REQUIRED ACCESSORIES

MSRP

A

OA10620	• BLACK DOOR OVERLAY	\$250.00
OA10622	• BRUSHED NICKEL DOOR OVERLAY	\$550.00

B

OA10619	• TRADITIONAL FACEPLATE	\$650.00
---------	-------------------------	----------

OPTIONS

MSRP

AC01347	• 4"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$230.00
AC01375	• TRADITIONAL GRAVITY KIT	\$400.00
AC01379	• FIRESCREEN DOOR	\$250.00
AC02091	• 4"Ø X 10' INSULATED FLEX PIPE FOR FRESH AIR INTAKE KIT	\$75.00
VA4460	• FORCED AIR KIT	\$750.00

FEATURES

• Chimney diameter	: 6"
• Height X Width X Depth - Overall	: 49 1/8" X 41 3/4" X 28 5/8"
• Average particulate emissions rate	: 0.99 g/h
• Maximum log length	: 18"
• Shipping Weight	: 525 lb (238 kg)
• Moulded refractory bricks	
• Recommended heating area-ft ²	: 750 - 2,500
• Combustion Technology	: Non-catalytic
• Maximum burn time	: 9 h
• Blower included	: Yes
• Overall firebox volume-ft ³	: 3.0

Effective January 1st 2023

WOOD FIREPLACES (EPA 2020) - LARGE

EVEREST II WOOD FIREPLACE INCLUDING 4 LENGTHS OF 6" X 36" CHIMNEY



Manufacturer code
OB04016K

MSRP
\$5199.00

UPC code 773388213323

INSTALLATION AUTHORIZED ON THE ISLAND OF MONTREAL



Requires the addition of accessories (A) and (B) to complete the unit

REQUIRED ACCESSORIES

MSRP

A		
OA10620	• BLACK DOOR OVERLAY	\$250.00
OA10622	• BRUSHED NICKEL DOOR OVERLAY	\$550.00
B		
OA10619	• TRADITIONAL FACEPLATE	\$650.00

OPTIONS

MSRP

AC01347	• 4"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$230.00
AC01375	• TRADITIONAL GRAVITY KIT	\$400.00
AC01379	• FIRESCREEN DOOR	\$250.00
AC02091	• 4"Ø X 10' INSULATED FLEX PIPE FOR FRESH AIR INTAKE KIT	\$75.00
VA4460	• FORCED AIR KIT	\$750.00

FEATURES

• Chimney diameter	: 6"
• Average particulate emissions rate	: 0.99 g/h
• Maximum log length	: 18"
• Moulded refractory bricks	
• Recommended heating area-ft ²	: 750 - 2,500
• Combustion Technology	: Non-catalytic
• Maximum burn time	: 9 h
• Blower included	: Yes
• Overall firebox volume-ft ³	: 3.0

WOOD FIREPLACES (EPA 2020) - LARGE

STRATFORD II WOOD FIREPLACE



Manufacturer code
OB04007

MSRP
\$3849.00

UPC code 773388188362

INSTALLATION AUTHORIZED ON THE ISLAND OF MONTREAL



Requires the addition of accessories (A) and (B) to complete the unit

REQUIRED ACCESSORIES

MSRP

A		
OA10610	• BLACK DOOR OVERLAY	\$200.00
OA10612	• BRUSHED NICKEL DOOR OVERLAY	\$450.00
B		
OA10251	• TRADITIONAL FACEPLATE	\$650.00
OA10252	• MODERN FACEPLATE	\$700.00

OPTIONS

MSRP

AC01223	• HEAT SHIELD FOR SURROUND/SHELF	\$120.00
AC01275	• FIRESCREEN DOOR	\$300.00
AC01347	• 4"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$230.00
AC01350	• 6"Ø X 25' INSULATED FLEX PIPE FOR FORCED AIR KIT	\$200.00
AC01359	• 4"Ø X 25' INSULATED FLEX PIPE FOR FRESH AIR	\$200.00
AC01374	• FORCED AIR KIT	\$950.00
AC01375	• TRADITIONAL GRAVITY KIT	\$400.00
AC01389	• HOT AIR GRAVITY KIT – MODERN WITH ADJUSTABLE PIPES	\$600.00
AC02091	• 4"Ø X 10' INSULATED FLEX PIPE FOR FRESH AIR INTAKE KIT	\$75.00
AC02760	• GLASS HEARTH PAD 10 mm - 18" X 50"	\$399.00
AC09200	• FIREPLACE CARRYING HANDLES	\$90.00

FEATURES

• Cast iron andirons	
• Chimney diameter	: 6"
• Height X Width X Depth - Overall	: 40 5/8" X 36 3/4" X 29 3/4"
• Average particulate emissions rate	: 1.2 g/h
• Maximum log length	: 20"
• Shipping Weight	: 468 lb (212 kg)
• Moulded refractory bricks	
• Recommended heating area-ft ²	: 750 - 2,200
• Combustion Technology	: Non-catalytic
• Maximum burn time	: 8 h
• Blower included	: Yes
• Overall firebox volume-ft ³	: 2.5

Effective January 1st 2023

WOOD FIREPLACES (EPA 2020) - LARGE

STRATFORD II WOOD FIREPLACE INCLUDING 4 LENGTHS OF 6" X 36" CHIMNEY



Manufacturer code
OB04007K

MSRP
\$4649.00

UPC code 773388197296

INSTALLATION AUTHORIZED ON THE ISLAND OF MONTREAL



Requires the addition of accessories (A) and (B) to complete the unit

REQUIRED ACCESSORIES

MSRP

A		
OA10610	• BLACK DOOR OVERLAY	\$200.00
OA10612	• BRUSHED NICKEL DOOR OVERLAY	\$450.00
B		
OA10251	• TRADITIONAL FACEPLATE	\$650.00
OA10252	• MODERN FACEPLATE	\$700.00

OPTIONS

MSRP

AC01223	• HEAT SHIELD FOR SURROUND/SHELF	\$120.00
AC01275	• FIRESCREEN DOOR	\$300.00
AC01347	• 4"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$230.00
AC01350	• 6"Ø X 25' INSULATED FLEX PIPE FOR FORCED AIR KIT	\$200.00
AC01359	• 4"Ø X 25' INSULATED FLEX PIPE FOR FRESH AIR	\$200.00
AC01374	• FORCED AIR KIT	\$950.00
AC01375	• TRADITIONAL GRAVITY KIT	\$400.00
AC01389	• HOT AIR GRAVITY KIT – MODERN WITH ADJUSTABLE PIPES	\$600.00
AC02091	• 4"Ø X 10' INSULATED FLEX PIPE FOR FRESH AIR INTAKE KIT	\$75.00
AC02760	• GLASS HEARTH PAD 10 mm - 18" X 50"	\$399.00
AC09200	• FIREPLACE CARRYING HANDLES	\$90.00

FEATURES

• Chimney diameter	: 6"
• Height X Width X Depth - Overall	: 40 5/8" X 36 3/4" X 29 3/4"
• Average particulate emissions rate	: 1.2 g/h
• Maximum log length	: 20"
• Shipping Weight	: 496 lb (225 kg)
• Moulded refractory bricks	
• Recommended heating area-ft ²	: 750 - 2,200
• Combustion Technology	: Non-catalytic
• Maximum burn time	: 8 h
• Blower included	: Yes
• Overall firebox volume-ft ³	: 2.5

Effective January 1st 2023

WOOD FIREPLACES (EPA 2020) - EXTRA LARGE

HORIZON WOOD FIREPLACE



Manufacturer code
OB04010

MSRP
\$5099.00

UPC code 773388128894

INSTALLATION AUTHORIZED ON THE ISLAND OF MONTREAL

EPA
2020

Requires the addition of accessories (A) and (B) to complete the unit

REQUIRED ACCESSORIES

MSRP

A

OA10630	• PRAIRIE STYLE FACEPLATE	\$750.00
---------	---------------------------	----------

B

AC02360	• CLASSIC MOULDED BRICK PANELS	\$650.00
---------	--------------------------------	----------

OPTIONS

MSRP

AC01349	• 5"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$250.00
AC01350	• 6"Ø X 25' INSULATED FLEX PIPE FOR FORCED AIR KIT	\$200.00
AC01378	• WARM AIR CIRCULATION GRILLE - MODERN	\$350.00
AC02760	• GLASS HEARTH PAD 10 mm - 18" X 50"	\$399.00
AC02780	• 60" WASHED CEDAR NON-COMBUSTIBLE MANTEL	\$1799.00
AC02781	• 72" WASHED CEDAR NON-COMBUSTIBLE MANTEL	\$1999.00
AC02782	• 60" TAVERN BROWN NON-COMBUSTIBLE MANTEL	\$1799.00
AC02783	• 72" TAVERN BROWN NON-COMBUSTIBLE MANTEL	\$1999.00
VA4460	• FORCED AIR KIT	\$750.00

FEATURES

• Chimney diameter	: 8"
• Height X Width X Depth - Overall	: 43 3/8" X 50 3/4" X 31 3/4"
• Average particulate emissions rate	: 1.6 g/h
• Maximum log length	: 25"
• Shipping Weight	: 560 lb (254 kg)
• Recommended heating area-ft ²	: 1,000 - 2,800
• Combustion Technology	: Non-catalytic
• Maximum burn time	: 11 h
• Overall firebox volume-ft ³	: 4.28
• Blower included	: Yes
• Moulded refractory bricks	
• Cast iron andirons	: No

Effective January 1st 2023

WOOD FIREPLACES (EPA 2020) - EXTRA LARGE HORIZON WOOD FIREPLACE INCLUDING 4 LENGTHS OF 8" X 36" CHIMNEY



Manufacturer code
OB04010K

MSRP
\$6099.00

UPC code 773388131825

INSTALLATION AUTHORIZED ON THE ISLAND OF MONTREAL



Requires the addition of accessories (A) and (B) to complete the unit

REQUIRED ACCESSORIES

MSRP

A		
OA10630	• PRAIRIE STYLE FACEPLATE	\$750.00
B		
AC02360	• CLASSIC MOULDED BRICK PANELS	\$650.00

OPTIONS

MSRP

AC01349	• 5"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$250.00
AC01350	• 6"Ø X 25' INSULATED FLEX PIPE FOR FORCED AIR KIT	\$200.00
AC01378	• WARM AIR CIRCULATION GRILLE - MODERN	\$350.00
AC02760	• GLASS HEARTH PAD 10 mm - 18" X 50"	\$399.00
AC02780	• 60" WASHED CEDAR NON-COMBUSTIBLE MANTEL	\$1799.00
AC02781	• 72" WASHED CEDAR NON-COMBUSTIBLE MANTEL	\$1999.00
AC02782	• 60" TAVERN BROWN NON-COMBUSTIBLE MANTEL	\$1799.00
AC02783	• 72" TAVERN BROWN NON-COMBUSTIBLE MANTEL	\$1999.00
VA4460	• FORCED AIR KIT	\$750.00

FEATURES

• Chimney diameter	: 8"
• Height X Width X Depth - Overall	: 43 3/8" X 50 3/4" X 31 3/4"
• Average particulate emissions rate	: 1.6 g/h
• Maximum log length	: 25"
• Shipping Weight	: 545 lb (247 kg)
• Recommended heating area-ft ²	: 1,000 - 2,800
• Combustion Technology	: Non-catalytic
• Maximum burn time	: 11 h
• Overall firebox volume-ft ³	: 4.28
• Blower included	: Yes
• Moulded refractory bricks	
• Cast iron andirons	: No

Effective January 1st 2023

2500 PELLET STOVE



Manufacturer code
OP00025

MSRP
\$3999.00

UPC code 773388159355

INSTALLATION AUTHORIZED ON THE ISLAND OF MONTREAL

EPA
2020

OPTIONS

MSRP

AC01240	• 3"Ø X 5' FRESH AIR INTAKE KIT	\$80.00
AC01393	• HOPPER EXTENSION	\$260.00
AC01460	• STORAGE TANK WITH PNEUMATIC SELF-FEEDING PELLET SYSTEM	\$2999.00
AC01462	• STORAGE TANK EXTENSION FOR AC01460	\$350.00
AC01463	• STAND ALONE AUXILIARY DISCHARGE TANK	\$650.00
AC01464	• LEG ASSEMBLY FOR AC01463 DISCHARGE TANK	\$150.00
AC01465	• 2"Ø X 25' ANTI-STATIC FLEX HOSE	\$450.00
AC02092	• 3"Ø X 10' INSULATED FLEX PIPE FOR FRESH AIR INTAKE	\$70.00
AC02704	• TEMPERED GLASS HEARTH PAD 10 mm - 44" X 36"	\$599.00
AC05558	• DIGITAL WALL THERMOSTAT	\$125.00

FEATURES

• Hopper capacity	: 60 lb (27kg)
• Height X Width X Depth - Overall	: 33" X 25 7/8" X 30"
• Average particulate emissions rate	: 0.96 g/h
• Approved for a mobile home installation	: Yes
• Shipping Weight	: 286 lb (130 kg)
• Maximum heat input rate	: 39,260 BTU/h (11.5 kW)
• Recommended heating area-ft ²	: 500 - 2,000
• Maximum burn time	: 51 h
• Combustion Technology	: Top-feed
• Approved for an alcove installation	: Yes
• Blower included	: Yes

SKU #	UPC Code per unit	Available individually	List price per unit	Masterpack quantity of	List price per master pack
-------	-------------------	------------------------	---------------------	------------------------	----------------------------

Fireplace tool sets

AC02350	773388127552	YES	\$155.00	N/A	\$155.00
---------	--------------	-----	----------	-----	----------

EQUISS FREESTANDING LOG HOLDER



This compact and robust log holder is entirely manufactured in Canada and made of high quality steel. Its integrated handles make handling easier. The assembly is done in seconds; simply intersect the two panels and voila! A cuttable rubber band is also available to provide protection for the floor surface and to give it a finishing touch. Once the heating season is over, this free standing log holder is easy to take apart and will not clutter your living space.

AC02351	773388169408	YES	\$699.00	N/A	\$699.00
---------	--------------	-----	----------	-----	----------

48" WOOD STORAGE WITH FINISHING TRIM



Built-in or freestanding, configurable vertically or horizontally, you will appreciate the versatility of this wood storage unit. It will most certainly find its place in your decor, whether next to your wood stove, close to your heater or the entrance where it can be used as a bench when positioned horizontally. For a pure and minimalist décor, the box can be integrated inside one of your walls. A finishing trim is provided for this flawless look. Very sturdy, this heavy-steel (14 ga) wood storage is powder-coated and can accommodate logs up to 18" in length. The steel frame contains four concealed wooden blocks to prevent premature wear of your floors. An accessories storage drawer (17" x 15" x 6") is available as an option. Conveniently put away the poker and shovel included with this drawer! Delivered in a compact package, this wood storage unit is very easily assembled. You will be impressed! Made in Canada.

AC02353	773388169422	YES	\$400.00	N/A	\$400.00
---------	--------------	-----	----------	-----	----------

DRAWER AND TOOL KIT FOR WOOD STORAGE INSERT



This accessory storage drawer (17" x 15" x 6") is a great addition to your wood storage. Store the poker and shovel, included with the drawer, for convenience! Look no further and collect all your things in one place.

AC02620	773388123684	YES	\$299.00	N/A	\$299.00
---------	--------------	-----	----------	-----	----------


DUPLEX FIREPLACE TOOL SET



This distinctive hearth tool set contains four instruments: poker, broom, shovel and scraper – all the tools needed to operate and maintain your wood-burning stove or fireplace. The clean lines and combination of steel and wood construction make a strong contemporary design statement. Height of accessories: 26 3/16" (66 cm). Proudly made in Quebec.

AC02621	773388123691	YES	\$219.00	N/A	\$219.00
---------	--------------	-----	----------	-----	----------

INEO FIREPLACE TOOL SET



This distinctive hearth tool set contains four quality implements: poker, broom, shovel and scraper - all you need to operate and maintain your wood-burning appliance. The clean lines and simplicity make a strong contemporary design statement. Kit height: 28 5/8" (73 cm). Proudly made in Canada.

AC02622	773388123707	YES	\$249.00	N/A	\$249.00
 PAPYRUS FIREPLACE TOOL SET This distinctive hearth tool set contains four instruments: poker, broom, shovel and scraper - all you need to operate and maintain your wood-burning appliance. The dramatic use of steel makes a strong contemporary design statement. Kit height: 27 1/2" (69 cm). Ø 7 1/2" (19 cm). Proudly made in Canada.					
AC02627	773388123752	YES	\$265.00	N/A	\$265.00
 FUSIO LOG HOLDER This distinctive log holder combines steel and cherrywood; its curved shape makes a strong contemporary design statement. Make your life simpler by fueling your fire without ever being caught unprepared. Dimensions: 20"H x 18 1/2"W x 24"D. Made in Quebec with exceptional craftsmanship.					
AC02628	773388176093	YES	\$299.00	N/A	\$299.00
 NORDIK FIREPLACE TOOL SET This distinctive hearth tool set contains four instruments: poker, broom, shovel and clamp – all the tools needed to operate and maintain your wood-burning stove or fireplace. Its wooden base and steel structure gives it an industrial look, perfect for contemporary or rustic spaces. Height of stand: 20 7/8" (53 cm). Dimensions of base: 9 1/2" (24 cm) X 4 3/4" (12 cm). Made in France with exceptional craftsmanship.					
AC02629	773388176109	YES	\$249.00	N/A	\$249.00
 PETAL FIREPLACE TOOL SET This distinctive hearth tool set contains four instruments: poker, broom, shovel and clamp – all the tools needed to operate and maintain your wood-burning stove or fireplace. A nice option for those who want to camouflage tools for a more decorative look. Height of stand: 20" (51 cm). Base diameter: 7 1/2" (19 cm). Made in France with exceptional craftsmanship.					
AC02631	773388176123	YES	\$199.00	N/A	\$199.00
 SPEKTRA FIREPLACE TOOL SET This distinctive hearth tool set contains four instruments: poker, broom, shovel and clamp – all the tools needed to operate and maintain your wood-burning stove or fireplace. You will appreciate its futuristic look for a unique atmosphere. Height of stand: 20" (51 cm). Base diameter: 7 1/2" (19 cm). Made in France with exceptional craftsmanship.					