USA | 2023

PRICE LIST



Stove Builder International inc. (SBI)

250, de Copenhague St-Augustin-de-Desmaures (Quebec) canada G3A 2H3

Customer service

Phone: 844-344-3071
Fax: 1-888-355-5067
E-mail: sac@sbi-international.com
www.valcourtinc.com



GENERAL POLICIES

PURCHASE ORDERS MUST BE SENT BY <u>FAX</u>: 888-676-4413, or <u>EMAIL</u>: orders@sbi-international.com

YOU NEED INFORMATION ABOUT YOUR ORDER?

Contact our customer service team at ${f 1-844-344-3071}$ and follow the instructions.

By email at sac@sbi-international.com

YOU NEED TECHNICAL ADVICE?

Contact our technical support team at 1-877-356-6663 and follow the instructions.

By email at tech@sbi-international.com

ORDER CANCELLATION

SBI will charge a fee of 8% for the cancellation of any order with a value greater than \$2,000. This fee will be increased to 15% if the cancellation occurs withing 2 weeks of the expected ship date. Returns of merchandise must be authorized.

CHANGES TO THE PRICE LIST

SBI reserves the right, without notice, to make changes to the price lists during the year (addition, withdrawal, price change, etc.). It is the customer's responsibility to always download the most up-to-date price list from the customer portal.

FUEL SURCHARGE

In the case of a crisis in the oil products industry, a fuel surcharge per stove or insert will be applied according to the following table if the recommended fuel surcharge as published by the Freight Carriers Association of Canada is above 50% for truckloads or containers under 55,000 lb (25,000 kg).

FCA PUBLISHED SURCHARGE	TRANSPORT SURCHARGE IN \$/STOVE
< 50%	N/A
50% to 54.9%	\$4.00
55% to 59.9%	\$6.00
60% to 64.9%	\$8.00
65% to 69.9%	\$10.00
70% to 74.9%	\$12.00
75% to 79.9%	\$14.00
80% and more	\$16.00

The fuel surcharge will only be applicable to customers whose prices may include prepaid freight or who benefit from fixed freight rate brackets. The fuel surcharge invoiced by SBI is calculated at the date of shipment. In addition, the fuel surcharge will be applicable if the FCA published surcharge remains higher than 50% for at least 2 weeks. Should this occur, the surcharge applied by SBI will be in effect for a minimum period of 2 weeks. The goal of the surcharge is to make commerce viable between SBI and its customers would a crisis occur.

NORTH AMERICAN PREPAID & CHARGE FREIGHT POLICIES FOR PARTS AND ACCESSORIES

All part and accessories are shipped collect on the customer's courier account (UPS, Fedex, Puro, etc.). If the customer does not have a courier account, parts can be shipped "prepaid & charge". For customers ordering at least one stove, parts, and accessories with a total weight of less than 200 lb will ship free of charge under the customer's appliance freight program.

Table of contents

WOOD FIREPLACES (EXEMPT)	4
ST-LAURENT - LINEAR WOOD FIREPLACE - FP16	4
ST-LAURENT - LINEAR WOOD FIREPLACE INCLUDING 4 LENGTHS OF 8" X 36" CHIMNEY - FP16K	5
WESTMOUNT - SEE-THROUGH WOOD FIREPLACE - FP5SBO	6
WESTMOUNT - SEE-THROUGH WOOD FIREPLACE INCLUDING 4 LENGTHS OF 8" X 36" CHIMNEY - FP5SBOK	7
WOOD FIREPLACES (LOW MASS)	8
ANTOINETTE - WOOD FIREPLACE - FP7CB	8
ANTOINETTE - WOOD FIREPLACE INCLUDING 4 LENGTHS OF 8" X 36" CHIMNEY - FP7CBK	9
FRONTENAC - GUILLOTINE DOOR WOOD FIREPLACE - FP11	10
FRONTENAC - WOOD FIREPLACE INCLUDING 4 LENGTHS OF 8" X 36" CHIMNEY - FP11K	11
MANOIR - WOOD FIREPLACE - FP1LM	12
MANOIR - WOOD FIREPLACE INCLUDING 4 LENGTHS OF 8" X 36" VENTIS CHIMNEY - FP1LMK	13
WOOD FIREPLACES (CSA B415.1-10)	14
DALLAIRE - WOOD FIREPLACE INCLUDING 4 LENGTHS OF 6" X 36" CHIMNEY - FP18K	14
WOOD FIREPLACES (EPA 2020)	15
LAFAYETTE II - WOOD FIREPLACE - FP10R	15
LAFAYETTE II - WOOD FIREPLACE INCLUDING 4 LENGTHS OF 6" X 36" CHIMNEY - FP10RK	17
LAFAYETTE IIS - WOOD FIREPLACE - FP10RS	19
LAFAYETTE IIS - WOOD FIREPLACE INCLUDING 4 LENGTHS OF 6" X 36" CHIMNEY - FP10RSK	21
MUNDO II - WOOD FIREPLACE - FP12R	23
MUNDO II - WOOD FIREPLACE INCLUDING 4 LENGTHS OF 6" X 36" CHIMNEY - FP12RK	24
WATERLOO - ARCHED FACEPLATE WOOD FIREPLACE - FP15A	25
WATERLOO - ARCHED FACEPLATE WOOD FIREPLACE INCLUDING 4 LENGTHS OF 8" X 36" CHIMNEY - FP15AK	26
WATERLOO - WOOD FIREPLACE - FP15	27
WATERLOO - WOOD FIREPLACE INCLUDING 4 LENGTHS OF 8" X 36" CHIMNEY - FP15K	28
FIREPLACE TOOL SETS	29

ST-LAURENT - LINEAR WOOD FIREPLACE



Manufacturer code FP16 MSRP \$7349.00

UPC code 773388128870

This appliance is EPA exempt

Requires the addition of accessories (A) and (B) to complete the unit

REQUIRED ACCESSORIES

MSRP

Α	
VA16FE06 • BLACK STRAIGHT NARROW OVERLAP (To overlap thin facing materials like	\$400.00
tile)	
VA16TR • STRAIGHT MASONRY TRIM (Flush finish for brick/stone)	\$150.00
B	
VA16071M • CONTEMPORARY MOULDED BRICK PANELS	\$1000.00
OPTIONS	MSRP
OPTIONS AC01347 • 4"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	MSRP \$230.00
AC01347 • 4"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$230.00
AC01347 • 4"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER AC02761 • GLASS HEARTH PAD 10 mm - 20" X 70"	\$230.00 \$549.00
AC01347 • 4"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER AC02761 • GLASS HEARTH PAD 10 mm - 20" X 70" AC02780 • 60" WASHED CEDAR NON-COMBUSTIBLE MANTEL	\$230.00 \$549.00 \$1799.00

FEATURES

Chimney diameter	: 8"
Height X Width X Depth - Overall	: 63 3/4" X 62 5/8" X 31 3/4"
Maximum log length	: 30"
Shipping Weight	: 765 lb (347 kg)
Overall firebox volume-ft³	: 6.4
Recommended heating area-ft²	: <1,000
Moulded refractory bricks	

Cast iron andirons

ST-LAURENT - LINEAR WOOD FIREPLACE INCLUDING 4 LENGTHS OF 8" X 36" CHIMNEY



Manufacturer code FP16K MSRP \$8349.00

UPC code 773388128887



Requires the addition of accessories (A) and (B) to complete the unit

REQUIRED ACCESSORIES

MSRP

A	
VA16FE06 • BLACK STRAIGHT NARROW OVERLAP (To overlap thin facing materials like	\$400.00
tile)	
VA16TR • STRAIGHT MASONRY TRIM (Flush finish for brick/stone)	\$150.00
В	
VA16071M • CONTEMPORARY MOULDED BRICK PANELS	\$1000.00
OPTIONS	MSRP
OPTIONS AC01347 • 4"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$230.00
AC01347 • 4"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$230.00
AC01347 • 4"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER AC02761 • GLASS HEARTH PAD 10 mm - 20" X 70"	\$230.00 \$549.00
AC01347 • 4"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER AC02761 • GLASS HEARTH PAD 10 mm - 20" X 70" AC02780 • 60" WASHED CEDAR NON-COMBUSTIBLE MANTEL	\$230.00 \$549.00 \$1799.00

FEATURES

Chimney diameter	: 8"
Height X Width X Depth - Overall	: 63 3/4" X 62 5/8" X 31 3/4"
Maximum log length	: 30"
Shipping Weight	: 765 lb (347 kg)
Recommended heating area-ft²	: <1,000
Overall firebox volume-ft³	: 6.4
Moulded refractory bricks	

• Cast iron andirons

WESTMOUNT - SEE-THROUGH WOOD FIREPLACE



Manufacturer code FP5SBO

MSRP \$3899.00

UPC code 773388000442



Requires the addition of accessories (A) to complete the unit

REQUIRED ACCESSORIES

MSRP

, ,		
VA2FE06	BLACK NARROW OVERLAP	\$600.00
VA2FE39	• BRUSHED NICKEL NARROW OVERLAP ***LIMITED QUANTITIES***	\$1200.00
VA2FL06	BLACK LARGE OVERLAP	\$800.00

To complete the installation, two sets of overlap must be ordered. One for each side.

OPTIONS	MSRP
---------	------

AC01347	• 4"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$230.00
AC02760	• GLASS HEARTH PAD 10 mm - 18" X 50"	\$399.00
VA4400	BLOWER WITH VARIABLE SPEED CONTROL	\$350.00

Chimney diameter	: 8"
Height X Width X Depth - Overall	: 40 1/2" X 36 1/8" X 30 5/8"
Maximum log length	: 18"
Shipping Weight	: 511 lb (232 kg)
Overall firebox volume-ft³	: 3.5
Recommended heating area-ft²	: <1,000
Moulded refractory bricks	
Cast iron andirons	: No

WESTMOUNT - SEE-THROUGH WOOD FIREPLACE INCLUDING 4 LENGTHS OF 8" X 36" CHIMNEY



Manufacturer code FP5SBOK

MSRP \$4899.00

UPC code 773388213262



Requires the addition of accessories (A) to complete the unit

REQUIRED ACCESSORIES

MSRP

Α		
VA2FE06	BLACK NARROW OVERLAP	\$600.00
VA2FE39	BRUSHED NICKEL NARROW OVERLAP ***LIMITED QUANTITIES***	\$1200.00
VA2FL06	BLACK LARGE OVERLAP	\$800.00
ODTI	ANG	MSRP
OPTIO	ONO	WISKP
AC01347	• 4"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$230.00

Cast iron andirons	: No
Chimney diameter	: 8"
Height X Width X Depth - Overall	: 40 1/2" X 36 1/8" X 40 1/2"
Maximum log length	: 18"
Shipping Weight	: 603 lb (274 kg)
Moulded refractory bricks	
Recommended heating area-ft²	: <1,000
Overall firebox volume-ft³	: 3.5

ANTOINETTE - WOOD FIREPLACE



Manufacturer codeMSRPFP7CB\$5399.00

UPC code 773388165073



Requires the addition of accessories (A) and (B) to complete the unit

REQUIRED ACCESSORIES

MSRP

VA7FE06 • NARROW OVERLAP	\$400.00
VA7TR • MASONRY TRIM	\$250.00
В	
VA7071BR • CLASSIC MOULDED REFRACTORY BRICK PANELS	\$850.00
VA7071M • CONTEMPORARY MOULDED REFRACTORY BRICK PANELS	\$950.00
OPTIONS	
AC01347 • 4"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$230.00
AC02760 • GLASS HEARTH PAD 10 mm - 18" X 50"	\$399.00

Cast iron andirons	
• Chimney diameter :	: 8"
• Height X Width X Depth - Overall :	: 64 1/8" X 48 7/8" X 30 3/4"
Average particulate emissions rate	: 4.2 g/kg
• Maximum log length :	: 18"
• Shipping Weight :	: 523 lb (238 kg)
Moulded refractory bricks	
• Recommended heating area-ft ² :	: <1,000
• Overall firebox volume-ft³	: 5.3

ANTOINETTE - WOOD FIREPLACE INCLUDING 4 LENGTHS OF 8" X 36" CHIMNEY



Manufacturer codeMSRPFP7CBK\$6399.00

UPC code 773388213231



Requires the addition of accessories (A) and (B) to complete the unit

REQUIRED ACCESSORIES

MSRP

Α	
VA7FE06 • NARROW OVERLAP	\$400.00
VA7TR • MASONRY TRIM	\$250.00
В	
VA7071BR • CLASSIC MOULDED REFRACTORY BRICK PANELS	\$850.00
VA7071M • CONTEMPORARY MOULDED REFRACTORY BRICK PANELS	\$950.00
ORTIONO	
OPTIONS	MSRP
AC01347 • 4"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$230.00
AC02760 • GLASS HEARTH PAD 10 mm - 18" X 50"	\$399.00

Cast iron andirons	
Chimney diameter	: 8"
Height X Width X Depth - Overall	: 64 1/8" X 48 7/8" X 30 3/4"
Maximum log length	: 18"
Shipping Weight	: 615 lb (279 kg)
Moulded refractory bricks	
Overall firebox volume-ft³	: 5.3
 Maximum log length Shipping Weight Moulded refractory bricks 	: 615 lb (279 kg)

FRONTENAC - GUILLOTINE DOOR WOOD FIREPLACE



Manufacturer codeMSRPFP11\$7599.00

UPC code 773388049984



Requires the addition of accessories (A) and (B) to complete the unit

REQUIRED ACCESSORIES

MSRP

A	
VA11FA06 • BLACK ARCHED NARROW OVERLAP (Thin facing material - tile)	\$500.00
VA11FE06 • BLACK STRAIGHT NARROW OVERLAP (Thin facing materials - tile)	\$550.00
VA11TA • ARCHED MASONRY TRIM (Flush finish with brick/stone)	\$250.00
VA11TR • STRAIGHT MASONRY TRIM (Flush finish for brick/stone)	\$250.00
В	
VA11071BR • CLASSIC MOULDED BRICK PANELS	\$1150.00
VA11071H • HERRINGBONE MOULDED VERMICULITE PANELS	\$1500.00
VA11071M • CONTEMPORARY MOULDED BRICK PANELS	\$1200.00
OPTIONO	
OPTIONS	MSRP
AC01347 • 4"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$230.00
AC02761 • GLASS HEARTH PAD 10 mm - 20" X 70"	\$549.00

Chimney diameter	: 8"
Height X Width X Depth - Overall	: 74 3/4" X 59 1/2" X 34 1/2"
Maximum log length	: 30"
Shipping Weight	: 920 lb (417 kg)
Overall firebox volume-ft³	: 9.4
Recommended heating area-ft²	: <1,000
Average particulate emissions rate	: 4.2 g/kg
Moulded refractory bricks	
Cast iron andirons	

FRONTENAC - WOOD FIREPLACE INCLUDING 4 LENGTHS OF 8" X 36" CHIMNEY



Manufacturer code MSRP FP11K \$8599.00

UPC code 773388213224



Requires the addition of accessories (A) and (B) to complete the unit

REQUIRED ACCESSORIES

MSRP

\$500.00
\$550.00
\$250.00
\$250.00
\$1150.00
\$1500.00
\$1200.00
MSRP
\$230.00
\$549.00

Cast iron andirons		
Chimney diameter	: 8"	
Height X Width X Depth - Overall	: 74 3/4" X 59 1/2" X 34 1/2"	
Maximum log length	: 30"	
Shipping Weight	: 1012 lb (459 kg)	
Moulded refractory bricks		
Recommended heating area-ft²	: <1,000	
Overall firebox volume-ft³	: 9.4	

MANOIR - WOOD FIREPLACE



Manufacturer codeMSRPFP1LM\$3949.00

UPC code 773388088716



Requires the addition of accessories (A) to complete the unit

REQUIRED ACCESSORIES

MSRP

Α		
VA1FE05	BLACK MODERN FACEPLATE	\$750.00
VA1FE06	BLACK TRADITIONAL FACEPLATE	\$850.00
OPTIC	DNS	MSRP
AC01347	• 4"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$230.00
AC01350	• 6"Ø X 25' INSULATED FLEX PIPE FOR FORCED AIR KIT	\$200.00
AC01374	FORCED AIR KIT	\$950.00
AC01375	TRADITIONAL GRAVITY KIT	\$400.00
AC01376	MODERN GRAVITY KIT	\$350.00
AC02760	• GLASS HEARTH PAD 10 mm - 18" X 50"	\$399.00

FEATURES

Chimney diameter	: 8"
Height X Width X Depth - Overall	: 43 5/8" X 41 1/8" X 27 3/8"
Maximum log length	: 20"
Shipping Weight	: 520 lb (236 kg)
Overall firebox volume-ft³	: 4.25
Recommended heating area-ft²	: <1,500
Average particulate emissions rate	: 2.9 g/kg
Blower included	: Yes
Moulded refractory bricks	

· Cast iron andirons

MANOIR - WOOD FIREPLACE INCLUDING 4 LENGTHS OF 8" X 36" VENTIS CHIMNEY



Manufacturer codeMSRPFP1LMK\$4949.00

UPC code 773388127910



Requires the addition of accessories (A) to complete the unit

REQUIRED ACCESSORIES

MSRP

VA1FE05 • BLACK MODERN FACEPLATE	\$750.00
VA1FE06 • BLACK TRADITIONAL FACEPLATE	\$850.00
OPTIONS	MSRP
AC01347 • 4"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$230.00
AC01350 • 6"Ø X 25' INSULATED FLEX PIPE FOR FORCED AIR KIT	\$200.00
AC01374 • FORCED AIR KIT	\$950.00
AC01375 • TRADITIONAL GRAVITY KIT	\$400.00
AC01376 • MODERN GRAVITY KIT	\$350.00
AC02760 • GLASS HEARTH PAD 10 mm - 18" X 50"	\$399.00

Chimney diameter	: 8"
Height X Width X Depth - Overall	: 43 5/8" X 41 1/8" X 27 3/8"
Maximum log length	: 20"
Shipping Weight	: 520 lb (236 kg)
Overall firebox volume-ft³	: 4.25
Recommended heating area-ft²	: <1,500
Blower included	: Yes

WOOD FIREPLACES (CSA B415.1-10)

DALLAIRE - WOOD FIREPLACE INCLUDING 4 LENGTHS OF 6" X 36" CHIMNEY



Manufacturer codeMSRPFP18K\$5199.00

UPC code 773388242934



Requires the addition of accessories (A) and (B) to complete the unit

REQUIRED ACCESSORIES	MSRP
A	
VA18FL06 • BLACK FACEPLATE	\$650.00
В	
VA18L01 • CLASSIC STYLE FACEPLATE LOUVER	\$250.00
VA18L02 • ARABESQUE STYLE FACEPLATE LOUVER	\$250.00
VA18L03 • URBAN STYLE FACEPLATE LOUVER	\$250.00
VA18L04 • MISSION STYLE FACEPLATE LOUVER	\$350.00
VA18L05 • CROWN STYLE FACEPLATE LOUVER	\$400.00
OPTIONS	MSRP
AC01347 • 4"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$230.00
AC01350 • 6"Ø X 25' INSULATED FLEX PIPE FOR FORCED AIR KIT	\$200.00
AC01375 • TRADITIONAL GRAVITY KIT	\$400.00
AC01379 • FIRESCREEN DOOR	\$250.00
AC02091 • 4"Ø X 10' INSULATED FLEX PIPE FOR FRESH AIR INTAKE KIT	\$75.00
AC09200 • FIREPLACE CARRYING HANDLES	\$90.00
VA4460 • FORCED AIR KIT	\$750.00

Chimney diameter	: 6"
Height X Width X Depth - Overall	: 49 1/8" X 28 7/8" X 28 7/8"
Average particulate emissions rate	: 0.99 g/h
Maximum log length	: 18"
Moulded refractory bricks	
Recommended heating area-ft²	: 750 - 2,500
Combustion Technology	: Non-catalytic
Maximum burn time	: 9 h
Blower included	: Yes
Overall firebox volume-ft³	: 3.0

LAFAYETTE II - WOOD FIREPLACE



Manufacturer codeMSRPFP10R\$3799.00

UPC code 773388188386

INSTALLATION AUTHORIZED ON THE ISLAND OF MONTREAL



Requires the addition of accessories (A), (B) and (C) to complete the unit

REQUIRED ACCESSORIES	MSRP
A	
VA10RE07 • BLACK DOOR OVERLAY	\$150.00
VA10RE40 • BRUSHED NICKEL DOOR OVERLAY	\$350.00
В	
VA10FA06 • BLACK ARCHED FACEPLATE	\$500.00
C	
VA10L01 • CLASSIC STYLE FACEPLATE LOUVER	\$250.00
VA10L02 • ARABESQUE STYLE FACEPLATE LOUVER	\$250.00
VA10L03 • URBAN STYLE FACEPLATE LOUVER	\$250.00
VA10L04 • MISSION STYLE FACEPLATE LOUVER	\$400.00
VA10L05 • CROWN STYLE FACEPLATE LOUVER	\$450.00
OPTIONS	MSRP
AC01223 • HEAT SHIELD FOR SURROUND/SHELF	\$120.00
AC01275 • FIRESCREEN DOOR	\$300.00
AC01347 • 4"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$230.00
AC01350 • 6"Ø X 25' INSULATED FLEX PIPE FOR FORCED AIR KIT	\$200.00
AC01359 • 4"Ø X 25' INSULATED FLEX PIPE FOR FRESH AIR	\$200.00
AC01374 • FORCED AIR KIT	\$950.00
AC01375 • TRADITIONAL GRAVITY KIT	\$400.00
AC01389 • HOT AIR GRAVITY KIT – MODERN WITH ADJUSTABLE PIPES	\$600.00
AC02091 • 4"Ø X 10' INSULATED FLEX PIPE FOR FRESH AIR INTAKE KIT	\$75.00
AC02760 • GLASS HEARTH PAD 10 mm - 18" X 50"	\$399.00
AC09200 • FIREPLACE CARRYING HANDLES	\$90.00
FEATURES	

Chimney diameter	: 6"
Height X Width X Depth - Overall	: 40 5/8" X 36 3/4" X 28 3/8"
Average particulate emissions rate	: 1.2 g/h
Maximum log length	: 20"
Shipping Weight	: 493 lb (224 kg)
Moulded refractory bricks	
Recommended heating area-ft²	: 750 - 2,200
Maximum burn time	: 8 h
Blower included	: Yes

- Overall firebox volume-ft³
- Combustion Technology

- : 2.5
- : Non-catalytic

LAFAYETTE II - WOOD FIREPLACE INCLUDING 4 LENGTHS OF 6" X 36" CHIMNEY



Combustion Technology

• Maximum burn time

Manufacturer codeMSRPFP10RK\$4599.00

UPC code 773388197272

INSTALLATION AUTHORIZED ON THE ISLAND OF MONTREAL



Requires the addition of accessories (A), (B) and (C) to complete the unit

REQUIRED ACCESSORIES	MSRP
A	
VA10RE07 • BLACK DOOR OVERLAY	\$150.00
VA10RE40 • BRUSHED NICKEL DOOR OVERLAY	\$350.00
В	
VA10FA06 • BLACK ARCHED FACEPLATE	\$500.00
С	
VA10L01 • CLASSIC STYLE FACEPLATE LOUVER	\$250.00
VA10L02 • ARABESQUE STYLE FACEPLATE LOUV	/ER \$250.00
VA10L03 • URBAN STYLE FACEPLATE LOUVER	\$250.00
VA10L04 • MISSION STYLE FACEPLATE LOUVER	\$400.00
VA10L05 • CROWN STYLE FACEPLATE LOUVER	\$450.00
OPTIONS	MSRP
AC01223 • HEAT SHIELD FOR SURROUND/SHELF	\$120.00
AC01275 • FIRESCREEN DOOR	\$300.00
AC01347 • 4"Ø FRESH AIR INTAKE REGISTER WITH A	AIRTIGHT DAMPER \$230.00
AC01350 • 6"Ø X 25' INSULATED FLEX PIPE FOR FOR	CED AIR KIT \$200.00
AC01359 • 4"Ø X 25' INSULATED FLEX PIPE FOR FRE	SH AIR \$200.00
AC01374 • FORCED AIR KIT	\$950.00
AC01375 • TRADITIONAL GRAVITY KIT	\$400.00
AC01389 • HOT AIR GRAVITY KIT – MODERN WITH AI	DJUSTABLE PIPES \$600.00
AC02091 • 4"Ø X 10' INSULATED FLEX PIPE FOR FRE	SH AIR INTAKE KIT \$75.00
AC02760 • GLASS HEARTH PAD 10 mm - 18" X 50"	\$399.00
AC09200 • FIREPLACE CARRYING HANDLES	\$90.00
FEATURES	
Chimney diameter	: 6"
 Height X Width X Depth - Overall 	: 40 5/8" X 36 3/4" X 28 3/8"
Average particulate emissions rate	: 1.2 g/h
Maximum log length	: 20"
Moulded refractory bricks	
Recommended heating area-ft²	: 1,800 - 2,900

: Non-catalytic

: 8 h

• Blower included : Yes

• Overall firebox volume-ft³ : 2.5

LAFAYETTE IIS - WOOD FIREPLACE



Manufacturer codeMSRPFP10RS\$3799.00

UPC code 773388201276

INSTALLATION AUTHORIZED ON THE ISLAND OF MONTREAL



Requires the addition of accessories (A), (B) and (C) to complete the unit

REQUIRED ACCESSORIES	MSRP
A	
VA10FS06 • BLACK SQUARE FACEPLATE	\$500.00
В	
VA10LS01 • CLASSIC STYLE FACEPLATE LOUVER	\$250.00
VA10LS02 • ARABESQUE STYLE FACEPLATE LOUVER	\$250.00
VA10LS03 • URBAIN STYLE FACEPLATE LOUVER	\$250.00
VA10LS04 • MISSION STYLE FACEPLATE LOUVER	\$400.00
VA10LS05 • CROWN STYLE FACEPLATE LOUVER	\$450.00
C	
VA10RES07 • BLACK DOOR OVERLAY	\$150.00
VA10RES40 • BRUSHED NICKEL DOOR OVERLAY	\$350.00
OPTIONS	MSRP
OPTIONS AC01223 • HEAT SHIELD FOR SURROUND/SHELF	MSRP \$120.00
AC01223 • HEAT SHIELD FOR SURROUND/SHELF	\$120.00
AC01223 • HEAT SHIELD FOR SURROUND/SHELF AC01275 • FIRESCREEN DOOR	\$120.00 \$300.00
AC01223 • HEAT SHIELD FOR SURROUND/SHELF AC01275 • FIRESCREEN DOOR AC01347 • 4"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$120.00 \$300.00 \$230.00
AC01223 • HEAT SHIELD FOR SURROUND/SHELF AC01275 • FIRESCREEN DOOR AC01347 • 4"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER AC01350 • 6"Ø X 25' INSULATED FLEX PIPE FOR FORCED AIR KIT	\$120.00 \$300.00 \$230.00 \$200.00
AC01223 • HEAT SHIELD FOR SURROUND/SHELF AC01275 • FIRESCREEN DOOR AC01347 • 4"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER AC01350 • 6"Ø X 25' INSULATED FLEX PIPE FOR FORCED AIR KIT AC01359 • 4"Ø X 25' INSULATED FLEX PIPE FOR FRESH AIR	\$120.00 \$300.00 \$230.00 \$200.00
AC01223 • HEAT SHIELD FOR SURROUND/SHELF AC01275 • FIRESCREEN DOOR AC01347 • 4"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER AC01350 • 6"Ø X 25' INSULATED FLEX PIPE FOR FORCED AIR KIT AC01359 • 4"Ø X 25' INSULATED FLEX PIPE FOR FRESH AIR AC01374 • FORCED AIR KIT AC01375 • TRADITIONAL GRAVITY KIT AC01389 • HOT AIR GRAVITY KIT – MODERN WITH ADJUSTABLE PIPES	\$120.00 \$300.00 \$230.00 \$200.00 \$200.00 \$950.00 \$400.00
AC01223 • HEAT SHIELD FOR SURROUND/SHELF AC01275 • FIRESCREEN DOOR AC01347 • 4"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER AC01350 • 6"Ø X 25' INSULATED FLEX PIPE FOR FORCED AIR KIT AC01359 • 4"Ø X 25' INSULATED FLEX PIPE FOR FRESH AIR AC01374 • FORCED AIR KIT AC01375 • TRADITIONAL GRAVITY KIT AC01389 • HOT AIR GRAVITY KIT – MODERN WITH ADJUSTABLE PIPES AC02091 • 4"Ø X 10' INSULATED FLEX PIPE FOR FRESH AIR INTAKE KIT	\$120.00 \$300.00 \$230.00 \$200.00 \$200.00 \$950.00 \$400.00
AC01223 • HEAT SHIELD FOR SURROUND/SHELF AC01275 • FIRESCREEN DOOR AC01347 • 4"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER AC01350 • 6"Ø X 25' INSULATED FLEX PIPE FOR FORCED AIR KIT AC01359 • 4"Ø X 25' INSULATED FLEX PIPE FOR FRESH AIR AC01374 • FORCED AIR KIT AC01375 • TRADITIONAL GRAVITY KIT AC01389 • HOT AIR GRAVITY KIT – MODERN WITH ADJUSTABLE PIPES	\$120.00 \$300.00 \$230.00 \$200.00 \$200.00 \$950.00 \$400.00

Chimney diameter	: 6"
Height X Width X Depth - Overall	: 40 5/8" X 36 3/4" X 28 5/8"
Average particulate emissions rate	: 1.2 g/h
Maximum log length	: 20"
Shipping Weight	: 495 lb (225 kg)
Moulded refractory bricks	
Recommended heating area-ft²	: 750 - 2,200
Combustion Technology	: Non-catalytic
Maximum burn time	: 8 h

• Blower included : Yes

• Overall firebox volume-ft³ : 2.5

LAFAYETTE IIS - WOOD FIREPLACE INCLUDING 4 LENGTHS OF 6" X 36" CHIMNEY



Manufacturer codeMSRPFP10RSK\$4599.00

UPC code 773388212937

INSTALLATION AUTHORIZED ON THE ISLAND OF MONTREAL



Requires the addition of accessories (A), (B) and (C) to complete the unit

REQUIRE	ED ACCESSORIES
Λ	_

MSRP

A	
VA10FS06 • BLACK SQUARE FACEPLATE	\$500.00
В	
VA10LS01 • CLASSIC STYLE FACEPLATE LOUVER	\$250.00
VA10LS02 • ARABESQUE STYLE FACEPLATE LOUVER	\$250.00
VA10LS03 • URBAIN STYLE FACEPLATE LOUVER	\$250.00
VA10LS04 • MISSION STYLE FACEPLATE LOUVER	\$400.00
VA10LS05 • CROWN STYLE FACEPLATE LOUVER	\$450.00
C	
VA10RES07 • BLACK DOOR OVERLAY	\$150.00
VA10RES40 • BRUSHED NICKEL DOOR OVERLAY	\$350.00
OPTIONS	MSRP
OPTIONS AC01223 • HEAT SHIELD FOR SURROUND/SHELF	MSRP \$120.00
AC01223 • HEAT SHIELD FOR SURROUND/SHELF	\$120.00
AC01223 • HEAT SHIELD FOR SURROUND/SHELF AC01275 • FIRESCREEN DOOR	\$120.00 \$300.00
AC01223 • HEAT SHIELD FOR SURROUND/SHELF AC01275 • FIRESCREEN DOOR AC01347 • 4"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$120.00 \$300.00 \$230.00
AC01223 • HEAT SHIELD FOR SURROUND/SHELF AC01275 • FIRESCREEN DOOR AC01347 • 4"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER AC01350 • 6"Ø X 25' INSULATED FLEX PIPE FOR FORCED AIR KIT	\$120.00 \$300.00 \$230.00 \$200.00
AC01223 • HEAT SHIELD FOR SURROUND/SHELF AC01275 • FIRESCREEN DOOR AC01347 • 4"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER AC01350 • 6"Ø X 25' INSULATED FLEX PIPE FOR FORCED AIR KIT AC01359 • 4"Ø X 25' INSULATED FLEX PIPE FOR FRESH AIR	\$120.00 \$300.00 \$230.00 \$200.00
AC01223 • HEAT SHIELD FOR SURROUND/SHELF AC01275 • FIRESCREEN DOOR AC01347 • 4"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER AC01350 • 6"Ø X 25' INSULATED FLEX PIPE FOR FORCED AIR KIT AC01359 • 4"Ø X 25' INSULATED FLEX PIPE FOR FRESH AIR AC01374 • FORCED AIR KIT	\$120.00 \$300.00 \$230.00 \$200.00 \$200.00 \$950.00
AC01223 • HEAT SHIELD FOR SURROUND/SHELF AC01275 • FIRESCREEN DOOR AC01347 • 4"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER AC01350 • 6"Ø X 25' INSULATED FLEX PIPE FOR FORCED AIR KIT AC01359 • 4"Ø X 25' INSULATED FLEX PIPE FOR FRESH AIR AC01374 • FORCED AIR KIT AC01375 • TRADITIONAL GRAVITY KIT	\$120.00 \$300.00 \$230.00 \$200.00 \$200.00 \$950.00 \$400.00

Chimney diameter	: 6"
Height X Width X Depth - Overall	: 28 5/8" X 36 3/4" X 28 5/8"
Average particulate emissions rate	: 1.2 g/h
Maximum log length	: 20"
Shipping Weight	: 520 lb (236 kg)
Moulded refractory bricks	
Recommended heating area-ft²	: 750 - 2,200
Combustion Technology	: Non-catalytic
Maximum burn time	: 8 h

• Blower included : Yes

• Overall firebox volume-ft³ : 2.5

MUNDO II - WOOD FIREPLACE



Manufacturer code MSRP FP12R \$3899.00

UPC code 773388188393

INSTALLATION AUTHORIZED ON THE ISLAND OF MONTREAL

WARNING: The forced air distribution kit (AC01363), can be installed only with the gravity kit - Modern style (AC01389K), sold separately. The installation of a fresh air intake is mandatory on the FP12R. The fresh air intake adaptor is included with the fireplace. The outside air inlet cap; the 2 adjustable straps and the 4" insulated flexible pipe (AC02091-10'L) must be bought separately.



Requires the addition of accessories (A) to complete the unit

DEOI	IIDED		CCADIEC	•
REW	リスピレ	ACCE	SSORIES)

MSRP

A	
AC01375K • TRADITIONAL GRAVITY KIT	\$400.00
AC01389K • MODERN GRAVITY KIT WITH ADJUSTABLE PIPES	\$600.00
OPTIONS	MSRP
AC01275 • FIRESCREEN DOOR	\$300.00
AC01347 • 4"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$230.00
AC01350 • 6"Ø X 25' INSULATED FLEX PIPE FOR FORCED AIR KIT	\$200.00
AC01363 • FORCED AIR KIT	\$750.00
AC02091 • 4"Ø X 10' INSULATED FLEX PIPE FOR FRESH AIR INTAKE KIT	\$75.00
AC09200 • FIREPLACE CARRYING HANDLES	\$90.00
VA12FL02 • METALLIC BLACK FINISHING TRIM	\$350.00

Chimney diameter	: 6"
Height X Width X Depth - Overall	: 40 5/8" X 50 1/4" X 27"
Average particulate emissions rate	: 1.2 g/h
Maximum log length	: 20"
Shipping Weight	: 427 lb (193.6kg)
Moulded refractory bricks	
Recommended heating area-ft²	: 750 - 2,200
Maximum burn time	: 8 h
Blower included	: No
Overall firebox volume-ft³	: 2.5
Combustion Technology	: Non-catalytic

MUNDO II - WOOD FIREPLACE INCLUDING 4 LENGTHS OF 6" X 36" CHIMNEY



Manufacturer code MSRP FP12RK \$4699.00

UPC code 773388197289

INSTALLATION AUTHORIZED ON THE ISLAND OF MONTREAL

WARNING: The forced air distribution kit (AC01363) with heat activated system, can be installed only with the gravity kit - Modern style (AC01389K), sold separately. The installation of a fresh air intake is mandatory on the FP12R. The fresh air intake adaptor is included with the fireplace. The outside air inlet cap; the 2 adjustable straps and the 4" insulated flexible pipe (AC02091-10'L) must be bought separately.



Requires the addition of accessories (A) to complete the unit

	IIDED	ACCESS	JDIEG
REWL	ハスヒレ	ACCESSI	ノベリニシ

MSRP

A	
AC01375K • TRADITIONAL GRAVITY KIT	\$400.00
AC01389K • MODERN GRAVITY KIT WITH ADJUSTABLE PIPES	\$600.00
OPTIONS	MSRP
AC01275 • FIRESCREEN DOOR	\$300.00
AC01347 • 4"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$230.00
AC01350 • 6"Ø X 25' INSULATED FLEX PIPE FOR FORCED AIR KIT	\$200.00
AC01363 • FORCED AIR KIT	\$750.00
AC02091 • 4"Ø X 10' INSULATED FLEX PIPE FOR FRESH AIR INTAKE KIT	\$75.00
AC09200 • FIREPLACE CARRYING HANDLES	\$90.00
VA12FL02 • METALLIC BLACK FINISHING TRIM	\$350.00

Chimney diameter	: 6"
Height X Width X Depth - Overall	: 40 5/8" X 50 1/4" X 27"
Average particulate emissions rate	: 1.2 g/h
Maximum log length	: 20"
Moulded refractory bricks	
Recommended heating area-ft²	: 750 - 2,200
Combustion Technology	: Non-catalytic
Maximum burn time	: 8 h
Blower included	: No
Overall firebox volume-ft³	: 2.5

WATERLOO - ARCHED FACEPLATE WOOD FIREPLACE



Manufacturer codeMSRPFP15A\$4899.00

UPC code 773388171616

INSTALLATION AUTHORIZED ON THE ISLAND OF MONTREAL



Requires the addition of accessories (A), (B) and (C) to complete the unit

REQUIRED ACCESSORIES

MSRP

Α		
VA15FA06	BLACK ARCHED FACEPLATE	\$650.00
В		
AC02360	CLASSIC MOULDED BRICK PANELS	\$650.00
С		
VA15L01	CLASSIC STYLE FACEPLATE LOUVER	\$300.00
VA15L02	ARABESQUE STYLE FACEPLATE LOUVER	\$400.00
VA15L03	URBAN STYLE FACEPLATE LOUVER	\$400.00
VA15L04	MISSION STYLE FACEPLATE LOUVER	\$400.00
	N. 1.0	
	ANIC	MCDD
OPTIO	DNS	MSRP
OPTI AC01349	• 5"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$250.00
AC01349	• 5"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$250.00
AC01349 AC01350	5"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER 6"Ø X 25' INSULATED FLEX PIPE FOR FORCED AIR KIT	\$250.00 \$200.00
AC01349 AC01350 AC01378	5"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER 6"Ø X 25' INSULATED FLEX PIPE FOR FORCED AIR KIT WARM AIR CIRCULATION GRILLE - MODERN	\$250.00 \$200.00 \$350.00
AC01349 AC01350 AC01378 AC02760 AC02780 AC02781	5"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER 6"Ø X 25' INSULATED FLEX PIPE FOR FORCED AIR KIT WARM AIR CIRCULATION GRILLE - MODERN GLASS HEARTH PAD 10 mm - 18" X 50"	\$250.00 \$200.00 \$350.00 \$399.00
AC01349 AC01350 AC01378 AC02760 AC02780	 5"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER 6"Ø X 25' INSULATED FLEX PIPE FOR FORCED AIR KIT WARM AIR CIRCULATION GRILLE - MODERN GLASS HEARTH PAD 10 mm - 18" X 50" 60" WASHED CEDAR NON-COMBUSTIBLE MANTEL 	\$250.00 \$200.00 \$350.00 \$399.00 \$1799.00
AC01349 AC01350 AC01378 AC02760 AC02780 AC02781	 5"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER 6"Ø X 25' INSULATED FLEX PIPE FOR FORCED AIR KIT WARM AIR CIRCULATION GRILLE - MODERN GLASS HEARTH PAD 10 mm - 18" X 50" 60" WASHED CEDAR NON-COMBUSTIBLE MANTEL 72" WASHED CEDAR NON-COMBUSTIBLE MANTEL 	\$250.00 \$200.00 \$350.00 \$399.00 \$1799.00 \$1999.00

Cast iron andirons	: No
Chimney diameter	: 8"
Height X Width X Depth - Overall	: 43 3/8" X 50 3/4" X 31 5/8"
Average particulate emissions rate	: 1.6 g/h
Maximum log length	: 25"
Shipping Weight	: 545 lb (247 kg)
Moulded refractory bricks	
Recommended heating area-ft²	: 1,000 - 2,800
Maximum burn time	: 11 h
Blower included	: Yes
Overall firebox volume-ft³	: 4.28
Combustion Technology	: Non-catalytic

WATERLOO - ARCHED FACEPLATE WOOD FIREPLACE INCLUDING 4 LENGTHS OF 8" X 36" CHIMNEY



MSRP Manufacturer code FP15AK \$5899.00

UPC code 773388175294

INSTALLATION AUTHORIZED ON THE ISLAND OF MONTREAL



Requires the addition of accessories (A), (B) and (C) to complete the unit

REQ	UIRED	ACCES	SSOF	RIES
		AUUL!	500 1	ィーし

MSRP

Α		
VA15FA06	BLACK ARCHED FACEPLATE	\$650.00
В		
AC02360	CLASSIC MOULDED BRICK PANELS	\$650.00
С		
VA15L01	CLASSIC STYLE FACEPLATE LOUVER	\$300.00
VA15L02	 ARABESQUE STYLE FACEPLATE LOU\ 	YER \$400.00
VA15L03	 URBAN STYLE FACEPLATE LOUVER 	\$400.00
VA15L04	• MISSION STYLE FACEPLATE LOUVER	\$400.00
ODTIC	NIO	Mann
OPTIC	JNS	MSRP

OPTIONS	M	ISRP

AC01349	• 5"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$250.00
AC01350	• 6"Ø X 25' INSULATED FLEX PIPE FOR FORCED AIR KIT	\$200.00
AC01378	WARM AIR CIRCULATION GRILLE - MODERN	\$350.00
AC02760	• GLASS HEARTH PAD 10 mm - 18" X 50"	\$399.00
AC02780	60" WASHED CEDAR NON-COMBUSTIBLE MANTEL	\$1799.00
AC02781	• 72" WASHED CEDAR NON-COMBUSTIBLE MANTEL	\$1999.00
AC02782	60" TAVERN BROWN NON-COMBUSTIBLE MANTEL	\$1799.00
AC02783	• 72" TAVERN BROWN NON-COMBUSTIBLE MANTEL	\$1999.00
VA4460	FORCED AIR KIT	\$750.00

Cast iron andirons	: No
Chimney diameter	: 8"
Height X Width X Depth - Overall	: 43 3/8" X 50 3/4" X 31 5/8"
Average particulate emissions rate	: 1.6 g/h
Maximum log length	: 25"
Moulded refractory bricks	
Recommended heating area-ft²	: 1,000 - 2,800
Maximum burn time	: 11 h
Blower included	: Yes
Overall firebox volume-ft³	: 4.28

WATERLOO - WOOD FIREPLACE



Manufacturer codeMSRPFP15\$4999.00

UPC code 773388131818

INSTALLATION AUTHORIZED ON THE ISLAND OF MONTREAL



Requires the addition of accessories (A) and (B) to complete the unit

REQUIRED ACCESSORIES

MSRP

A	
VA15FL06 • BLACK "CROWN" STYLE FACEPLATE	\$850.00
В	
AC02360 • CLASSIC MOULDED BRICK PANELS	\$650.00
OPTIONS	MSRP
AC01349 • 5"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAM	MPER \$250.00
AC01350 • 6"Ø X 25' INSULATED FLEX PIPE FOR FORCED AIR KIT	\$200.00
AC01378 • WARM AIR CIRCULATION GRILLE - MODERN	\$350.00
AC02760 • GLASS HEARTH PAD 10 mm - 18" X 50"	\$399.00
AC02780 • 60" WASHED CEDAR NON-COMBUSTIBLE MANTEL	\$1799.00
AC02781 • 72" WASHED CEDAR NON-COMBUSTIBLE MANTEL	\$1999.00
AC02782 • 60" TAVERN BROWN NON-COMBUSTIBLE MANTEL	\$1799.00
AC02783 • 72" TAVERN BROWN NON-COMBUSTIBLE MANTEL	\$1999.00
VA4460 • FORCED AIR KIT	\$750.00

: No
: 8"
: 43 3/8" X 50 3/4" X 31 5/8"
: 1.6 g/h
: 25"
: 545 lb (247 kg)
: 1,000 - 2,800
: Non-catalytic
: 11 h
: Yes
: 4.28

WATERLOO - WOOD FIREPLACE INCLUDING 4 LENGTHS OF 8" X 36" CHIMNEY



Manufacturer codeMSRPFP15K\$5999.00

UPC code 773388128863

INSTALLATION AUTHORIZED ON THE ISLAND OF MONTREAL



Requires the addition of accessories (A) and (B) to complete the unit

REQUIRED ACCESSORIES

MSRP

Α		
VA15FL06	BLACK "CROWN" STYLE FACEPLATE	\$850.00
В		
AC02360	CLASSIC MOULDED BRICK PANELS	\$650.00
OPTIC	ONS	MSRP
AC01349	• 5"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$250.00
AC01350	• 6"Ø X 25' INSULATED FLEX PIPE FOR FORCED AIR KIT	\$200.00
AC01378	WARM AIR CIRCULATION GRILLE - MODERN	\$350.00
AC02760	• GLASS HEARTH PAD 10 mm - 18" X 50"	\$399.00
AC02780	60" WASHED CEDAR NON-COMBUSTIBLE MANTEL	\$1799.00
AC02781	• 72" WASHED CEDAR NON-COMBUSTIBLE MANTEL	\$1999.00
AC02782	60" TAVERN BROWN NON-COMBUSTIBLE MANTEL	\$1799.00
AC02783	• 72" TAVERN BROWN NON-COMBUSTIBLE MANTEL	\$1999.00
VA4460	FORCED AIR KIT	\$750.00

Chimney diameter	: 8"
Height X Width X Depth - Overall	: 43 3/8" X 50 3/4" X 31 5/8"
Average particulate emissions rate	: 1.6 g/h
Maximum log length	: 18"
Shipping Weight	: 545 lb (247 kg)
Recommended heating area-ft²	: 1,000 - 2,800
Combustion Technology	: Non-catalytic
Maximum burn time	: 11 h
Overall firebox volume-ft³	: 4.28
Blower included	: Yes
Moulded refractory bricks	
Cast iron andirons	: No

SKU#

UPC Code per unit

Available individually

List price per unit

Masterpack quantity of

List price per master pack

Fireplace tool sets

AC02350

773388127552

YES

\$155.00

N/A

\$155.00

EQUISS FREESTANDING LOG HOLDER



This compact and robust log holder is entirely manufactured in Canada and made of high quality steel. Its integrated handles make handling easier. The assembly is done in seconds; simply intersect the two panels and voila! A cuttable rubber band is also available to provide protection for the floor surface and to give it a finishing touch. Once the heating season is over, this free standing log holder is easy to take apart and will not clutter your living space.

AC02351

773388169408

YES

\$699.00

N/A

\$699.00

48" WOOD STORAGE WITH FINISHING TRIM



Built-in or freestanding, configurable vertically or horizontally, you will appreciate the versatility of this wood storage unit. It will most certainly find its place in your decor, whether next to your wood stove, close to your heater or the entrance where it can be used as a bench when positioned horizontally. For a pure and minimalist décor, the box can be integrated inside one of your walls. A finishing trim is provided for this flawless look. Very sturdy, this heavy-steel (14 ga) wood storage is powder-coated and can accommodate logs up to 18" in length. The steel frame contains four concealed wooden blocks to prevent premature wear of your floors. An accessories storage drawer (17" x 15" x 6") is available as an option. Conveniently put away the poker and shovel included with this drawer! Delivered in a compact package, this wood storage unit is very easily assembled. You will be impressed! Made in Canada.

AC02353

773388169422

YES

\$400.00

N/A

\$400.00

DRAWER AND TOOL KIT FOR WOOD STORAGE INSERT



This accessory storage drawer (17" x 15" x 6") is a great addition to your wood storage. Store the poker and shovel, included with the drawer, for convenience! Look no further and collect all your things in one place.

AC02620

773388123684

YES

\$299.00

N/A

\$299.00

DUPLEX FIREPLACE TOOL SET



This distinctive hearth tool set contains four instruments: poker, broom, shovel and scraper – all the tools needed to operate and maintain your wood-burning stove or fireplace. The clean lines and combination of steel and wood construction make a strong contemporary design statement. Height of accessories: 26 3/16" (66 cm). Proudly made in Quebec.

AC02621

773388123691

YES

\$219.00

N/A

\$219.00

INEO FIREPLACE TOOL SET



This distinctive hearth tool set contains four quality implements: poker, broom, shovel and scraper - all you need to operate and maintain your wood-burning appliance. The clean lines and simplicity make a strong contemporary design statement. Kit height: 28 5/8" (73 cm). Proudly made in Canada.

AC02622

773388123707

YES

\$249.00

N/A

\$249.00



PAPYRUS FIREPLACE TOOL SET

This distinctive hearth tool set contains four instruments: poker, broom, shovel and scraper - all you need to operate and maintain your wood-burning appliance. The dramatic use of steel makes a strong contemporary design statement. Kit height: 27 1/2" (69 cm). Ø 7 1/2" (19 cm). Proudly made in Canada.

AC02627

773388123752

YES

\$265.00

N/A

\$265.00

FUSIO LOG HOLDER



This distinctive log holder combines steel and cherrywood; its curved shape makes a strong contemporary design statement. Make your life simpler by fueling your fire without ever being caught unprepared. Dimensions: 20"H x 18 1/2"W x 24"D. Made in Quebec with exceptional craftmanship.

AC02628

773388176093

YES

\$299.00

N/A

\$299.00



NORDIK FIREPLACE TOOL SET

This distinctive hearth tool set contains four instruments: poker, broom, shovel and clamp – all the tools needed to operate and maintain your wood-burning stove or fireplace. Its wooden base and steel structure gives it an industrial look, perfect for contemporary or rustic spaces. Height of stand: 20 7/8" (53 cm). Dimensions of base: 9 1/2" (24 cm) X 4 3/4" (12 cm). Made in France with exceptional craftmanship.

AC02629

773388176109

YES

\$249.00

N/A

\$249.00

PETAL FIREPLACE TOOL SET



This distinctive hearth tool set contains four instruments: poker, broom, shovel and clamp – all the tools needed to operate and maintain your wood-burning stove or fireplace. A nice option for those who want to camouflage tools for a more decorative look. Height of stand: 20" (51 cm). Base diameter: 7 1/2" (19 cm). Made in France with exceptional craftmanship.

AC02631

773388176123

YES

\$199.00

N/A

\$199.00

SPEKTRA FIREPLACE TOOL SET



This distinctive hearth tool set contains four instruments: poker, broom, shovel and clamp – all the tools needed to operate and maintain your wood-burning stove or fireplace. You will appreciate its futuristic look for a unique atmosphere. Height of stand: 20" (51 cm). Base diameter: 7 1/2" (19 cm). Made in France with exceptional craftmanship.