

Outdoor Fireplaces

CAROL ROSE

OUTDOOR

CAROL ROSE

Loft Burners & Log Sets

Approximate Turndown 33%
Decorative Glass not available on this model
Min Opening OLI24: 18 H x 34 W x 18 D
Min Opening OLI30: 18 H x 36 W x 18 D



OUTDOOR LOFT SERIES STAINLESS STEEL BURNERS

INTERMITTENT IGNITION CONTROL INCLUDE VARIABLE REMOTE CONTROL

IPI, Variable Remote, 24, NG	OLI24N	\$1549
IPI, Variable Remote, 24, LP	OLI24P	\$1549
IPI, Variable Remote, 30, NG	OLI30N	\$1649
IPI, Variable Remote, 30, LP	OLI30P	\$1649

OUTDOOR HARMONY STAINLESS STEEL BURNERS
MILLIVOLT CONTROL WITH ON/OFF SWITCH

Millivolt, 24-in., NG	ONR24N	\$1119
Millivolt, 24-in., LP	ONR24P	\$1119
Millivolt, 30-in., NG	ONR30N	\$1219
Millivolt, 30-in., LP	ONR30P	\$1219

OUTDOOR HARMONY STAINLESS STEEL BURNERS,
INTERMITTENT IGNITION SYSTEM INCLUDES VARIABLE
REMOTE CONTROL

IPI Variable Remote, 24, NG	ONI24N	\$1569
IPI Variable Remote, 24, LP	ONI24P	\$1569
IPI Variable Remote, 30, NG	ONI30N	\$1649
IPI Variable Remote, 30, LP	ONI30P	\$1649

GAS SUPPLY TIMER OPTIONS

E-Stop Gas Timer, 1 to 60 min.	GT060	\$219
E-Stop Timer Compartment, Stainless Steel	GTCSS	\$159

CONTROL OPTIONS FOR MV

Remote, Battery Receiver/Remote, On/Off	FRBC	\$209
Wall Switch, On/Off	FWS1	\$33



OUTDOOR WILDWOOD REFRACTORY LOG SET (REQ
BURNER)

7-pc., 24-in., Refractory	OLX24WR	\$429
7-pc., 30-in., Refractory	OLX30WR	\$469

CAROL ROSE

Premium Firebox 36 42

Premium 36:

Opening 15 9/16 x 36
Framing 36 H x 41 W x 19 1/4 D
(see manual before framing)

Premium 42:

Opening 15 9/16 x 42
Framing 36 H x 45 W x 19 1/4 D
(see manual before framing)



OUTDOOR STAINLESS STEEL FIREBOX 36		
Flush Front, Refractory Liner	OP36FB2MF	\$1629

OUTDOOR STAINLESS STEEL FIREBOX 42		
Flush Front, Refractory Liner	OP42FB2MF	\$1779

36 ACCESSORIES		
Bi-Fold Glass Doors SS	BDO36SS	\$634
Drain Tray, 36-in., Stainless Steel	DT36SS	\$404
Weather Door, 36-in., Stainless Steel	WD36SS	\$334

42 ACCESSORIES		
Bi-Fold Glass Doors SS	BDO42SS	\$744
Drain Tray, 42-in., Stainless Steel	DT42SS	\$479
Weather Door, 42-in., Stainless Steel	WD42SS	\$369

GAS SUPPLY TIMER OPTIONS		
E-Stop Gas Timer, 1 to 60 min.	GT060	\$219
E-Stop Timer Compartment, Stainless Steel	GTCSS	\$159

CAROL ROSE

Premium Fireplace

Premium 36:

Opening 24 1/4 x 36
Framing 36 H x
41 W x 19 1/4 D
(see manual before
framing)

Premium 42:

Opening 24 1/4 x 42
Framing 36 H x
45 W x 19 1/4 D
(see manual before
framing)

**MILLIVOLT CONTROL WITH ON/OFF SWITCH, STANDING PILOT, REFRACTORY LINER**

Millivolt, Refractory Liner, LP	OP36FP32MP	\$2759
Millivolt, Refractory Liner, NG	OP36FP32MN	\$2759

INTERMITTENT IGNITION WITH VARIABLE REMOTE CONTROL, REFRACTORY LINER

Int Ign, Refractory Liner, LP	OP36FP72MP	\$3089
Int Ign, Refractory Liner, NG	OP36FP72MN	\$3089

MILLIVOLT CONTROL WITH ON/OFF SWITCH, STANDING PILOT, REFRACTORY LINER

Millivolt, Refractory Liner, NG	OP42FP32MN	\$3029
Millivolt, Refractory Liner, LP	OP42FP32MP	\$3029

INTERMITTENT IGNITION WITH VARIABLE REMOTE CONTROL, REFRACTORY LINER

Int Ign, Refractory Liner, LP	OP42FP72MP	\$3369
Int Ign, Refractory Liner, NG	OP42FP72MN	\$3369

36 ACCESSORIES

Bi-Fold Glass Doors SS	BDO36SS	\$634
Drain Tray, 36-in., Stainless Steel	DT36SS	\$404
Weather Door, 36-in., Stainless Steel	WD36SS	\$334

42 ACCESSORIES

Bi-Fold Glass Doors SS	BDO42SS	\$744
Drain Tray, 42-in., Stainless Steel	DT42SS	\$479
Weather Door, 42-in., Stainless Steel	WD42SS	\$369

24 OUTDOOR WILDWOOD REFRACTORY LOG SET (REQ)

7-pc., 24-in., Refractory	OLX24WR	\$429
---------------------------	---------	-------

30 OUTDOOR WILDWOOD REFRACTORY LOG SET (REQ)

7-pc., 30-in., Refractory	OLX30WR	\$469
---------------------------	---------	-------

CONTROL OPTIONS FOR MV

Remote, Battery Receiver/Remote, On/Off	FRBC	\$209
Wall Switch, On/Off	FWS1	\$33

GAS SUPPLY TIMER OPTIONS

E-Stop Gas Timer, 1 to 60 min.	GT060	\$219
E-Stop Timer Compartment, Stainless Steel	GTCSS	\$159

36 CONVERSION KITS

Conversion Kit, Millivolt (NG To LP)	31996	\$69
Conversion Kit, Millivolt (LP To NG)	31997	\$69
Conversion Kit, IPI (NG To LP)	31992	\$79
Conversion Kit, IPI (LP To NG)	31993	\$79

42 CONVERSION KITS

Conversion Kit, Millivolt (NG To LP)	31998	\$69
Conversion Kit, Millivolt (LP To NG)	31999	\$69
Conversion Kit, IPI (NG To LP)	31994	\$79
Conversion Kit, IPI (LP To NG)	31995	\$79

CAROL ROSE Outdoor Fire Pit

Linear 48:

Available with Pre-Programmed Color LED Lighting beneath burner

Opening 13 11/16 x 46 7/8

See manual before framing

Linear 60:

Available with Pre-Programmed Color LED Lighting beneath burner

Opening 13 11/16 x 58 7/8

See manual before framing



48 OUTDOOR STAINLESS STEEL LINEAR FIRE PIT

48-in., Manual, NG	OL48TP10N	\$2299
48-in., Manual, LP	OL48TP10P	\$2299
48-in., Manual, Multicolor LED Lighting, NG	OL48TP18N	\$2879
48-in., Manual, Multicolor LED Lighting, LP	OL48TP18P	\$2879

60 OUTDOOR STAINLESS STEEL LINEAR FIRE PIT

60-in., Manual, NG	OL60TP10N	\$2569
60-in., Manual, LP	OL60TP10P	\$2569
60-in., Manual, Multicolor LED Lighting, NG	OL60TP18N	\$3149
60-in., Manual, Multicolor LED Lighting, LP	OL60TP18P	\$3149

ACCESSORIES

Stainless Steel Tilt-out LP Tank Door	BBA	\$359
Stainless Steel Register Kit (2 registers, for island ventilation)	BRB	\$74
Drain Tray, 48/60 Linear, Stainless Steel	DT48LSS	\$369
Weather Cover 48	WC48LSS	\$459
Weather Cover 60	WC60LSS	\$529
Wind Deflector Glass, Tall 48	WG484LT	\$299
Wind Deflector Glass, Tall 60	WG604LT	\$404

CRUSHED GLASS (REQ)

Crushed Glass, Clear Frost, approx. 1 sq. ft.	DG1CLF	\$79
Crushed Glass, Bronze Reflective, approx. 1 sq. ft.	DG1BZR	\$79
Crushed Glass, Copper Reflective, approx. 1 sq. ft.	DG1BCR	\$79

GLASS DROPLETS, ROCKS, AND PEBBLES

Crushed Glass, Black Polished, approx. 1 sq. ft.	DG1BKP	\$79
Crushed Glass, Blue Clear, approx. 1 sq. ft.	DG1BUC	\$79

48 CONVERSION KITS

Conversion Kit, LP To NG	37991	\$159
Conversion Kit, NG To LP	37992	\$159

60 CONVERSION KITS

Conversion Kit, LP To NG	37993	\$159
Conversion Kit, NG To LP	37994	\$159

GAS SUPPLY TIMER OPTIONS

E-Stop Gas Timer, 1 to 60 min.	GT060	\$219
E-Stop Timer Compartment, Stainless Steel	GTCCS	\$159

CAROL ROSE Linear Fireplace

Linear 48:

Ventless Fireplace for outdoor installation

Opening 16 3/16 x 48

Framing 40 13/16 H x 52 W x 19 1/4 D
(see manual before framing)

Linear 60:

Ventless Fireplace for outdoor installation

Opening 16 3/16 x 60

Framing 31 H x 64 W x 19 1/4 D
(see manual before framing)



OUTDOOR STAINLESS STEEL LINEAR FIREPLACE

48-in., Manual, NG	OLL48FP12SN	\$4129
48-in., Manual, LP	OLL48FP12SP	\$4129
60-in., Manual, NG	OLL60FP12SN	\$5249
60-in., Manual, LP	OLL60FP12SP	\$5249

GAS SUPPLY TIMER OPTIONS

E-Stop Gas Timer, 1 to 60 min.	GT060	\$219
E-Stop Timer Compartment, Stainless Steel	GTCS	\$159

ACCESSORIES

Drain Tray, 48/60 Linear, Stainless Steel	DT48LSS	\$369
Weather Door, 48-in. Linear, Stainless Steel	WD48LSS	\$309
Deflector Glass, 48-in. Linear	WG48LT1	\$269
Weather Door, 60-in. Linear, Stainless Steel	WD60LSS	\$384
Deflector Glass, 60-in. Linear	WG60LT1	\$319

CRUSHED GLASS (REQ)

Crushed Glass, Clear Frost, approx. 1 sq. ft.	DG1CLF	\$79
Crushed Glass, Bronze Reflective, approx. 1 sq. ft.	DG1BZR	\$79
Crushed Glass, Copper Reflective, approx. 1 sq. ft.	DG1BCR	\$79

GLASS DROPLETS, ROCKS, AND PEBBLES

Crushed Glass, Black Polished, approx. 1 sq. ft.	DG1BKP	\$79
Crushed Glass, Blue Clear, approx. 1 sq. ft.	DG1BUC	\$79
Drops 1-in., Onyx Solid, approx. 1 sq. ft.	DG1NXS	\$64
Droplets, 1/2-in., Glacier Ice, approx. 1 sq. ft.	DG1GC	\$47

CAROL ROSE Linear Fireplace ST

Linear 48:

Ventless Fireplace for outdoor installation

Opening 16 3/16 x 48

Framing 40 13/16 H x 52 W x 22 5/16 D

(see manual before framing)

Linear 60:

Ventless Fireplace for outdoor installation

Opening 16 3/16 x 60

Framing 31 H x 64 W x 22 1/2 D

(see manual before framing)



OUTDOOR STAINLESS STEEL LINEAR FIREPLACE

See-Through 48-in., Manual, NG	OLL48SP12SN	\$4409
See-Through, 48-in., Manual, LP	OLL48SP12SP	\$4409
See-Through 60-in., Manual, NG	OLL60SP12SN	\$5379
See-Through, 60-in., Manual, LP	OLL60SP12SP	\$5379

ACCESSORIES

Drain Tray, 48/60 Linear, Stainless Steel	DT48LSS	\$369
Weather Door, 48-in. Linear, Stainless Steel	WD48LSS	\$309
Deflector Glass, 48-in. Linear	WG48LT1	\$269
Weather Door, 60-in. Linear, Stainless Steel	WD60LSS	\$384
Deflector Glass, 60-in. Linear	WG60LT1	\$319

CRUSHED GLASS (REQ)

Crushed Glass, Clear Frost, approx. 1 sq. ft.	DG1CLF	\$79
Crushed Glass, Bronze Reflective, approx. 1 sq. ft.	DG1BZR	\$79
Crushed Glass, Copper Reflective, approx. 1 sq. ft.	DG1BCR	\$79

GLASS DROPLETS, ROCKS, AND PEBBLES

Crushed Glass, Black Polished, approx. 1 sq. ft.	DG1BKP	\$79
Crushed Glass, Blue Clear, approx. 1 sq. ft.	DG1BUC	\$79
Drops 1-in., Onyx Solid, approx. 1 sq. ft.	DG1NXS	\$64
Droplets, 1/2-in., Glacier Ice, approx. 1 sq. ft.	DG1GC	\$47

GAS SUPPLY TIMER OPTIONS

E-Stop Gas Timer, 1 to 60 min.	GT060	\$219
E-Stop Timer Compartment, Stainless Steel	GTCCS	\$159

48 CONVERSION KITS

Burner Assembly Comp-NG	13314	\$92
Burner Assembly Comp-LP	13315	\$92

60 CONVERSION KITS

Conversion Kit, NG To LP	35829	\$169
Conversion Kit, LP To NG	35830	\$169