



Pictured above: The new 24" Nero Marquina Fyre Spheres with G23 Burner System (see page 5).

## TABLE OF CONTENTS

DESCRIPTION	PAGE
G19A, ODG15 and G8E Series Vent-Free Burner Systems	3
G9 and G10 Series Vent-Free Burner Systems	4
G18 and G23 Series Vent-Free Burner Systems	5
G21 Series Vent-Free Burner System and Glass Media	6
Accessories and Replacement Parts	7
Individual Vent-Free Replacement Gas Logs	8

**RHSPETERSON** CO.

14724 Proctor Avenue • City of Industry, CA 91746 • Website: [www.rhspeterson.com](http://www.rhspeterson.com) • (626) 369-5085 • Fax (626)369-5979

**SUPERSEDES ALL OTHER PRICE LISTS • PRICES SUBJECT TO CHANGE WITHOUT NOTICE • ALL PRICES FOB FACTORY, TERMS: NET 30 DAYS**

To Use This Price Sheet:	
1. Select Burner System	2. Select Log Style Design or Contemporary Media (G21 & G23)
3. Select Log Size	4. Select Controls & Accessories

Purchase Info. Key
• For all model numbers: ** = Insert size
• Price: \$
• Weight: #

## Highlighted Products for 2026



### Gas Logs for G19A & ODG15 Burners (Pg. 3)


Two new log designs have joined the Foothill Oak and the Foothill Split Oak as options for the G19A and ODG15 Burner Systems. The **Driftwood** and **Lakeshore** log sets bring the look of sea-tumbled/weathered wood into your fireplace. Perfect for contemporary settings as well as those looking for something different.



### Nero Marquina Fyre Spheres for G23 (Pg. 5)

The new **Nero Marquina** Fyre Spheres offer an additional option to the recently introduced G23 Burner System. Featuring a deep black surface with white veining mimicking the beauty and timelessness inspired by the quarries in Spain. This new set is sure to bring a touch of sophistication to the most discerning taste.

## Measuring your fireplace for a Real Fyre Vent-Free gas log set.



- 1 Front width (in inches)
- 2 Back width (in inches)
- 3 Depth (in inches)
- 4 Height (in inches)
- 5 Gas stub location
  - How far does the gas stub extend into the firebox?
  - What is the distance from the gas stub to the firebox floor?

For special sizing requirements exclusive to each burner system, refer to its particular Owner's Manual.

## G19A Series Burner Systems

- **G19A Series Vent-Free Gas Logs sets are ANSI Certified and include:** Uniquely Designed Vent-Free Gas Logs • Certified Vent Free Burner with pre-assembled Remote Control Valve & ODS Safety System • Custom Grate • Connector Kit • Glowing Embers • Lava Granules. \*Remote Systems include basic Transmitter and Receiver.
- Shipped for use w/ Natural Gas - specify if for Propane Gas by adding a "P" to the model number (e.g. G19A-24/30-15P).

### G19A Burner System

 <p>G19A-24/30-15</p>	DESCRIPTION / WT.	CONTROL	MODEL #	18"/20"	24"/30"
	G19A Burner System Weight: 18"/20" - 30# Weight: 24"/30" - 36#	Variable Remote* Electronic Remote*	<b>G19A-**-15</b> <b>G19A-**-01V</b>	<b>\$1,712</b> <b>2,083</b>	<b>\$1,801</b> <b>2,171</b>


## ODG15 Series Outdoor Burner Systems

- **ODG15 Series Gas Logs are certified as Outdoor Decorative Gas Appliances for outdoor use only** and include: Uniquely Designed Vent-Free Gas Logs • Stainless steel burner with pre-assembled electronic remote valve • Custom grate • Connector Kit • Lava Stones. \*Remote Systems include basic Transmitter and Receiver.
- Shipped for use w/ Natural Gas - specify if for Propane Gas by adding a "P" to the model number (e.g. ODG15-24/30-02P).

### ODG15 Burner System

 <p>ODG15-24/30-2VT</p>	DESCRIPTION / WT.	CONTROL	MODEL #	24"/30"
	ODG15 Outdoor Burner System	ON/OFF Remote* Variable Remote*	<b>ODG15-**-02</b> <b>ODG15-**-2VT</b>	<b>\$2,795</b> <b>2,823</b>

## G19A & ODG15 Compatible Gas Log Sets

 <p>Foothill Oak</p>	 <p>Foothill Split Oak</p>	DESCRIPTION	FIREPLACE	MODEL #	18"	24"	30"
		Foothill Oak	Single View	<b>FTO-**-33#</b>	<b>\$426</b>	<b>\$480</b>	<b>\$579</b>
 <p>Driftwood</p>	 <p>Lakeshore</p>	Foothill Split Oak	Single View	<b>FTSO-**-33#</b>	<b>464</b>	<b>526</b>	<b>630</b>
		Driftwood	Single View	<b>DRW-**-33#</b>	<b>313</b>	<b>353</b>	<b>376</b>
		Lakeshore	Single View	<b>LSH-**-33#</b>	<b>344</b>	<b>425</b>	<b>505</b>

## G8E Series Burner System

- **G8E Series Gas Log Sets are ANSI Certified and include:** Vent Free Gas Logs • Decorative Front Panel • Certified Vent Free Burner with pre-assembled Control Valve and ODS Safety System • Custom Grate • Connector Kit. \*Remote Systems include basic Transmitter and Receiver.
- Shipped for use w/ Natural Gas - specify if for Propane Gas by adding a "P" to the model number (e.g. G8E-16/20/24P).

### G8E Burners

 <p>G8E-16/20/24-15</p>	DESCRIPTION / WT.	CONTROL	MODEL #	16"/20"/24"	
	G8E Burner (20,000 BTU's) Weight: 12#	Manual ON/OFF Remote* Variable Remote*	<b>G8E-**-12</b> <b>G8E-**-15</b>	<b>\$574</b> <b>995</b> <b>1,089</b>	
		G8E Burner (9,500 BTU's) Weight: 12#	Manual ON/OFF Remote*	<b>G8E-**-R</b> <b>G8E-**-R-12</b>	<b>574</b> <b>995</b>


## G8E Compatible Gas Log Sets

 <p>Split Valley Oak</p>	DESCRIPTION	FIREPLACE	MODEL #	16"	20"	24"	
	Valley Oak	Single View	<b>V08E-**-25#</b>	<b>\$310</b>	<b>\$352</b>	<b>\$392</b>	
		Split Valley Oak	Single View	<b>SVO8E-**-27#</b>	<b>333</b>	<b>374</b>	<b>414</b>
					<b>29#</b>	<b>35#</b>	<b>36#</b>


## G9 Series Burner System

- **G9 Series Vent Free Gas Log Sets are ANSI Certified and Include:** Vent Free Gas Logs • Certified Vent Free Burner with pre-assembled Control Valve and ODS Safety System
- Custom Grate • Connector Kit • Glowing Embers • Bryte Coals • Lava-Fyre Granules. \*Remote Systems include basic Transmitter and Receiver.
- Shipped for use w/ Natural Gas - specify if for Propane Gas by adding a "P" to the model number (e.g. G9-20/24/30P).

### G9 Burners

	DESCRIPTION / WT.	CONTROL	MODEL #	20"/24"/30"
	G9 Burner System Weight: 22-23#	Manual	<b>G9-**-</b>	<b>\$801</b>
	ON/OFF Remote*	<b>G9-**-12</b>	<b>1,228</b>	
	Variable Remote*	<b>G9-**-15</b>	<b>1,361</b>	
G9 See-thru Burner System Weight: 36#	ON/OFF Remote*	<b>G9-2-**-12</b>	<b>1,621</b>	

### G9 Compatible Gas Log Sets

	DESCRIPTION	FIREPLACE	MODEL #	20"	24"	30"
	Golden Oak Designer	Single View	<b>RD9-**-</b>	<b>\$312</b> 32#	<b>\$339</b> 35#	<b>\$425</b> 49#
	See Thru	<b>RD9-2-**-</b>	--	<b>450</b> 50#	--	
	Split Oak	Single View	<b>S9-**-</b> 31#	<b>337</b> 34#	<b>367</b> 48#	
		See Thru	<b>S9-2-**-</b>	--	<b>501</b> 50#	--
	Meadow Oak	Single View	<b>M9-**-</b> 56#	<b>323</b> 61#	<b>437</b> 68#	
		See Thru	<b>M9-2-**-</b>	--	<b>466</b> 61#	--

## G10 Series Burner System (Featuring the Vent-Free I-2000 Plus Burner System)

- **G10 Series Vent Free Gas Log Sets are ANSI Certified and Include:** Vent Free Gas Logs • Certified Vent Free Burner with pre-assembled Control Valve and ODS Safety System • Custom Grate • Connector Kit • Glowing Embers • Bryte Coals • Lava-Fyre Granules. \*Remote Systems include basic Transmitter and Receiver.
- Shipped for use w/ Natural Gas - specify if for Propane Gas by adding a "P" to the model number (e.g. G10-24/30P).

### G10 Burners

	DESCRIPTION / WT.	CONTROL	MODEL #	16"/18"	24"/30"
	G10 Burner System Weight: 16"/18" - 22-25# Weight: 24"/30" - 26-30#	Manual	<b>G10-**-</b>	<b>\$1,004</b>	<b>\$1,123</b>
	ON/OFF Remote*	<b>G10-**-12</b>	<b>1,416</b>	<b>1,535</b>	
	Variable Remote*	<b>G10-**-15</b>	<b>1,542</b>	<b>1,659</b>	
	Electronic Remote*	<b>G10-**-01V</b>	<b>1,959</b>	<b>2,076</b>	
	G10 Burner System (Stainless Steel) Weight: 16"/18" - 22-25# Weight: 24"/30" - 26-30#	Manual	<b>G10-**-SS</b>	<b>1,747</b>	<b>1,875</b>
		ON/OFF Remote*	<b>G10-**-12-SS</b>	<b>2,164</b>	<b>2,294</b>
		Variable Remote*	<b>G10-**-15-SS</b>	<b>2,294</b>	<b>2,419</b>
		Electronic Remote*	<b>G10-**-01V-SS</b>	<b>2,740</b>	<b>2,870</b>


### G10 Compatible Gas Log Sets

		DESCRIPTION	FIREPLACE	MODEL #	16/18"	24"	30"
		Charred Frontier Oak	Single View	<b>CHFR-**-</b>	<b>\$390</b> 35#	<b>\$445</b> 41#	<b>\$553</b> 48#
Charred Aged Split	Single View	<b>CHAS-**-</b>	<b>427</b> 35#	<b>492</b> 41#	<b>604</b> 48#		
	Charred Alpine Birch	Single View	<b>CHAB-**-</b>	<b>500</b> 35#	<b>563</b> 41#	<b>669</b> 48#	
	Charred Gnarled Split	Single View	<b>CHGS-**-</b>	<b>516</b> 35#	<b>587</b> 41#	<b>697</b> 48#	
	Gnarled Oak	Single View	<b>GNO-**-</b>	<b>482</b> 35#	<b>544</b> 41#	<b>645</b> 48#	

## G18 Series Burner System

- **G18 Series Vent Free Gas Logs sets are ANSI certified and include:** Vent Free Gas Logs • Certified Vent Free Burner with pre-assembled Control Valve and ODS Safety System • Custom Grate • Connector Kit • Glowing Embers • Bryte Coals • Lava-Fyre Granules • Wood Chunks. \*Remote Systems include basic Transmitter and Receiver.
- Shipped for use w/ Natural Gas - specify if for Propane Gas by adding a "P" to the model number (e.g. G18-24/30P).

### G18 Burners

DESCRIPTION / WT.	CONTROL	MODEL #	16"/18"	24"/30"
 G18 Standard Burner      G18 See-thru Burner	Manual	<b>G18-**-</b>	<b>\$1,140</b>	<b>\$1,277</b>
	ON/OFF Remote*	<b>G18-**-12</b>	<b>1,549</b>	<b>1,686</b>
	Variable Remote*	<b>G18-**-15</b>	<b>1,697</b>	<b>1,835</b>
G18 See-thru Burner System Weight: 35-40#	Electronic Remote*	<b>G18-**-01V</b>	<b>2,071</b>	<b>2,209</b>
	ON/OFF Remote*	<b>G18-2**-12</b>	<b>1,894</b>	<b>2,031</b>
	Variable Remote*	<b>G18-2**-15</b>	<b>2,045</b>	<b>2,182</b>

### G18 Compatible Gas Log Sets

DESCRIPTION	FIREPLACE	MODEL #	16/18"	24"	30"
 Evening Fyre	Single View	<b>ECV-**-</b>	<b>\$466</b> 33#	<b>\$532</b> 38#	<b>\$635</b> 44#
	See-Thru	<b>ECV-2**-</b>	<b>592</b> 45#	<b>657</b> 52#	--
Evening Fyre	Single View	<b>EFV-**-</b>	<b>415</b> 35#	<b>472</b> 41#	<b>572</b> 48#
	See-Thru	<b>EFV-2**-</b>	<b>532</b> 50#	<b>601</b> 55#	--
Evening Fyre Split	Single View	<b>ESV-**-</b>	<b>456</b> 35#	<b>520</b> 41#	<b>617</b> 48#
	See-Thru	<b>ESV-2**-</b>	<b>576</b> 50#	<b>645</b> 55#	--

## G23 Series Burner System

- **G23 Series Vent Free Spheres Burners are ANSI certified and include:** Fyre Spheres • Certified Vent Free Burner with pre-assembled Control Valve and ODS Safety System • Removable Front Panel • Connector Kit. \*Remote Systems include basic Transmitter and Receiver.
- Shipped for use w/ Natural Gas - specify if for Propane Gas by adding a "P" to the model number (e.g. G23-24-12P).

### G23 Series Burner

DESCRIPTION / WT.	CONTROL	MODEL #	18"	24"
 G23-24-12	ON/OFF Remote*	<b>G23-**-12</b>	<b>\$1,431</b>	<b>\$1,551</b>
	Electronic Remote*	<b>G23-**-01V</b>	<b>1,979</b>	<b>2,098</b>

### Fyre Spheres

DESCRIPTION / WT.	FIREPLACE	MODEL #	18"	24"
 Carrera Marble Fyre Spheres	Single View	<b>US4-**-CM</b>	<b>\$392</b> 16 pcs.	<b>\$539</b> 22 pcs.
	Single View	<b>US4-**-EB</b>	<b>246</b> 16 pcs.	<b>337</b> 22 pcs.
	Single View	<b>US4-**-GS</b>	<b>220</b> 16 pcs.	<b>304</b> 22 pcs.
	 Single View	<b>US4-**-NM</b>	<b>453</b> 16 pcs.	<b>623</b> 22 pcs.

## G21 Series Burner System

- **G21 Series Vent-Free Glass sets are ANSI certified and include:** Stainless Steel Certified Vent-Free Burner with pre-assembled Remote Control Valve and ODS Safety System • Polished Reflective Panel • See-Thru includes Glass Front Panels. \*Remote Systems include basic Transmitter and Receiver.
- Shipped for use w/ Natural Gas - specify if for Propane Gas by adding a "P" to the model number (e.g. G21-GL-24-12P).
- Amount of glass required is 7½ lbs for 18", 10 lbs for 24", and 15 lbs for 30" // 10 lbs for 18" See-Thru and 12½ lbs for 24" See-Thru.

## G21 Glass Burner with On/Off Remote



DESCRIPTION	TRIM	MODEL #	18"	24"	30"
G21 Glass Burner Weight: 20-30#	Polished Stainless Steel	<b>G21-GL-**-12</b>	<b>\$1,702</b>	<b>\$1,835</b>	<b>\$1,914</b>
G21 See-Thru Glass Burner Weight: 25-35#	Polished Stainless Steel	<b>G21-GL-2-**-12</b>	<b>1,994</b>	<b>2,138</b>	--

## Fyre Glass




COLORS	10 lb. Package <b>\$104</b>	40 lb. Bucket <b>\$418</b>
Azuria	<b>GL-10-F</b>	<b>GL-40-F</b>
Black	<b>GL-10-B</b>	<b>GL-40-B</b>
Bronze	<b>GL-10-Z</b>	<b>GL-40-Z</b>
Caribbean Blue	<b>GL-10-N</b>	<b>GL-40-N</b>
Clear	<b>GL-10-C</b>	<b>GL-40-C</b>
Emerald	<b>GL-10-E</b>	<b>GL-40-E</b>
Star Fyre	<b>GL-10-W</b>	<b>GL-40-W</b>

## Reflective Fyre Glass



COLORS	10 lb. Package <b>\$115</b>	40 lb. Bucket <b>\$456</b>
Azuria Reflective	<b>GL-10-FR</b>	<b>GL-40-FR</b>
Black Reflective	<b>GL-10-BR</b>	<b>GL-40-BR</b>
Bronze Reflective	<b>GL-10-ZR</b>	<b>GL-40-ZR</b>
Caribbean Blue Reflective	<b>GL-10-NR</b>	<b>GL-40-NR</b>
Copper Reflective	<b>GL-10-QR</b>	<b>GL-40-QR</b>
Emerald Reflective	<b>GL-10-ER</b>	<b>GL-40-ER</b>
Gold Reflective	<b>GL-10-HR</b>	<b>GL-40-HR</b>
Champagne Reflective	<b>GL-10-CR</b>	<b>GL-40-CR</b>

## Fyre Gems



COLORS	10 lb. Package <b>\$88</b>	40 lb. Bucket <b>\$346</b>
Black Pearl	<b>GLG-10-J</b>	<b>GLG-40-J</b>
Blue Topaz	<b>GLG-10-T</b>	<b>GLG-40-T</b>
Champagne	<b>GLG-10-D</b>	<b>GLG-40-D</b>
Deep Amber	<b>GLG-10-A</b>	<b>GLG-40-A</b>
Emerald	<b>GLG-10-E</b>	<b>GLG-40-E</b>
Glacier	<b>GLG-10-C</b>	<b>GLG-40-C</b>
Sapphire	<b>GLG-10-S</b>	<b>GLG-40-S</b>
Ruby	<b>GLG-10-RY</b>	<b>GLG-40-RY</b>

## Vent Free Valve & Control Body Options

DESCRIPTION	MODEL	PRICE
Valve for G8E Manual - (N.G or L.P.)	<b>SV-18</b>	<b>\$163</b>
Valve for G9, G10 & G18 Manual - (N.G.)	<b>SV-26</b>	<b>137</b>
Valve for G9, G10 & G18 Manual - (L.P.)	<b>SV-27</b>	<b>133</b>
Control Body for G10-15 & G18-15 - (N.G.)	<b>SV-24</b>	<b>440</b>
Control Body for G10-15P & G18-15P - (L.P.)	<b>SV-25</b>	<b>440</b>
Control Body for Remote Style (-12) G8E & G9 - (N.G.)	<b>SV-8</b>	<b>355</b>
Control Body for Remote Style (-12P) G8E & G9 - (L.P.)	<b>SV-8P</b>	<b>355</b>
Control Body for Remote Style (-12) G21 - (N.G.)	<b>SV-43</b>	<b>355</b>
Control Body for Remote Style (-12P) G21 - (L.P.)	<b>SV-43P</b>	<b>355</b>
Control Body for Variable Remote Style (O1V) G10 & G18 - (N.G.)	<b>SV-42</b>	<b>507</b>
Control Body for Variable Remote Style (O1VP) G10 & G18 - (L.P.)	<b>SV-41</b>	<b>507</b>
Control Body for G19A-15 - (N.G.)	<b>SV-51</b>	<b>440</b>
Control Body for G19A-15P - (L.P.)	<b>SV-51P</b>	<b>440</b>
Control Body for G19A-01V - (N.G.)	<b>SV-46</b>	<b>541</b>
Control Body for G19A-01VP - (L.P.)	<b>SV-46P</b>	<b>541</b>

## Accessories

DESCRIPTION	MODEL	PRICE
Valley Oak Wood Chips (4) and Pine Cones (3) <i>(vacuum packed, case of 6)</i>	<b>DP-2-6</b>	<b>\$467</b>
4 Designer Pine Cones <i>(assorted sizes, vacuum packed, case of 6)</i>	<b>PC-4-6</b>	<b>345</b>
6 Wood Chips <i>(vacuum packed, case of 6)</i>	<b>WC-6-6</b>	<b>413</b>
6 Charred Wood Chips <i>(vacuum packed, case of 6)</i>	<b>WCH-6-6</b>	<b>453</b>
6 Acorns <i>(vacuum packed, case of 6)</i>	<b>AC-6-6</b>	<b>293</b>
Lava Fyre Coals - Wt. 6#	<b>LFC-6</b>	<b>34</b>
Lava Fyre Granules - Wt. 5#	<b>LF-5</b>	<b>27</b>
Refresh Kit <i>(Incl.: 5# lava granules, Ember Glow, Bryte Coals &amp; 6 Acorns)</i>	<b>VFRK-1</b>	<b>90</b>
Replacement Embers (G9)	<b>EM-9</b>	<b>22</b>
Replacement Embers (G10, G18, & G19A)	<b>EM-10</b>	<b>25</b>

## Remote Compatible Options

DESCRIPTION	MODEL	PRICE
Basic ON/OFF Receiver/Transmitter Set	<b>RR-1A</b>	<b>\$142</b>
Deluxe ON/OFF Receiver/Transmitter Set	<b>RR-2A</b>	<b>207</b>
Basic Variable Receiver/Transmitter Set for ("15" Product Only)	<b>VR-1A</b>	<b>171</b>
Deluxe Variable Receiver/Transmitter Set for ("15" Product Only)	<b>VR-2A</b>	<b>236</b>
Wood Chunk Decorative Cover (Vacuum packed)	<b>WCDC-1</b>	<b>55</b>
Pine Cone Decorative Cover (Vacuum packed)	<b>PCDC-1</b>	<b>59</b>
Charred Birch Decorative Cover (Vacuum packed)	<b>WCBC-1</b>	<b>65</b>
Charred Birch Decorative Wood Chunk	<b>WCAB-1</b>	<b>65</b>
ON/OFF Bluetooth Control w/ Golden Oak Cover ("12" Product Only)	<b>RF-BTSR1-G</b>	<b>274</b>
ON/OFF Bluetooth Control w/ White Birch Cover ("12" Product Only)	<b>RF-BTSR1-B</b>	<b>282</b>
Thermostat Control ("12" Product Only)	<b>TS-12</b>	<b>95</b>
Wall Switch, Cover and Wiring ("12" Product Only)	<b>WS-1</b>	<b>80</b>
Wall Timer, Cover and Wiring ("12" Product Only)	<b>WS-2</b>	<b>194</b>
Wall Switch, Cover and Wiring ("15" Product Only)	<b>WS-3</b>	<b>97</b>
Wall Switch ("O1V" Product Only)	<b>WS-6</b>	<b>164</b>
Power Supply ("O1V" Product Only)	<b>TR-03</b>	<b>158</b>

## Oxygen Depletion Sensors

DESCRIPTION	MODEL	PRICE
Natural Gas	<b>ODS-0001</b>	<b>\$79</b>
Propane Gas	<b>ODS-0002</b>	<b>79</b>
Natural Gas with "12" Valve	<b>ODS-0003</b>	<b>152</b>
Propane Gas with "12" Valve	<b>ODS-0004</b>	<b>152</b>
Natural Gas with "O1V" Valve	<b>ODS-0005</b>	<b>80</b>
Propane Gas with "O1V" Valve	<b>ODS-0006</b>	<b>80</b>

## Individual Replacement Logs - To Order: Specify Log Style and then Size (i.e. CHFRL-20BR)

G8E Series	LOGS STYLE (Top & Bottom)	No.	8tl	8ty	10tl	11tr	12br	16bf	20bf	24bf
	Valley Oak	<b>VOL8E</b>	\$48	48	50	57	92	105	153	203

G9 Series	LOGS STYLE (Top & Bottom)	No.	8tr-2	8t-2	10ty-2	9ty	10tc	10tr	10ty	11t	11tl	17br	20bf	20br	24bf	24bf-2	30bf
	Golden Oak Designer	<b>RDL9</b>	\$46	47	47	49	49	49	53	--	53	92	139	139	152	--	198
Split Oak	<b>SL9</b>	\$48	50	50	53	53	53	59	53	--	101	146	146	155	155	205	

G10 Series Top Logs	LOGS STYLE (Top)	No.	6tc	7t	8t	9t	9tr	10t	10tl	10tr	11t	11tl	11tr	12tr	12tl	13t	14tr	15tl
	Charred Frontier Oak	<b>CHFRL</b>	\$46	48	--	--	50	53	--	--	--	55	--	66	66	--	81	81
	Charred Aged Split	<b>CHASL</b>	\$49	51	--	55	55	59	--	59	--	60	--	70	70	--	86	86
Charred Alpine Birch	<b>CHABL</b>	--	--	\$62	64	--	--	79	79	67	73	73	--	--	81	--	--	

G10 Series Bottom Logs	LOGS STYLE (Bottom)	No.	15br	16/18bf	19br	20br	21br	24bf	24br	30bf
	Charred Frontier Oak	<b>CHFRL</b>	\$106	139	--	153	--	164	164	204
	Charred Aged Split	<b>CHASL</b>	\$112	146	--	162	--	169	169	207
	Charred Alpine Birch	<b>CHABL</b>	\$162	169	174	--	189	192	--	213

G18 Series Top Logs	LOGS STYLE (Top)	No.	8t	9t	10t	11tr	12t	12tl	12ty	13t	13ty	17ty	-2-11ty	-2-9t	-2-10t	-2-12t
	Evening Fyre Charred	<b>ECVL</b>	--	\$65	66	70	81	81	--	83	83	117	--	--	--	--
	Evening Fyre	<b>EFVL</b>	--	\$64	64	64	69	69	--	77	77	108	70	62	64	73
Evening Fyre Split	<b>ESVL</b>	\$62	64	65	--	77	--	81	--	--	112	--	--	68	82	

G18 Series Bottom Logs	LOGS STYLE (Bottom)	No.	15br	18bf	20br	24bf	24br	30bf	-2-18B1	-2-18B2	-2-24BF
	Evening Fyre Charred	<b>ECVL</b>	--	154	165	180	180	244	154	154	180
	Evening Fyre	<b>EFVL</b>	\$112	146	154	166	166	235	146	146	166
Evening Fyre Split	<b>ESVL</b>	--	152	162	173	173	237	152	152	173	

G19A Series	LOGS STYLE (Top & Bottom)	No.	7t	8t	9t	10t	10tl	10tr	11t	12t	12tc	13t	13tr	14t	15t	17br	18bf	22br	23br	24bf	30bf
	Foothill Oak	<b>FTOL</b>	--	\$64	66	70	--	--	68	69	--	80	--	--	99	121	179	162	171	187	262
Foothill Split Oak	<b>FTSOL</b>	\$57	64	--	--	--	67	--	71	--	80	80	93	--	--	--	162	--	187	197	

## Vent-Free Burner Systems BTU Ratings\* (BTU x 1000)

BURNER SYSTEM	16/18"		18"		18/20"		24"		24/30"		30"		16/20/24"		20/24/30"		
	NG	LP	NG	LP	NG	LP	NG	LP	NG	LP	NG	LP	NG	LP	NG	LP	
G8E Series	--	--	--	--	--	--	--	--	--	--	--	--	--	20	20	--	--
G9 Series	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	36	36
G9 Series (See-Thru)	--	--	--	--	--	--	39	39	--	--	--	--	--	--	--	--	--
G10 Series	35	32	--	--	--	--	--	--	37	37	--	--	--	--	--	--	--
G18 Series	30	30	--	--	--	--	--	--	38	38	--	--	--	--	--	--	--
G18 Series (See-Thru)	39	39	--	--	--	--	40	40	--	--	--	--	--	--	--	--	--
G19A Series	--	--	--	--	34	30	--	--	40	36	--	--	--	--	--	--	--
ODG15 Series	--	--	--	--	--	--	--	--	55	45	--	--	--	--	--	--	--
G21 Series	--	--	30	27	--	--	35	30	--	--	40	35	--	--	--	--	--
G21 Series (See-Thru)	--	--	37	35	--	--	40	40	--	--	--	--	--	--	--	--	--
G23 Series	--	--	28	28	--	--	37	37	--	--	--	--	--	--	--	--	--

\*BTU Ratings when burners are on **High Setting** (when applicable).