

USA | 2026

PRICE LIST



Valid from March 1st, 2026

Stove Builder International inc. (SBI)

250, de Copenhague
St-Augustin-de-Desmaures
(Quebec) Canada G3A 2H3

Customer service

Phone: 1-844-344-3071
Fax: 1-888-355-5067
E-mail: sac@sbi-international.com
www.valcourtinc.com

Valid from March 1st 2026
Printed on July 16th 2026



GENERAL POLICIES

**PURCHASE ORDERS MUST BE SENT BY FAX: 1-888-676-4413,
or EMAIL: orders@sbi-international.com**

YOU NEED INFORMATION ABOUT YOUR ORDER?

Contact our customer service team at **1-844-344-3071** and follow the instructions.
By email at sac@sbi-international.com

YOU NEED TECHNICAL ADVICE?

Contact our technical support team at **1-877-356-6663** and follow the instructions.
By email at tech@sbi-international.com

ORDER CANCELLATION

An amount of 8% will be charged for the cancellation of any order. The amount charged increases to 15% when the order is cancelled within two (2) weeks of the expected shipment date.

Orders for which shipment is postponed for more than four (4) weeks from the original delivery date will be treated as cancellations. SBI reserves the right to withhold certain annual rebates payable at year-end if a customer refuses to pay any amount owing to SBI under the order cancellation policy.

CHANGES TO THE PRICE LIST

SBI reserves the right, without notice, to make changes to the price lists during the year (addition, withdrawal, price change, etc.). It is the customer's responsibility to always download the most up-to-date price list from the customer portal.

FUEL SURCHARGE

A freight surcharge may apply in the event of a crisis affecting the transport industry. The surcharge will apply to customers who are using SBI's prepaid, and prepaid and charge freight plans. The surcharge is applicable only if the T/L surcharge published by the Freight Carriers Association remains above 75% for a period of more than two weeks. If this occurs, the surcharge applied by SBI will be in force for a minimum of two weeks. If the rise in freight costs is not entirely attributable to a spike in fuel cost (e.g.: it could be caused by labour strikes, labour shortages, container shortages, etc.), then SBI may apply a surcharge per appliance at its discretion.

NORTH AMERICAN PREPAID & CHARGE FREIGHT POLICIES FOR PARTS AND ACCESSORIES

All part and accessories are shipped collect on the customer's courier account (UPS, Fedex, Puro, etc.). If the customer does not have a courier account, parts can be shipped "prepaid & charge". For customers ordering at least one stove, parts, and accessories with a total weight of less than 200 lb will ship free of charge under the customer's appliance freight program.

Table of contents

WOOD FIREPLACES (EXEMPT)	4
ORLEANS - WOOD FIREPLACE - FP20	4
ST-LAURENT - LINEAR WOOD FIREPLACE - FP16D	5
WOOD FIREPLACES (LOW MASS)	6
ANTOINETTE - WOOD FIREPLACE - FP7D	6
FRONTENAC - WOOD FIREPLACE - FP11D	7
MANOIR - WOOD FIREPLACE - FP1LM	8
WOOD FIREPLACES (EPA 2020)	9
DALLAIRE II - WOOD FIREPLACE - FP18R	9
LAFAYETTE II - WOOD FIREPLACE - FP10R	10
LAFAYETTE IIS - WOOD FIREPLACE - FP10RS	12
MUNDO II - WOOD FIREPLACE - FP12R	14
ST-LOUIS - WOOD FIREPLACE - FP19	15
WATERLOO - ARCHED FACEPLATE WOOD FIREPLACE - FP15A	16
WATERLOO - WOOD FIREPLACE - FP15	17
FIREPLACE TOOL SETS	18

ORLEANS - WOOD FIREPLACE



Manufacturer code
FP20

New

MSRP
\$9299.00

UPC code 773388016252

The minimum ceiling height required for the Pure profile (VA20CT10) is 96" (8 ft). The Design profile (VA20CT20) and Signature profile (VA20CT30) are suitable for ceiling heights ranging from 96" to 108" (8 ft to 9 ft). The Design profile extension (VA20CT20EXT) adds 40" to the height of the surround, while the Signature profile extension (VA20CT30EXT) adds 32". Multiple extensions can be stacked to extend the surround all the way to the ceiling. The extensions can also be cut to size to accommodate your installation. See installation manual.

This appliance is
**EPA
exempt**

Requires the addition of accessories (A) to complete the unit

REQUIRED ACCESSORIES

MSRP

A

VA20CT10 • PURE PROFILE	\$1300.00
VA20CT20 • DESIGN PROFILE	\$1700.00
VA20CT30 • SIGNATURE PROFILE	\$1700.00

OPTIONS

MSRP

VA20CT20 • DESIGN PROFILE EXTENSION EXT	\$500.00
VA20CT30 • SIGNATURE PROFILE EXTENSION EXT	\$500.00

FEATURES

• Cast iron andirons	: No
• Chimney diameter	: 8"
• Height X Width X Depth - Overall	: 61" X 32" X 32"
• Maximum log length	: 16"
• Shipping Weight	: 440 lb (200 kg)
• Recommended heating area-ft ²	: <1,000
• Combustion Technology	: Non-catalytic
• Overall firebox volume-ft ³	: 1.2

WOOD FIREPLACES (EXEMPT)

ST-LAURENT - LINEAR WOOD FIREPLACE



Manufacturer code

FP16D

MSRP

\$8279.00

UPC code 773388254364

This appliance is
EPA
exempt

Requires the addition of accessories (A) and (B) to complete the unit

REQUIRED ACCESSORIES

MSRP

A

VA16DTR	• STRAIGHT MASONRY TRIM (Flush finish for brick/stone)	\$170.00
VA16FE06	• STRAIGHT NARROW OVERLAP (THIN FACING MATERIAL-TILE)	\$495.00

B

VA16071M	• CONTEMPORARY MOULDED BRICK PANELS	\$1000.00
----------	-------------------------------------	-----------

OPTIONS

MSRP

AC01347	• 4"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$280.00
AC02761	• TEMPERED GLASS HEARTH PAD 10 mm - 20" X 70"	\$549.00

FEATURES

• Cast iron andirons	
• Chimney diameter	: 8"
• Height X Width X Depth - Overall	: 63 3/4" X 63 1/8" X 31 3/4"
• Maximum log length	: 30"
• Shipping Weight	: 765 lb (347 lb)
• Moulded refractory bricks	
• Recommended heating area-ft ²	: <1,000
• Combustion Technology	: Non-catalytic
• Overall firebox volume-ft ³	: 6.4

WOOD FIREPLACES (LOW MASS)

ANTOINETTE - WOOD FIREPLACE



Manufacturer code
FP7D

MSRP
\$6374.00

UPC code 773388253107



Requires the addition of accessories (A) and (B) to complete the unit

REQUIRED ACCESSORIES

MSRP

A

VA7DTR	• STRAIGHT MASONRY TRIM (FLUSH FINISH FOR BRICK/STONE)	\$275.00
VA7FE06	• STRAIGHT NARROW OVERLAP (THIN FACING MATERIAL-TILE)	\$400.00

B

VA7071BR	• CLASSIC MOULDED REFRACTORY BRICK PANELS	\$850.00
VA7071M	• CONTEMPORARY MOULDED REFRACTORY BRICK PANELS	\$950.00

OPTIONS

MSRP

AC01347	• 4"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$280.00
AC02760	• TEMPERED GLASS HEARTH PAD 10 mm - 18" X 50"	\$399.00

FEATURES

• Cast iron andirons	
• Chimney diameter	: 8"
• Height X Width X Depth - Overall	: 64 1/8" X 52" X 27"
• Average particulate emissions rate	: 4.2 g/kg
• Maximum log length	: 18"
• Shipping Weight	: 523 lb (238 kg)
• Moulded refractory bricks	
• Recommended heating area-ft ²	: <1,000
• Combustion Technology	: Non-catalytic
• Overall firebox volume-ft ³	: 5.3

Effective March 1st 2026

WOOD FIREPLACES (LOW MASS)

FRONTENAC - WOOD FIREPLACE



Manufacturer code
FP11D

MSRP
\$8899.00

UPC code 773388253114



Requires the addition of accessories (A) and (B) to complete the unit

REQUIRED ACCESSORIES

MSRP

A

VA11DTA	• ARCHED MASONRY TRIM (FLUSH FINISH WITH BRICK/STONE)	\$280.00
VA11DTR	• STRAIGHT MASONRY TRIM (Flush finish for brick/stone)	\$275.00
VA11FA06	• ARCHED NARROW OVERLAP (THIN FACING MATERIAL - TILE)	\$550.00
VA11FE06	• STRAIGHT NARROW OVERLAP (THIN FACING MATERIAL-TILE)	\$605.00

B

VA11071BR	• CLASSIC MOULDED BRICK PANELS	\$1250.00
VA11071H	• HERRINGBONE MOULDED VERMICULITE PANELS	\$1550.00
VA11071M	• CONTEMPORARY MOULDED BRICK PANELS	\$1250.00

OPTIONS

MSRP

AC01347	• 4"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$280.00
AC02761	• TEMPERED GLASS HEARTH PAD 10 mm - 20" X 70"	\$549.00

FEATURES

• Cast iron andirons	
• Chimney diameter	: 8"
• Height X Width X Depth - Overall	: 74 3/4" X 60" X 36 1/4"
• Average particulate emissions rate	: 4.2 g/kg
• Maximum log length	: 30"
• Shipping Weight	: 920 lb (417 kg)
• Moulded refractory bricks	
• Recommended heating area-ft ²	: <1,000
• Combustion Technology	: Non-catalytic
• Overall firebox volume-ft ³	: 9.4

WOOD FIREPLACES (LOW MASS)

MANOIR - WOOD FIREPLACE



Manufacturer code

FP1LM

MSRP

\$4624.00

UPC code 773388088716



Requires the addition of accessories (A) to complete the unit

REQUIRED ACCESSORIES

MSRP

A

VA1FE05	• BLACK MODERN FACEPLATE	\$825.00
VA1FE06	• BLACK TRADITIONAL FACEPLATE	\$935.00

OPTIONS

MSRP

AC01347	• 4"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$280.00
AC01350	• 6"Ø X 25' INSULATED FLEX PIPE FOR FORCED AIR KIT	\$225.00
AC01374	• FORCED AIR KIT	\$960.00
AC01375	• TRADITIONAL GRAVITY KIT	\$440.00
AC01376	• MODERN GRAVITY KIT	\$385.00
AC02760	• TEMPERED GLASS HEARTH PAD 10 mm - 18" X 50"	\$399.00

FEATURES

• Chimney diameter	: 8"
• Height X Width X Depth - Overall	: 43 5/8" X 41 1/8" X 27 3/8"
• Maximum log length	: 20"
• Shipping Weight	: 520 lb (236 kg)
• Overall firebox volume-ft ³	: 4.25
• Recommended heating area-ft ²	: <1,500
• Average particulate emissions rate	: 2.9 g/kg
• Blower included	: Yes
• Moulded refractory bricks	
• Cast iron andirons	

DALLAIRE II - WOOD FIREPLACE



Manufacturer code
FP18R

MSRP
\$5289.00

UPC code 773388957326

EPA
2020

Requires the addition of accessories (A) and (B) to complete the unit

REQUIRED ACCESSORIES

MSRP

A

VA18FL07 • BLACK SQUARE FACEPLATE	\$715.00
-----------------------------------	----------

B

VA18L06 • CLASSIQUE STYLE FACEPLATE LOUVER	\$275.00
VA18L07 • ARABESQUE STYLE FACEPLATE LOUVER	\$275.00
VA18L08 • URBAN STYLE FACEPLATE LOUVER	\$275.00
VA18L09 • MISSION STYLE FACEPLATE LOUVER	\$385.00
VA18L10 • CROWN STYLE FACEPLATE LOUVER	\$440.00

OPTIONS

MSRP

AC01223 • HEAT SHIELD FOR SURROUND/SHELF	\$130.00
AC01226 • FIRESCREEN DOOR	\$189.00
AC01347 • 4"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$280.00
AC01350 • 6"Ø X 25' INSULATED FLEX PIPE FOR FORCED AIR KIT	\$225.00
AC01375 • TRADITIONAL GRAVITY KIT	\$440.00
AC02091 • 4"Ø X 10' INSULATED FLEX PIPE FOR FRESH AIR INTAKE	\$75.00
AC02760 • TEMPERED GLASS HEARTH PAD 10 mm - 18" X 50"	\$399.00
AC02774 • SEMI-TRANSPARENT BLACK GLASS WITH NIGHTFLAME EFFECT (SET OF 2)	\$749.00
AC09200 • FIREPLACE CARRYING HANDLES	\$100.00
VA4460 • FORCED AIR KIT	\$760.00

FEATURES

• Chimney diameter	: 6"
• Height X Width X Depth - Overall	: 49 1/8" X 41 7/8" X 29"
• Average particulate emissions rate	: 1.9 g/h
• Maximum log length	: 20"
• Shipping Weight	: 525 lb (238 kg)
• Moulded refractory bricks	: N.A.
• Recommended heating area-ft ²	: 750 - 2,500
• Combustion Technology	: Non-catalytic
• Maximum burn time	: 8h
• Blower included	: Yes
• Overall firebox volume-ft ³	: 3.04

LAFAYETTE II - WOOD FIREPLACE



Manufacturer code
FP10R

MSRP
\$4409.00

UPC code 773388188386

EPA
2020

Requires the addition of accessories (A), (B) and (C) to complete the unit

REQUIRED ACCESSORIES

MSRP

A

VA10RE07 • BLACK DOOR OVERLAY	\$165.00
VA10RE40 • BRUSHED NICKEL DOOR OVERLAY	\$385.00

B

VA10FA07 • BLACK ARCHED FACEPLATE	\$550.00
-----------------------------------	----------

C

VA10L06 • CLASSIC STYLE FACEPLATE LOUVER	\$275.00
VA10L07 • ARABESQUE STYLE FACEPLATE LOUVER	\$275.00
VA10L08 • URBAN STYLE FACEPLATE LOUVER	\$275.00
VA10L09 • MISSION STYLE FACEPLATE LOUVER	\$440.00
VA10L10 • CROWN STYLE FACEPLATE LOUVER	\$495.00

OPTIONS

MSRP

AC01223 • HEAT SHIELD FOR SURROUND/SHELF	\$130.00
AC01239 • 4"Ø X 5' FRESH AIR INTAKE KIT	\$145.00
AC01275 • FIRESCREEN DOOR	\$330.00
AC01347 • 4"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$280.00
AC01350 • 6"Ø X 25' INSULATED FLEX PIPE FOR FORCED AIR KIT	\$225.00
AC01359 • 4"Ø X 25' INSULATED FLEX PIPE FOR FRESH AIR	\$200.00
AC01374 • FORCED AIR KIT	\$960.00
AC01375 • TRADITIONAL GRAVITY KIT	\$440.00
AC01389 • MODERN GRAVITY KIT WITH ADJUSTABLE PIPES	\$660.00
AC02091 • 4"Ø X 10' INSULATED FLEX PIPE FOR FRESH AIR INTAKE	\$75.00
AC02760 • TEMPERED GLASS HEARTH PAD 10 mm - 18" X 50"	\$399.00
AC09200 • FIREPLACE CARRYING HANDLES	\$100.00

FEATURES

• Chimney diameter	: 6"
• Height X Width X Depth - Overall	: 40 5/8" X 36 3/4" X 28 3/8"
• Average particulate emissions rate	: 1.2 g/h
• Maximum log length	: 20"
• Shipping Weight	: 493 lb (224 kg)
• Moulded refractory bricks	
• Recommended heating area-ft ²	: 750 - 2,200
• Maximum burn time	: 8 h

• Blower included	: Yes
• Overall firebox volume-ft ³	: 2.5
• Combustion Technology	: Non-catalytic

LAFAYETTE IIS - WOOD FIREPLACE



Manufacturer code
FP10RS

MSRP
\$4409.00

UPC code 773388201276

EPA
2020

Requires the addition of accessories (A), (B) and (C) to complete the unit

REQUIRED ACCESSORIES

MSRP

A

VA10FS07 • BLACK SQUARE FACEPLATE	\$550.00
-----------------------------------	----------

B

VA10LS06 • CLASSIC STYLE FACEPLATE LOUVER	\$275.00
VA10LS07 • ARABESQUE STYLE FACEPLATE LOUVER	\$275.00
VA10LS08 • URBAN STYLE FACEPLATE LOUVER	\$275.00
VA10LS09 • MISSION STYLE FACEPLATE LOUVERS	\$440.00
VA10LS10 • CROWN STYLE FACEPLATE LOUVERS	\$495.00

C

VA10RES07 • BLACK DOOR OVERLAY	\$165.00
VA10RES40 • BRUSHED NICKEL DOOR OVERLAY	\$385.00

OPTIONS

MSRP

AC01223 • HEAT SHIELD FOR SURROUND/SHELF	\$130.00
AC01239 • 4"Ø X 5' FRESH AIR INTAKE KIT	\$145.00
AC01275 • FIRESCREEN DOOR	\$330.00
AC01347 • 4"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$280.00
AC01350 • 6"Ø X 25' INSULATED FLEX PIPE FOR FORCED AIR KIT	\$225.00
AC01359 • 4"Ø X 25' INSULATED FLEX PIPE FOR FRESH AIR	\$200.00
AC01374 • FORCED AIR KIT	\$960.00
AC01375 • TRADITIONAL GRAVITY KIT	\$440.00
AC01389 • MODERN GRAVITY KIT WITH ADJUSTABLE PIPES	\$660.00
AC02091 • 4"Ø X 10' INSULATED FLEX PIPE FOR FRESH AIR INTAKE	\$75.00
AC02760 • TEMPERED GLASS HEARTH PAD 10 mm - 18" X 50"	\$399.00
AC09200 • FIREPLACE CARRYING HANDLES	\$100.00

FEATURES

• Chimney diameter	: 6"
• Height X Width X Depth - Overall	: 40 5/8" X 36 3/4" X 28 5/8"
• Average particulate emissions rate	: 1.2 g/h
• Maximum log length	: 20"
• Shipping Weight	: 495 lb (225 kg)
• Moulded refractory bricks	
• Recommended heating area-ft ²	: 750 - 2,200
• Combustion Technology	: Non-catalytic

• Maximum burn time	: 8 h
• Blower included	: Yes
• Overall firebox volume-ft ³	: 2.5

MUNDO II - WOOD FIREPLACE



Manufacturer code
FP12R

MSRP
\$4509.00

UPC code 773388188393

WARNING: The forced air distribution kit (AC01363), can be installed only with the gravity kit - Modern style (AC01389K), sold separately. The installation of a fresh air intake is mandatory on the FP12R. The fresh air intake adaptor is included with the fireplace. The outside air inlet cap; the 2 adjustable straps and the 4" insulated flexible pipe (AC02091-10'L) must be bought separately.

**EPA
2020**

Requires the addition of accessories (A) to complete the unit

REQUIRED ACCESSORIES

MSRP

A

AC01375K • TRADITIONAL GRAVITY KIT	\$440.00
AC01389K • MODERN GRAVITY KIT WITH ADJUSTABLE PIPES	\$660.00

OPTIONS

MSRP

AC01239 • 4"Ø X 5' FRESH AIR INTAKE KIT	\$145.00
AC01275 • FIRESCREEN DOOR	\$330.00
AC01347 • 4"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$280.00
AC01350 • 6"Ø X 25' INSULATED FLEX PIPE FOR FORCED AIR KIT	\$225.00
AC01363 • FORCED AIR KIT	\$825.00
AC02091 • 4"Ø X 10' INSULATED FLEX PIPE FOR FRESH AIR INTAKE	\$75.00
AC02760 • TEMPERED GLASS HEARTH PAD 10 mm - 18" X 50"	\$399.00
AC02773 • SEMI-TRANSPARENT BLACK GLASS WITH NIGHTFLAME EFFECT	\$619.00
AC09200 • FIREPLACE CARRYING HANDLES	\$100.00
VA12FL02 • METALLIC BLACK FINISHING TRIM	\$385.00

FEATURES

• Chimney diameter	: 6"
• Height X Width X Depth - Overall	: 40 5/8" X 50 1/4" X 27"
• Average particulate emissions rate	: 1.2 g/h
• Maximum log length	: 20"
• Shipping Weight	: 427 lb (193.6kg)
• Moulded refractory bricks	
• Recommended heating area-ft ²	: 750 - 2,200
• Maximum burn time	: 8 h
• Blower included	: No
• Overall firebox volume-ft ³	: 2.5
• Combustion Technology	: Non-catalytic

ST-LOUIS - WOOD FIREPLACE



Manufacturer code

FP19

MSRP

\$8414.00

UPC code 773388008103

EPA
2020

Requires the addition of accessories (A) to complete the unit

REQUIRED ACCESSORIES

MSRP

A

VA19FL06 • SIGNATURE PROFILE	\$1485.00
------------------------------	-----------

OPTIONS

MSRP

AC01297 • 5"Ø AIR INTAKE TERMINATION WITH CLAMPS	\$66.00
AC01349 • 5"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$285.00
AC01350 • 6"Ø X 25' INSULATED FLEX PIPE FOR FORCED AIR KIT	\$225.00
AC02093 • 5"Ø X 10' INSULATED FLEX PIPE FOR FRESH AIR INTAKE	\$75.00
AC02094 • 5"Ø X 25' INSULATED FLEX PIPE	\$165.00
AC02761 • TEMPERED GLASS HEARTH PAD 10 mm - 20" X 70"	\$549.00
AC09200 • FIREPLACE CARRYING HANDLES	\$100.00
VA19FH06 • SIGNATURE PROFILE EXTENSION	\$499.00
VA4460 • FORCED AIR KIT	\$760.00

FEATURES

• Chimney diameter	: 8"
• Height X Width X Depth - Overall	: 84 3/8" X 57 5/8" X 28"
• Average particulate emissions rate	: 1.8 g/h
• Maximum log length	: 21"
• Moulded refractory bricks	
• Recommended heating area-ft ²	: 1,000 - 2,400
• Combustion Technology	: Non-catalytic
• Maximum burn time	: 7 h
• Blower included	: Yes
• Overall firebox volume-ft ³	: 3.15

WATERLOO - ARCHED FACEPLATE WOOD FIREPLACE



Manufacturer code
FP15A

MSRP
\$5724.00

UPC code 773388171616

EPA
2020

Requires the addition of accessories (A), (B) and (C) to complete the unit

REQUIRED ACCESSORIES

MSRP

A		
VA15FA07	• BLACK ARCHED FACEPLATE	\$715.00
B		
AC02360	• CLASSIC MOULDED BRICK PANELS	\$650.00
C		
VA15L06	• CLASSIC STYLE FACEPLATE LOUVER	\$330.00
VA15L07	• ARABESQUE STYLE FACEPLATE LOUVER	\$440.00
VA15L08	• URBAN STYLE FACEPLATE LOUVER	\$440.00
VA15L09	• MISSION STYLE FACEPLATE LOUVER	\$440.00

OPTIONS

MSRP

AC01297	• 5"Ø AIR INTAKE TERMINATION WITH CLAMPS	\$66.00
AC01349	• 5"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$285.00
AC01350	• 6"Ø X 25' INSULATED FLEX PIPE FOR FORCED AIR KIT	\$225.00
AC01378	• WARM AIR CIRCULATION GRILLE - MODERN	\$385.00
AC02093	• 5"Ø X 10' INSULATED FLEX PIPE FOR FRESH AIR INTAKE	\$75.00
AC02094	• 5"Ø X 25' INSULATED FLEX PIPE	\$165.00
AC02760	• TEMPERED GLASS HEARTH PAD 10 mm - 18" X 50"	\$399.00
AC02772	• SEMI-TRANSPARENT BLACK GLASS WITH NIGHTFLAME EFFECT (SET OF 2)	\$699.00
VA4460	• FORCED AIR KIT	\$760.00

FEATURES

• Cast iron andirons	: No
• Chimney diameter	: 8"
• Height X Width X Depth - Overall	: 43 3/8" X 50 3/4" X 31 5/8"
• Average particulate emissions rate	: 1.6 g/h
• Maximum log length	: 25"
• Shipping Weight	: 545 lb (247 kg)
• Moulded refractory bricks	
• Recommended heating area-ft ²	: 1,000 - 2,800
• Maximum burn time	: 11 h
• Blower included	: Yes
• Overall firebox volume-ft ³	: 4.28
• Combustion Technology	: Non-catalytic

WATERLOO - WOOD FIREPLACE



Manufacturer code

FP15

MSRP

\$5834.00

UPC code 773388131818

EPA
2020

Requires the addition of accessories (A) and (B) to complete the unit

REQUIRED ACCESSORIES

MSRP

A

VA15FL07 • BLACK "CROWN" STYLE FACEPLATE	\$935.00
--	----------

B

AC02360 • CLASSIC MOULDED BRICK PANELS	\$650.00
--	----------

OPTIONS

MSRP

AC01297 • 5"Ø AIR INTAKE TERMINATION WITH CLAMPS	\$66.00
AC01349 • 5"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$285.00
AC01350 • 6"Ø X 25' INSULATED FLEX PIPE FOR FORCED AIR KIT	\$225.00
AC01378 • WARM AIR CIRCULATION GRILLE - MODERN	\$385.00
AC02093 • 5"Ø X 10' INSULATED FLEX PIPE FOR FRESH AIR INTAKE	\$75.00
AC02094 • 5"Ø X 25' INSULATED FLEX PIPE	\$165.00
AC02760 • TEMPERED GLASS HEARTH PAD 10 mm - 18" X 50"	\$399.00
AC02771 • SEMI-TRANSPARENT BLACK GLASS WITH NIGHTFLAME EFFECT (SET OF 2)	\$699.00
VA4460 • FORCED AIR KIT	\$760.00

FEATURES

• Cast iron andirons	: No
• Chimney diameter	: 8"
• Height X Width X Depth - Overall	: 43 3/8" X 50 3/4" X 31 5/8"
• Average particulate emissions rate	: 1.6 g/h
• Maximum log length	: 25"
• Shipping Weight	: 545 lb (247 kg)
• Moulded refractory bricks	
• Recommended heating area-ft ²	: 1,000 - 2,800
• Combustion Technology	: Non-catalytic
• Maximum burn time	: 11 h
• Blower included	: Yes
• Overall firebox volume-ft ³	: 4.28

SKU #	UPC Code per unit	Available individually	List price per unit	Masterpack quantity of	List price per master pack
-------	-------------------	------------------------	---------------------	------------------------	----------------------------

Fireplace tool sets

AC02350	773388127552	YES	\$170.00	N/A	\$170.00
---------	--------------	-----	----------	-----	----------

EQUISS FREESTANDING LOG HOLDER



This compact and robust log holder is entirely manufactured in Canada and made of high quality steel. Its integrated handles make handling easier. The assembly is done in seconds; simply intersect the two panels and voila! A cuttable rubber band is also available to provide protection for the floor surface and to give it a finishing touch. Once the heating season is over, this free standing log holder is easy to take apart and will not clutter your living space.


AC02620	773388123684	YES	\$329.00	N/A	\$329.00
---------	--------------	-----	----------	-----	----------

DUPLEX FIREPLACE TOOL SET



This distinctive hearth tool set contains four instruments: poker, broom, shovel and scraper – all the tools needed to operate and maintain your wood-burning stove or fireplace. The clean lines and combination of steel and wood construction make a strong contemporary design statement. Height of accessories: 26 3/16" (66 cm). Proudly made in Quebec.

AC02621	773388123691	YES	\$239.00	N/A	\$239.00
---------	--------------	-----	----------	-----	----------



INEO FIREPLACE TOOL SET

This distinctive hearth tool set contains four quality implements: poker, broom, shovel and scraper - all you need to operate and maintain your wood-burning appliance. The clean lines and simplicity make a strong contemporary design statement. Kit height: 28 5/8" (73 cm). Proudly made in Canada.

AC02622	773388123707	YES	\$279.00	N/A	\$279.00
---------	--------------	-----	----------	-----	----------



PAPHYRUS FIREPLACE TOOL SET

This distinctive hearth tool set contains four instruments: poker, broom, shovel and scraper - all you need to operate and maintain your wood-burning appliance. The dramatic use of steel makes a strong contemporary design statement. Kit height: 27 1/2" (69 cm). Ø 7 1/2" (19 cm). Proudly made in Canada.

AC02627	773388123752	YES	\$295.00	N/A	\$295.00
---------	--------------	-----	----------	-----	----------

FUSIO LOG HOLDER



This distinctive log holder combines steel and cherrywood; its curved shape makes a strong contemporary design statement. Make your life simpler by fueling your fire without ever being caught unprepared. Dimensions: 20"H x 18 1/2"W x 24"D. Made in Quebec with exceptional craftsmanship.

AC02628	773388176093	YES	\$329.00	N/A	\$329.00
---------	--------------	-----	----------	-----	----------



NORDIK FIREPLACE TOOL SET

This distinctive hearth tool set contains four instruments: poker, broom, shovel and clamp – all the tools needed to operate and maintain your wood-burning stove or fireplace. Its wooden base and steel structure gives it an industrial look, perfect for contemporary or rustic spaces. Height of stand: 20 7/8" (53 cm). Dimensions of base: 9 1/2" (24 cm) X 4 3/4" (12 cm). Made in France with exceptional craftsmanship.