

Z-FLEX[®]

CHIMNEY & VENTING SOLUTIONS



Price List

March 2, 2026

Chimney Lining Systems & Direct Vent

1-800-654-5600 www.z-flex.com

Aluminum Chimney Liner Kits for Category I Gas Fired Heating Equipment and Gas Fireplaces

Aluminum 2-ply Chimney Liner Kits	1
Additional Length of Aluminum 2-ply Liner	2
Aluminum 2-ply liner Extension Kit	2
Aluminum Liner Connector	2
1-Ply Aluminum Duct	3
Fresh Air Hood	3
Fresh Air Kit for Pellet Stoves	3

Insul-Liner Pre-insulated Chimney Liner for Category 1 Heating Equipment & Gas Fireplaces

Insul-Liner Kits	4
Additional Length of Insul-Liner	4
Insul-Liner Coupling	4

Stainless Steel Chimney Liner Kits for Oil & Gas Fired Units, Pellet Stoves & Wood Inserts

Solid Fuel Insert Kit with Stove Adaptor .005 Material	5
Pre-Insulated Solid Fuel Insert Kit	5
Solid Fuel Insert Kit with Stove Adaptor .006 Material	6

Solid Fuel Liner Kits for Free Standing Wood Stoves

Solid Fuel Liner Kit .005 Material	7
Solid Fuel Liner Kit .006" Material	8

All Fuel Stainless Steel Liner Kits for Free Standing Wood Stoves

Foil Backed Insulation with Stainless Steel Mesh Wrap & Gear Clamps	9
---	---

Smoothcore Stainless Steel Chimney Liner Kit for Oil, Gas & Pellet Stoves

Smoothcore Insert Kit	10
Triple Lock Smoothcore All Fuels Chimney Liner	10

Oval All Fuel Stainless Steel

Flexible Stainless Steel Oval to Round Liner	11
Flexible Stainless Steel Full Oval Liner	11
Stainless Steel Oval Flat Flashing	11
Stainless Steel Oval Cap	11

Oval Flex Ready All Fuel Stainless Steel

Stainless Steel Flex Ready Oval Base Tee with Cap	12
Stainless Steel Flex Ready Oval Liner Coupling	12
Stainless Steel Flex Ready Oval to Round Adaptor	12
Stainless Steel Round to Oval Adaptor	12

SS Chimney Liner Kits for Oil, Gas & Pellet Stoves

Stainless Steel Self-drilling screws	13
Stainless Steel 4" Flex Ready Pellet Tee with 3" branch	13

Flexible Stainless Steel Round Liner Category I Chimney Liner

.005 SS Alloy - 316Ti	14
.006 SS Alloy - 316Ti	14

Flexible Stainless Steel Round Liner Category I Chimney Liner

Z-Max Stainless Steel Flashing Flat (18" x 18" base)	15
Z-Max Prestressed Flashing (13" x 13" base)	15
Z-Max Flat Flashing (13" x 13" base)	15
Z-Max All Fuel Raincap	16
Z-Max Raincap Extension	16
SS Drip-less Connector	17
Z-Lok Tee	17
Z-Lok Stacking Tee	18
Z-Lok Tee Stacking Spacer	18
Z-Lok 22 inch Tee Branch	18

Adaptor for Flexible Stainless Steel Round Category I Chimney Liner

Stove Adaptor only	19
Swivel Offset Flex Ready Adaptor	19

Flexible Stainless Steel Round liner Category I Chimney Liner Offset Insert Adaptor

Offset Adaptor	20
----------------	----

All Fuel Rigid Stainless Steel Liner

304 SS Rigid Liner	21
Fixed SS 45° Elbow	21
Fixed SS 90° Elbow	22
SS Rigid Stacking Tee with Cap and removable Long Spout	22
SS Increaser	22
SS Reducer	23
Nose Cone	23

Direct Vent**Direct Vent Co-Linear Flexible Liner Kits**

DVI Kits	25
----------	----

Jotul DV Parts

26

Direct Vent

Direct Vent Kit Vertical Extreme Weather Termination	27
Direct Vent Kit Horizontal ROUND Termination	27
Direct Vent Kit Horizontal SQUARE Termination	28
Coaxial Flexible Extension Kit	28
Coaxial Flexible Coupling Kit	28
Coaxial Flexible Spacer Kit	28
Adaptor DV 4/6.625 to Flex 4/7 Kit	29
Adaptor DV 5/8 to Flex 5/8 Kit	29
Coaxial Flexible Support Kit	29
4"-7" Thick Wall Thimble	29
6"-11" Thick Wall Thimble Extended	30
Siding Standoff	30
Fire Stop	30
Fire Stop/Insulation Shield & Insulation Collar Kit	30
Flashing 30 to 45 Degree Pitched Roofs	31
Rigid Extension Pipe Kit	31
Sealant	31

Warranty**Terms & Conditions of Sale**

Aluminum 2-ply Chimney Liner Kits

Dia	Lgth	Part ID	Each
3"	20'	2GACKIT0320	\$269.28
3"	25'	2GACKIT0325	\$276.98
3"	30'	2GACKIT0330	\$330.88
3"	35'	2GACKIT0335	\$361.64
3"	40'	2GACKIT0340	\$471.92
3"	45'	2GACKIT0345	\$500.16
3"	50'	2GACKIT0350	\$528.34
4"	20'	2GACKIT0420	\$269.28
4"	25'	2GACKIT0425	\$276.98
4"	30'	2GACKIT0430	\$330.88
4"	35'	2GACKIT0435	\$361.64
4"	40'	2GACKIT0440	\$530.94
4"	45'	2GACKIT0445	\$574.51
4"	50'	2GACKIT0450	\$623.25
5"	20'	2GACKIT0520	\$323.17
5"	25'	2GACKIT0525	\$335.98
5"	30'	2GACKIT0530	\$382.18
5"	35'	2GACKIT0535	\$407.82
5"	40'	2GACKIT0540	\$579.68
5"	45'	2GACKIT0545	\$646.31
5"	50'	2GACKIT0550	\$700.21
5.5"	20'	2GACKIT05.520	\$393.65
5.5"	25'	2GACKIT05.525	\$406.61
5.5"	30'	2GACKIT05.530	\$489.44
5.5"	35'	2GACKIT05.535	\$512.78
5.5"	40'	2GACKIT05.540	\$706.98
5.5"	45'	2GACKIT05.545	\$753.62
5.5"	50'	2GACKIT05.550	\$797.66
6"	20'	2GACKIT0620	\$369.36
6"	25'	2GACKIT0625	\$382.18
6"	30'	2GACKIT0630	\$466.80
6"	35'	2GACKIT0635	\$489.89
6"	40'	2GACKIT0640	\$715.57
6"	45'	2GACKIT0645	\$759.21
6"	50'	2GACKIT0650	\$805.36

Dia	Lgth	Part ID	Each
7"	20'	2GACKIT0720	\$554.21
7"	25'	2GACKIT0725	\$606.03
7"	30'	2GACKIT0730	\$706.98
7"	35'	2GACKIT0735	\$730.31
7"	40'	2GACKIT0740	\$937.49
7"	45'	2GACKIT0745	\$1,012.58
7"	50'	2GACKIT0750	\$1,085.15
8"	20'	2GACKIT0820	\$606.03
8"	25'	2GACKIT0825	\$624.15
8"	30'	2GACKIT0830	\$774.35
8"	35'	2GACKIT0835	\$797.66
8"	40'	2GACKIT0840	\$1,098.06
8"	45'	2GACKIT0845	\$1,173.17
8"	50'	2GACKIT0850	\$1,248.25
9"	20'	2GACKIT0920	\$721.87
9"	25'	2GACKIT0925	\$816.51
9"	30'	2GACKIT0930	\$909.90
9"	35'	2GACKIT0935	\$998.75
9"	40'	2GACKIT0940	\$1,242.04
9"	45'	2GACKIT0945	\$1,298.60
9"	50'	2GACKIT0950	\$1,372.56
10"	20'	2GACKIT1020	\$675.95
10"	25'	2GACKIT1025	\$766.58
10"	30'	2GACKIT1030	\$978.95
10"	35'	2GACKIT1035	\$1,123.96
10"	40'	2GACKIT1040	\$1,401.07
10"	45'	2GACKIT1045	\$1,455.42
10"	50'	2GACKIT1050	\$1,504.64

Order No: 2GACKIT _ _ _ _ (dia/

Kit includes:

- 2-ply Aluminum Liner
- Chimney Flashing
- Bird Proof Rain Cap
- Mortar Collar, 3 Screws

NOTE: 5.5 inch Kits includes 5.5 inch to 6 inch adaptor.



Additional Length of Aluminum 2-Ply Liner

Available in 5 ft increments only, up to 50 ft.

Dia.	Part ID	List/FT
3"	2GAXXX03 __	\$8.74
4"	2GAXXX04 __	\$9.54
5"	2GAXXX05 __	\$11.86
5.5"	2GAXXX05.5 __	\$13.04
6"	2GAXXX06 __	\$14.25
7"	2GAXXX07 __	\$16.64
8"	2GAXXX08 __	\$18.99
9"	2GAXXX09 __	\$19.59
10"	2GAXXX10 __	\$23.10

Order No: 2GAXXX _ _ _ _ (dia lgth)



Aluminum 2-ply Liner Extension Kit

Kit includes: 10 feet 2 Ply Liner, 1 coupling & 2 clamps

Dia.	Part ID	List/EA
3"	2GAEXT0310	\$104.41
4"	2GAEXT0410	\$111.89
5"	2GAEXT0510	\$134.30
5.5"	2GAEXT05.510	\$145.83
6"	2GAEXT0610	\$157.14
7"	2GAEXT0710	\$179.76
8"	2GAEXT0810	\$201.70
9"	2GAEXT0910	\$244.70
10"	2GAEXT1010	\$256.05

Order No: 2GAEXT _ _ _ _ (dia lgth)



Aluminum Liner Connector

To attach two lengths of aluminum liner.

Dia.	Part ID	List/EA
3"	2CNNTRG03	\$14.55
4"	2CNNTRG04	\$15.49
5"	2CNNTRG05	\$16.57
5.5"	2CNNTRG05.5	\$18.16
6"	2CNNTRG06	\$19.97
7"	2CNNTRG07	\$20.83
8"	2CNNTRG08	\$23.03
9"	2CNNTRG09	\$28.56
10"	2CNNTRG10	\$32.10

Order No: 2CNNTRG _ _ (dia)



1 Ply Aluminum Duct

*Note: To be used in fresh air intake only.
Not to be used as a chimney liner.
See gas liner section. Available in 5 foot
increments up to 50 foot length.*

Dia.	Part ID	List/FT
2"	1TLXXX02 __	\$3.88
3"	1TLXXX03 __	\$2.91
4"	1TLXXX04 __	\$3.69
5"	1TLXXX05 __	\$4.27
6"	1TLXXX06 __	\$5.06

Order No: 1TLXXX _ _ _ _ (dia lgth)



Fresh Air Hood

Dia.	Part ID	List/EA
2"	2FAIGAL02	\$35.56
3"	2FAIGAL03	\$37.52
4"	2FAIGAL04	\$38.60



Fresh Air Kit for Pellet Stoves

- Kit includes:
 1 - 2" x 5' Aluminum 1 ply duct
 1 - 2" intake hood w/screen
 2 - 2" gear clamps

Dia	Part ID	Each
2"	2FAKIT0205	\$61.08

Order No: 2FAKIT0205



INSUL-LINER™ another "simple solution"

The National Fuel Gas Code (NFPA 54, ANSI Z223.1) recommends, but does not require that in certain situations liners be insulated.

Best practice, use an insulated liner in exterior chimneys or when a brick chimney has no clay liner.

The insulation will help keep the flue gases warm and prevent condensation.

Also, refer to the equipment manufacturer's instructions for their recommendations.

INSUL-LINER™

- Takes the guess work out of insulating.
- Simply remove from the box and install.
- No wrapping - liner is insulated at the factory.
- Save installation time.

Insul-Liner™ Kit 25' and 35' kit

- Kit includes:
- Insulated Aluminum Liner, Chimney Flashing
 - Bird Proof Rain Cap, Mortar Collar, 3 screws

Dia.	Lgth	Part ID	Each
3"	25ft	2GIAKXX0325	\$789.95
4"	25ft	2GIAKXX0425	\$962.57
5"	25ft	2GIAKXX0525	\$1,096.87
6"	25ft	2GIAKXX0625	\$1,316.24
7"	25ft	2GIAKXX0725	\$1,503.28
8"	25ft	2GIAKXX0825	\$1,703.33
3"	35ft	2GIAKXX0335	\$1,105.94
4"	35ft	2GIAKXX0435	\$1,347.60
5"	35ft	2GIAKXX0535	\$1,535.61
6"	35ft	2GIAKXX0635	\$1,842.73
7"	35ft	2GIAKXX0735	\$2,104.60
8"	35ft	2GIAKXX0835	\$2,384.67



Order No: 2GIAKXX _ _ _ _ (dia/lgth)

Additional Length™ Insul-Liner

Available up to 35 foot length.

Dia.	Part ID	Per FT
3"	2INSGAC03 _ _	\$20.92
4"	2INSGAC04 _ _	\$25.19
5"	2INSGAC05 _ _	\$30.83
6"	2INSGAC06 _ _	\$36.66
7"	2INSGAC07 _ _	\$42.34
8"	2INSGAC08 _ _	\$47.44



Order No: 2INSGAC _ _ _ _ (dia lgth)

Insul-Liner™ Coupling

Used to join 2 pieces of Insul-Liner together

Dia.	Part ID	Each
3"	2IVUCXX03	\$36.75
4"	2IVUCXX04	\$37.54
5"	2IVUCXX05	\$37.94
6"	2IVUCXX06	\$38.55
7"	2IVUCXX07	\$41.03
8"	2IVUCXX08	\$43.33



Order No: 2IVUCXX _ (dia)

Solid Fuel Insert Kit .005 Material

New high flow rain cap resist creosote build up

Kit includes: Stainless Steel Liner, Z-Max® All Fuel Rain Cap, Prestressed 13 x 13 Flashing, Stove Connector

Dia	Lgth	Part ID	Each
3"	25'	2ZFSFIKIT0325	\$724.22
3"	30'	2ZFSFIKIT0330	\$852.16
3"	35'	2ZFSFIKIT0335	\$980.10
3"	40'	2ZFSFIKIT0340	\$1,107.84
3"	45'	2ZFSFIKIT0345	\$1,234.92
3"	50'	2ZFSFIKIT0350	\$1,363.92
4"	25'	2ZFSFIKIT0425	\$948.90
4"	30'	2ZFSFIKIT0430	\$1,113.34
4"	35'	2ZFSFIKIT0435	\$1,282.05
4"	40'	2ZFSFIKIT0440	\$1,452.26
4"	45'	2ZFSFIKIT0445	\$1,622.57
4"	50'	2ZFSFIKIT0450	\$1,792.09
5"	25'	2ZFSFIKIT0525	\$1,193.61
5"	30'	2ZFSFIKIT0530	\$1,518.35
5"	35'	2ZFSFIKIT0535	\$1,632.09
5"	40'	2ZFSFIKIT0540	\$1,850.43
5"	45'	2ZFSFIKIT0545	\$2,070.84
5"	50'	2ZFSFIKIT0550	\$2,287.65
5.5"	25'	2ZFSFIKIT05.525	\$1,325.40
5.5"	30'	2ZFSFIKIT05.530	\$1,573.83
5.5"	35'	2ZFSFIKIT05.535	\$1,825.34
5.5"	40'	2ZFSFIKIT05.540	\$2,065.11
5.5"	45'	2ZFSFIKIT05.545	\$2,323.96
5.5"	50'	2ZFSFIKIT05.550	\$2,572.88
6"	25'	2ZFSFIKIT0625	\$1,352.50
6"	30'	2ZFSFIKIT0630	\$1,599.78
6"	35'	2ZFSFIKIT0635	\$1,851.30
6"	40'	2ZFSFIKIT0640	\$2,091.06
6"	45'	2ZFSFIKIT0645	\$2,349.92
6"	50'	2ZFSFIKIT0650	\$2,598.84

Order No: 2ZFSFIKIT _ _ _ _ (dia/lgth)

Dia	Lgth	Part ID	Each
7"	25'	2ZFSFIKIT0725	\$1,578.93
7"	30'	2ZFSFIKIT0730	\$1,870.80
7"	35'	2ZFSFIKIT0735	\$2,160.58
7"	40'	2ZFSFIKIT0740	\$2,454.18
7"	45'	2ZFSFIKIT0745	\$2,746.49
7"	50'	2ZFSFIKIT0750	\$3,036.73
8"	25'	2ZFSFIKIT0825	\$1,736.29
8"	30'	2ZFSFIKIT0830	\$2,057.86
8"	35'	2ZFSFIKIT0835	\$2,379.20
8"	40'	2ZFSFIKIT0840	\$2,698.58
8"	45'	2ZFSFIKIT0845	\$3,021.83
8"	50'	2ZFSFIKIT0850	\$3,346.04

Order No: 2ZFSFIKIT _ _ _ _ (dia/lgth)



NEW!
high flow all fuel
rain cap resists
creosote
buildup

Pre-Insulated Solid Fuel Insert Kits

Dia	Lgth	Part ID	Each
5.5	25	2ZFSFIKIT05.525PI	\$2,730.14
5.5	35	2ZFSFIKIT05.535PI	\$3,579.74
6	25	2ZFSFIKIT0625PI	\$2,798.33
6	35	2ZFSFIKIT0635PI	\$3,661.83
8	25	2ZFSFIKIT0825PI	\$4,298.15
8	35	2ZFSFIKIT0835PI	\$5,967.76



Solid Fuel Insert Kit .006"Stainless Steel Liner

New high flow rain cap resist creosote build up

Kit includes: .006" Stainless Steel Liner, Z-Max® All Fuel Rain Cap,
Prestressed 13 x 13 Flashing, Stove Connector

Dia	Lgth	Part ID	Each
3"	25'	2ZFSFIKIT0325X	\$869.08
3"	30'	2ZFSFIKIT0330X	\$1,022.58
3"	35'	2ZFSFIKIT0335X	\$1,176.10
3"	40'	2ZFSFIKIT0340X	\$1,329.40
3"	45'	2ZFSFIKIT0345X	\$1,481.91
3"	50'	2ZFSFIKIT0350X	\$1,636.70
4"	25'	2ZFSFIKIT0425X	\$1,138.68
4"	30'	2ZFSFIKIT0430X	\$1,336.00
4"	35'	2ZFSFIKIT0435X	\$1,538.45
4"	40'	2ZFSFIKIT0440X	\$1,742.70
4"	45'	2ZFSFIKIT0445X	\$1,947.09
4"	50'	2ZFSFIKIT0450X	\$2,150.50
5"	25'	2ZFSFIKIT0525X	\$1,432.33
5"	30'	2ZFSFIKIT0530X	\$1,822.03
5"	35'	2ZFSFIKIT0535X	\$1,958.52
5"	40'	2ZFSFIKIT0540X	\$2,220.51
5"	45'	2ZFSFIKIT0545X	\$2,485.00
5"	50'	2ZFSFIKIT0550X	\$2,745.16
5.5"	25'	2ZFSFIKIT05.525X	\$1,590.46
5.5"	30'	2ZFSFIKIT05.530X	\$1,888.59
5.5"	35'	2ZFSFIKIT05.535X	\$2,190.41
5.5"	40'	2ZFSFIKIT05.540X	\$2,478.12
5.5"	45'	2ZFSFIKIT05.545X	\$2,788.75
5.5"	50'	2ZFSFIKIT05.550X	\$3,087.46
6"	25'	2ZFSFIKIT0625X	\$1,622.99
6"	30'	2ZFSFIKIT0630X	\$1,919.74
6"	35'	2ZFSFIKIT0635X	\$2,221.55
6"	40'	2ZFSFIKIT0640X	\$2,509.27
6"	45'	2ZFSFIKIT0645X	\$2,819.91
6"	50'	2ZFSFIKIT0650X	\$3,118.61

Order No: 2ZFSFIKIT _ _ _ _ (dia/lgth)

Dia	Lgth	Part ID	Each
7"	25'	2ZFSFIKIT0725X	\$1,894.70
7"	30'	2ZFSFIKIT0730X	\$2,244.96
7"	35'	2ZFSFIKIT0735X	\$2,592.69
7"	40'	2ZFSFIKIT0740X	\$2,945.02
7"	45'	2ZFSFIKIT0745X	\$3,295.79
7"	50'	2ZFSFIKIT0750X	\$3,644.07
8"	25'	2ZFSFIKIT0825X	\$2,083.55
8"	30'	2ZFSFIKIT0830X	\$2,469.44
8"	35'	2ZFSFIKIT0835X	\$2,855.04
8"	40'	2ZFSFIKIT0840X	\$3,238.29
8"	45'	2ZFSFIKIT0845X	\$3,626.21
8"	50'	2ZFSFIKIT0850X	\$4,015.25

Order No: 2ZFSFIKIT _ _ _ _ (dia/lgth)



NEW!
high flow all
fuel rain cap
resists creosote
buildup

Solid Fuel Liner Kit .005 Material

New High Flow All Fuel raincap resists creosote buildup

Dia	Lgth	Part ID	Each
3"	25'	2ZFSFKIT0325	\$948.88
3"	30'	2ZFSFKIT0330	\$1,079.15
3"	35'	2ZFSFKIT0335	\$1,209.00
3"	40'	2ZFSFKIT0340	\$1,339.32
3"	45'	2ZFSFKIT0345	\$1,470.18
3"	50'	2ZFSFKIT0350	\$1,599.71
4"	25'	2ZFSFKIT0425	\$1,010.29
4"	30'	2ZFSFKIT0430	\$1,183.14
4"	35'	2ZFSFKIT0435	\$1,356.39
4"	40'	2ZFSFKIT0440	\$1,529.87
4"	45'	2ZFSFKIT0445	\$1,702.47
4"	50'	2ZFSFKIT0450	\$1,874.92
5"	25'	2ZFSFKIT0525	\$1,223.12
5"	30'	2ZFSFKIT0530	\$1,438.35
5"	35'	2ZFSFKIT0535	\$1,653.06
5"	40'	2ZFSFKIT0540	\$1,867.98
5"	45'	2ZFSFKIT0545	\$2,082.94
5"	50'	2ZFSFKIT0550	\$2,297.85
5.5"	25'	2ZFSFKIT05.525	\$1,350.97
5.5"	30'	2ZFSFKIT05.530	\$1,590.48
5.5"	35'	2ZFSFKIT05.535	\$1,829.59
5.5"	40'	2ZFSFKIT05.540	\$2,069.77
5.5"	45'	2ZFSFKIT05.545	\$2,307.85
5.5"	50'	2ZFSFKIT05.550	\$2,548.02
6"	25'	2ZFSFKIT0625	\$1,378.49
6"	30'	2ZFSFKIT0630	\$1,622.95
6"	35'	2ZFSFKIT0635	\$1,866.91
6"	40'	2ZFSFKIT0640	\$2,111.99
6"	45'	2ZFSFKIT0645	\$2,355.78
6"	50'	2ZFSFKIT0650	\$2,599.99

Dia	Lgth	Part ID	Each
7"	25'	2ZFSFKIT0725	\$1,596.54
7"	30'	2ZFSFKIT0730	\$1,882.73
7"	35'	2ZFSFKIT0735	\$2,168.04
7"	40'	2ZFSFKIT0740	\$2,452.57
7"	45'	2ZFSFKIT0745	\$2,741.22
7"	50'	2ZFSFKIT0750	\$3,025.72
8"	25'	2ZFSFKIT0825	\$1,752.70
8"	30'	2ZFSFKIT0830	\$2,068.37
8"	35'	2ZFSFKIT0835	\$2,384.02
8"	40'	2ZFSFKIT0840	\$2,697.61
8"	45'	2ZFSFKIT0845	\$3,013.28
8"	50'	2ZFSFKIT0850	\$3,328.90
9"	25'	2ZFSFKIT0925	\$2,128.59
9"	30'	2ZFSFKIT0930	\$2,429.75
9"	35'	2ZFSFKIT0935	\$2,928.11
9"	40'	2ZFSFKIT0940	\$3,389.14
9"	45'	2ZFSFKIT0945	\$3,758.83
9"	50'	2ZFSFKIT0950	\$4,005.91
10"	25'	2ZFSFKIT1025	\$2,286.42
10"	30'	2ZFSFKIT1030	\$2,705.93
10"	35'	2ZFSFKIT1035	\$3,125.43
10"	40'	2ZFSFKIT1040	\$3,540.74
10"	45'	2ZFSFKIT1045	\$3,958.16
10"	50'	2ZFSFKIT1050	\$4,375.58

Z-Max Cap & Flashing
Alloy 316Ti
Kit includes: Liner
Z-Max All Fuel Cap
Z-Lok Flex Tee
Pre-stressed 13 x 13
Flashing
Patented airtight
Triple Lock[®]
construction is tested
and listed by UL.
Triple Lock[®] Joint
accepted by industry
as the strongest joint
system available.

Order No: 2ZFSFKIT ____ (dia/lgth)

Kit must be insulated for wood burning applications.



NEW!
high flow all
fuel rain cap
resists
creosote
buildup

Z-Lok Tee allows
tool-less twist
lock connection
from the
chimney
opening

Solid Fuel Liner Kit .006 Material

New High Flow All Fuel raincap resists creosote buildup

Alloy 316Ti

Kit includes:

.006" Stainless Steel Liner

Z-Max All Fuel Cap

Z-Lok Flex Tee

Pre-stressed 13 x 13 Flashing

Patented airtight Triple Lock[®] construction

is tested and listed by UL

Triple Lock[®] Joint accepted by industry as the strongest joint system available.



NEW!
*high flow all fuel
rain cap resists
creosote
buildup*

Z-Lok Tee
*allows tool-less twist
lock connection from
the chimney opening*

Dia	Lgth	Part ID	Each
3"	25'	2ZFSFKIT0325X	\$1,138.64
3"	30'	2ZFSFKIT0330X	\$1,294.98
3"	35'	2ZFSFKIT0335X	\$1,450.80
3"	40'	2ZFSFKIT0340X	\$1,607.20
3"	45'	2ZFSFKIT0345X	\$1,764.21
3"	50'	2ZFSFKIT0350X	\$1,919.65
4"	25'	2ZFSFKIT0425X	\$1,212.34
4"	30'	2ZFSFKIT0430X	\$1,419.77
4"	35'	2ZFSFKIT0435X	\$1,627.66
4"	40'	2ZFSFKIT0440X	\$1,835.85
4"	45'	2ZFSFKIT0445X	\$2,042.96
4"	50'	2ZFSFKIT0450X	\$2,249.90
5"	25'	2ZFSFKIT0525X	\$1,467.76
5"	30'	2ZFSFKIT0530X	\$1,726.02
5"	35'	2ZFSFKIT0535X	\$1,983.68
5"	40'	2ZFSFKIT0540X	\$2,241.57
5"	45'	2ZFSFKIT0545X	\$2,499.54
5"	50'	2ZFSFKIT0550X	\$2,757.42
5.5"	25'	2ZFSFKIT05.525X	\$1,621.16
5.5"	30'	2ZFSFKIT05.530X	\$1,908.59
5.5"	35'	2ZFSFKIT05.535X	\$2,195.51
5.5"	40'	2ZFSFKIT05.540X	\$2,483.72
5.5"	45'	2ZFSFKIT05.545X	\$2,769.43
5.5"	50'	2ZFSFKIT05.550X	\$3,057.62
6"	25'	2ZFSFKIT0625X	\$1,654.18
6"	30'	2ZFSFKIT0630X	\$1,947.55
6"	35'	2ZFSFKIT0635X	\$2,240.31
6"	40'	2ZFSFKIT0640X	\$2,534.39
6"	45'	2ZFSFKIT0645X	\$2,826.93
6"	50'	2ZFSFKIT0650X	\$3,119.99

Dia	Lgth	Part ID	Each
7"	25'	2ZFSFKIT0725X	\$1,915.85
7"	30'	2ZFSFKIT0730X	\$2,259.28
7"	35'	2ZFSFKIT0735X	\$2,601.64
7"	40'	2ZFSFKIT0740X	\$2,943.09
7"	45'	2ZFSFKIT0745X	\$3,289.48
7"	50'	2ZFSFKIT0750X	\$3,630.87
8"	25'	2ZFSFKIT0825X	\$2,103.24
8"	30'	2ZFSFKIT0830X	\$2,482.04
8"	35'	2ZFSFKIT0835X	\$2,860.83
8"	40'	2ZFSFKIT0840X	\$3,237.14
8"	45'	2ZFSFKIT0845X	\$3,615.92
8"	50'	2ZFSFKIT0850X	\$3,994.69
9"	25'	2ZFSFKIT0925X	\$2,554.31
9"	30'	2ZFSFKIT0930X	\$2,915.70
9"	35'	2ZFSFKIT0935X	\$3,513.74
9"	40'	2ZFSFKIT0940X	\$4,066.98
9"	45'	2ZFSFKIT0945X	\$4,510.58
9"	50'	2ZFSFKIT0950X	\$4,807.10
10"	25'	2ZFSFKIT1025X	\$2,743.71
10"	30'	2ZFSFKIT1030X	\$3,247.12
10"	35'	2ZFSFKIT1035X	\$3,750.51
10"	40'	2ZFSFKIT1040X	\$4,248.90
10"	45'	2ZFSFKIT1045X	\$4,749.79
10"	50'	2ZFSFKIT1050X	\$5,250.70

Order No: 2ZFSFKIT _ _ _ _ (dia/lgth)

Kit must be insulated for wood burning applications.

Foil Backed Insulation with Stainless Steel Mesh Wrap & Gear Clamps

Dia	Part ID	Each
5.5"	2INSKITM05.525	\$1,248.82
5.5"	2INSKITM05.535	\$1,571.37
6"	2INSKITM0625	\$1,252.69
6"	2INSKITM0635	\$1,575.24
8"	2INSKITM0825	\$2,016.02
8"	2INSKITM0835	\$2,646.19

Order No: 2INSKITM _ _ _ _ (dia/lgth)

Available in 25 ft and 35 ft lengths

Kit also includes a roll of aluminum tape and can of spray adhesive

Mandatory for wood burning applications.



Smoothcore Stove/Insert Kit

Kit includes: SS 2 ply Smoothcore liner, Z-Max® Chimney Flashing, Z-Max® All Fuel Rain Cap, Stove/Insert Adaptor

Dia	Lgth	Part ID	Each
4"	25'	2ZFSFIKIT0425	\$1,529.02
4"	30'	2ZFSFIKIT0430	\$1,809.49
4"	35'	2ZFSFIKIT0435	\$2,094.23
5"	25'	2ZFSFIKIT0525	\$1,948.73
5"	30'	2ZFSFIKIT0530	\$2,424.49
5"	35'	2ZFSFIKIT0535	\$2,689.25
5.5"	25'	2ZFSFIKIT05.525	\$2,147.12
5.5"	30'	2ZFSFIKIT05.530	\$2,559.91
5.5"	35'	2ZFSFIKIT05.535	\$2,975.75
6"	25'	2ZFSFIKIT0625	\$2,210.54
6"	30'	2ZFSFIKIT0630	\$2,629.43
6"	35'	2ZFSFIKIT0635	\$3,052.56
7"	25'	2ZFSFIKIT0725	\$2,573.74
7"	30'	2ZFSFIKIT0730	\$3,064.58
7"	35'	2ZFSFIKIT0735	\$3,553.32
7"	25'	2ZFSFIKIT0725	\$2,573.74
7"	30'	2ZFSFIKIT0730	\$3,064.58
7"	35'	2ZFSFIKIT0735	\$3,553.32
8"	25'	2ZFSFIKIT0825	\$2,950.59
8"	30'	2ZFSFIKIT0830	\$3,515.02
8"	35'	2ZFSFIKIT0835	\$4,079.22



Proprietary 2 layers of .005 316Ti Plus Titanium stainless steel for a total of .01 thickness ensures indefinite service life and increased safety, in containing creosote fires. cUL tested and listed by UL to UL1777 and ULC S635.

Smoothcore eliminates the turbulence inherent with corrugated liners, improving draft. Resists corrosive attack by not impeding the flow of condensate down the liner, therefore, less opportunity for soot to accumulate. Patented Triple-Lock® design won't pull apart during installation, or under extreme heat. conditions.'

Order No: 2ZFSFIKIT_ _ _ _ (dia/lgth)

**Triple Lock® Smoothcore
All Fuels Chimney Liner**

Dia	Part ID	Per FT
4"	2ZLSCXX04_ _	\$56.36
5"	2ZLSCXX05_ _	\$73.36
5.5"	2ZLSCXX05.5_ _	\$79.83
6"	2ZLSCXX06_ _	\$83.36
7"	2ZLSCXX07_ _	\$96.63
8"	2ZLSCXX08_ _	\$118.07

Order No: 2ZLSCXX_ _ _ _ (dia/lgth)

Additional lengths 5 Ft to 20Ft. - 5Ft increments.

Pricing subject to change without notice



Flexible Stainless Steel Oval to Round Liner

Dia	Oval Dimension	Per FT
6"	6 IN Oval to Round Flexible Liner - 4"x7-1/2"	\$60.51
7"	7 IN Oval to Round Flexible Liner - 4"x9"	\$69.91
8"	8 IN Oval to Round Flexible Liner - 4-1/2"x10-1/2"	\$77.12
10"	10 IN Oval to Round Flexible Liner - 5"x14"	\$96.41

Order No: 2ZLSSOR ____ (dia lgth)

Available in 5ft sections (1ft Round, 4ft Oval)

Note: To be used in areas that are restrictive in one dimension.



Flexible Stainless Steel Full Oval Liner

Dia	Oval Dimension	Per FT
6"	6 IN Oval Flexible Liner - 4"x7-1/2"	\$60.51
7"	7 IN Oval Flexible Liner - 4"x9"	\$69.91
8"	8 IN Oval Flexible Liner - 4-1/2"x10-1/2"	\$77.12
10"	10 IN Oval Flexible Liner - 5"x14"	\$96.41

Order No: 2ZLSSOX ____ (dia lgth)

Available in 5ft & 10ft Sections



Stainless Steel Oval Flat Flashing

Dia	Oval Dimension	Each
6"	SS Oval Flat Flashing 6 IN - 4"x7-1/2"	\$142.99
7"	SS Oval Flat Flashing 7 IN - 4"x9"	\$154.50

Order No: 2ZSCO18 __ (dia)



Stainless Steel Oval Cap

Dia	Oval Dimension	Each
6"	Oval Cap SS 6 IN - 4"x7-1/2"	\$186.90
7"	Oval Cap SS 7 IN - 4"x9"	\$192.42

Order No: 2ZMRCV __ (dia)



Stainless Steel Flex Ready Oval Base Tee with Cap.

Oval Flex ready w/round take off.

Dia	Oval Dimension	Each
6"	Flex Oval Base Tee /Cap 6 IN - 4"x7-1/2"	\$222.25
7"	Flex Oval Base Tee /Cap 7 IN - 4"x9"	\$234.59
8"	Flex Oval Base Tee /Cap 8 IN - 4-1/2"x10-1/2"	\$246.97
10"	Flex Oval Base Tee /Cap 10 IN - 5"x14"	\$259.29

Order No: 2ZFOT __ (dia)



Stainless Steel Flex Ready Oval Liner Coupling

Flex ready - Used to connect 2 same size oval pipe.

Dia	Oval Dimension	Each
6"	Connector A Oval 6 IN - 4"x7-1/2"	\$96.87
7"	Connector A Oval 7 IN - 4"x9"	\$106.09
8"	Connector A Oval 8 IN - 4-1/2"x10-1/2"	\$115.29
10"	Connector A Oval 10 IN - 5"x14"	\$124.50

Order No: 2CNNTRA __ OV

Used to mate two pieces of oval liner together.



Stainless Steel Flex Ready Oval to Round Adaptor

Dia	Oval Dimension	Each
6"	Oval to Round Flex Ready 6 IN - 4"x7-1/2"	\$117.92
7"	Oval to Round Flex Ready 7 IN - 4"x9"	\$134.84
8"	Oval to Round Flex ReDY 8 IN - 4-1/2"x10-1/2"	\$149.72
10"	Oval to Round Flex Ready 10 IN - 5"x14"	\$164.80

Order No: 2ZRORAX __ (dia)

Round end accepts Flex



Stainless Steel Round to Oval Adaptor

Dia	Oval Dimension	Each
6"	Round to Oval 6 IN - 4"x7-1/2"	\$117.92
7"	Round to Oval 7 IN - 4"x9"	\$134.84
8"	Round to Oval 8 IN - 4-1/2"x10-1/2"	\$149.72
10"	Round to Oval 10 IN - 5"x14"	\$164.80

Order No: 2ZRROAX __ (dia)

Oval ends accepts flex



Stainless Steel self-drilling screws

Bag of 50 screws

Dia	Lgth	Part ID	Each
NA	NA	2SSSCREW	\$25.62

Order No: 2SSSCREW



**4" Flex Ready Pellet Tee
with 3" branch**

Dia		Part ID	Each
4"		2ZPT43	\$130.06

Order No: 2ZPT43

New Product!

Connects Z-Flex to solid fuel inserts where
space is minimal




Patented airtight triple lock construction.

Ideal for use with gas, oil, pellet and wood. (For use with coal, see warranty).

Liner must be insulated with a Z-Flex® Insulationblanket for wood burning installation

The patented "T Lock" construction is tested and listed by U.L. Triple Lock Joint accepted by industry as the strongest joint system. Z-Flex is easily installed in minimal time. Special high temperature and acid resistant stainless steel is exclusive to Z-Flex.



.005 SS Alloy - 316Ti

Dia	Part ID	Per FT
3"	2ZLSSXX03 __	\$24.95
4"	2ZLSSXX04 __	\$33.16
5"	2ZLSSXX05 __	\$43.16
5.5"	2ZLSSXX05.5 __	\$46.96
6"	2ZLSSXX06 __	\$49.04
7"	2ZLSSXX07 __	\$56.84
8"	2ZLSSXX08 __	\$62.67
9"	2ZLSSXX09 __	\$69.39
10"	2ZLSSXX10 __	\$83.08

Order No: 2ZLSSXX ____ (dia/lgth)

• **Lightweight, easily handled, easily flexed**

Available diameters: 3" through 10" diameter in 5 foot increments up to 50 foot lengths.

Prices for special sizes are available on request.



.006 SS Alloy - 316Ti

Dia	Part ID	Per FT
3"	2ZLSS6X03 __	\$29.07
4"	2ZLSS6X04 __	\$38.62
5"	2ZLSS6X05 __	\$50.26
5.5"	2ZLSS6X05.5 __	\$54.69
6"	2ZLSS6X06 __	\$57.13
7"	2ZLSS6X07 __	\$66.23
8"	2ZLSS6X08 __	\$73.01
9"	2ZLSS6X09 __	\$80.80
10"	2ZLSS6X10 __	\$96.79

Order No: 2ZLSS6X ____ (dia/lgth)

• **Lightweight, easily handled, easily flexed**

Available diameters: 3" through 10" diameter in 5 foot increments up to 50 foot lengths.

Prices for special sizes are available on request.

Z-Max Stainless Steel Flashing Flat (18" x 18" base)

Dia	Part ID	Each
3"	2ZSCS1803	\$114.15
4"	2ZSCS1804	\$116.44
5"	2ZSCS1805	\$119.76
5.5"	2ZSCS1805.5	\$121.02
6"	2ZSCS1806	\$122.12
7"	2ZSCS1807	\$131.11
8"	2ZSCS1808	\$137.72

Order No: 2ZSCS18 __ (dia)



Z-Max Prestressed Flashing (13" x 13" base)

Dia	Part ID	Each
3"	2AFCS03	\$97.00
4"	2AFCS04	\$97.00
5"	2AFCS05	\$99.82
5.5"	2AFCS05.5	\$100.83
6"	2AFCS06	\$101.72
7"	2AFCS07	\$118.65
8"	2AFCS08	\$135.61

Order No: 2AFCS __ (dia)



Z-Max Flat Flashing (13" x 13" base)

Dia	Part ID	Each
3"	2ZSCS1303	\$94.28
4"	2ZSCS1304	\$96.99
5"	2ZSCS1305	\$99.80
5.5"	2ZSCS1305.5	\$100.83
6"	2ZSCS1306	\$101.72
7"	2ZSCS1307	\$102.44
8"	2ZSCS1308	\$105.31

Order No: 2ZSCS13 __ (dia)



Z-Max All Fuel Raincap

Dia	Part ID	Each
3"	2ZMRCA03	\$181.44
4"	2ZMRCA04	\$241.94
5"	2ZMRCA05	\$267.70
5.5"	2ZMRCA05.5	\$283.26
6"	2ZMRCA06	\$293.82
7"	2ZMRCA07	\$342.75
8"	2ZMRCA08	\$391.78
10"	2ZMRCA10	\$447.75

Order No: 2ZMEXT_ _(dia)



Z-Max Raincap Extension

18" Length Pipe used to extend Z-Max Raincap.

Dia	Part ID	Each
3"	2ZMEXT03	\$97.00
4"	2ZMEXT04	\$97.00
5"	2ZMEXT05	\$99.82
5.5"	2ZMEXT05.5	\$100.83
6"	2ZMEXT06	\$101.72
7"	2ZMEXT07	\$118.65
8"	2ZMEXT08	\$135.61

Order No: 2ZMEXT_ _(dia)



Stainless Steel Drip-less Connector

Used to mate Z-Flex liner to liner, T-Section stove pipe or fireplace insert.

Dia	Part ID	Each
3"	2CNNTRC03	\$56.19
4"	2CNNTRC04	\$59.85
5"	2CNNTRC05	\$66.85
5.5"	2CNNTRC05.5	\$67.34
6"	2CNNTRC06	\$67.50
7"	2CNNTRC07	\$71.09
8"	2CNNTRC08	\$74.67
9"	2CNNTRC09	\$76.43
10"	2CNNTRC10	\$78.21

Order No: 2CNNTRC __ (dia)



Z-Lok™ Tee

Dia	Part ID	Each
3"	2ZFTJ03	\$125.46
4"	2ZFTJ04	\$137.57
5"	2ZFTJ05	\$149.72
5.5"	2ZFTJ05.5	\$159.50
6"	2ZFTJ06	\$167.48
7"	2ZFTJ07	\$179.22
8"	2ZFTJ08	\$193.12
9"	2ZFTJ09	\$226.75
10"	2ZFTJ10	\$260.37

Order No: 2ZFTJ __ (dia)



Z-Lok Stacking Tee

Used for stacking Z-Lok tees together. Tee cap can be used vertically or horizontally.

Dia	Part ID	Each
2ZFTJS03	Z-LOK TEE STACKING 3IN X 10L BRANCH	\$125.46
2ZFTJS04	Z-LOK TEE STACKING 4IN X 10L BRANCH	\$137.57
2ZFTJS05	Z-LOK TEE STACKING 5IN X 10L BRANCH	\$149.72
2ZFTJS05.S	Z-LOK TEE STACKING 5.5IN X 10L BRANCH	\$167.48
2ZFTJS06	Z-LOK TEE STACKING 6IN X 10L BRANCH	\$167.48
2ZFTJS07	Z-LOK TEE STACKING 7IN X 10L BRANCH	\$178.38
2ZFTJS08	Z-LOK TEE STACKING 8IN X 10L BRANCH	\$193.12
2ZFTJS09	Z-LOK TEE STACKING 9IN X 10L BRANCH	\$209.91
2ZFTJS10	Z-LOK TEE STACKING 10IN X 10L BRANCH	\$270.39



Z-Lok Tee Stacking Spacer

Used when there is going to be a space between stacking tees.

Dia	Part ID	Each
2ZFTJS041	Z-LOK TEE STACKING SPACER 4IN X 1FT	\$42.36
2ZFTJS051	Z-LOK TEE STACKING SPACER 5IN X 1FT	\$46.31
2ZFTJS05.51	Z-LOK TEE STACKING SPACER 5.5IN X 1FT	\$48.29
2ZFTJS061	Z-LOK TEE STACKING SPACER 6IN X 1FT	\$50.24
2ZFTJS071	Z-LOK TEE STACKING SPACER 7IN X 1FT	\$56.19
2ZFTJS081	Z-LOK TEE STACKING SPACER 8IN X 1FT	\$81.69
2ZFTJS091	Z-LOK TEE STACKING SPACER 9IN X 1FT	\$94.94
2ZFTJS101	Z-LOK TEE STACKING SPACER 10IN X 1FT	\$108.18



Z-Lok 22 inch Tee Branch

Used when a longer branch is needed. Branch is cuttable.

Dia	Part ID	Each
2ZFTJB03X	Z-LOK 3IN X 22L BRANCH	\$66.79
2ZFTJB04X	Z-LOK 4IN X 22L BRANCH	\$72.58
2ZFTJB05X	Z-LOK 5IN X 22L BRANCH	\$78.87
2ZFTJBO5.5X	Z-LOK 5.5IN X 22L BRANCH	\$81.87
2ZFTJB06X	Z-LOK 6IN X 22L BRANCH	\$84.76
2ZFTJB07X	Z-LOK 7IN X 22L BRANCH	\$95.18
2ZFTJB08X	Z-LOK 8IN X 22L BRANCH	\$105.77
2ZFTJB09X	Z-LOK 9IN X 22L BRANCH	\$111.11
2ZFTJB10X	Z-LOK 10IN X 22L BRANCH	\$116.39



Stove Adaptor Only

Dia	Part ID	Each
3"	2CNNS03	\$55.67
4"	2CNNS04	\$58.59
5"	2CNNS05	\$61.68
5.5"	2CNNS05.5	\$64.91
6"	2CNNS06	\$64.91
7"	2CNNS07	\$68.33
8"	2CNNS08	\$71.80

Order No: (dia) 2CNNS__ (deg dia)



Stove Adaptor

Swivel Offset Flex Ready Adaptor

No Handle - No Tabs




Dia	Part ID	Description	Each
3"	2ZOA3006A	Swivel flex adaptor 6" x 30 deg	\$64.38
3"	2ZOA4503A	Swivel flex adaptor 3 in - 45 deg adj	\$47.66
4"	2ZOA4504A	Swivel flex adaptor 4 in - 45 deg adj	\$50.06
5.5"	2ZOA450605.5A	Swivel flex adaptor 5.5 in - 45 deg adj	\$83.38
6"	2ZOA4506A	Swivel flex adaptor 6 in - 45 deg adj	\$83.38
8"	2ZOA4508A	Swivel flex adaptor 8 in - 45 deg adj	\$138.36
3"	2ZOA9003A	Swivel flex adaptor 3 in - 90 deg adj	\$56.09
4"	2ZOA9004A	Swivel flex adaptor 4 in - 90 deg adj	\$58.90
6"	2ZOA9006A	Swivel flex adaptor 6 in - 90 deg adj	\$115.32
8"	2ZOA9008A	Swivel flex adaptor 8 in - 90 deg adj	\$192.96

Order No: (dia) 2ZDOA____ (deg dia)



Offset Adaptor

Dia	Part ID	Description	Each
6"	2ZR24AIB06	SS ADJUSTABLE INSERT BOOT 6 IN	\$314.01
8"	2ZR24AIB08	SS ADJUSTABLE INSERT BOOT 8 IN	\$436.57



304 Stainless Steel Rigid Liner

Fusion welded pipe seam for smoother finish and better fit.

Dia.	Lgth.	Part ID	Each
3"	1 FT	2ZR321X0301	\$38.39
4"	1 FT	2ZR321X0401	\$42.36
5"	1 FT	2ZR321F0501	\$46.31
6"	1 FT	2ZR321F0601	\$50.24
7"	1 FT	2ZR321F0701	\$56.19
8"	1 FT	2ZR321F0801	\$81.69
9"	1 FT	2ZR321F0901	\$92.83
10"	1 FT	2ZR321F1001	\$108.18
3"	2 FT	2ZR321X0302	\$62.10
4"	2 FT	2ZR321X0402	\$70.45
5"	2 FT	2ZR321F0502	\$78.87
6"	2 FT	2ZR321F0602	\$84.76
7"	2 FT	2ZR321F0702	\$95.20
8"	2 FT	2ZR321F0802	\$105.76
9"	2 FT	2ZR321F0902	\$108.48
10"	2 FT	2ZR321F1002	\$116.39
4"	3 FT	2ZR321X0403	\$92.68
5"	3 FT	2ZR321F0503	\$103.73
6"	3 FT	2ZR321F0603	\$118.36
7"	3 FT	2ZR321F0703	\$133.80
8"	3 FT	2ZR321F0803	\$148.74
9"	3 FT	2ZR321F0903	\$158.65
10"	3 FT	2ZR321F1003	\$162.85
4"	4 FT	2ZR321X0404	\$110.72
5"	4 FT	2ZR321F0504	\$129.43
6"	4 FT	2ZR321F0604	\$148.17
7"	4 FT	2ZR321F0704	\$163.82
8"	4 FT	2ZR321F0804	\$187.22
9"	4 FT	2ZR321F0904	\$194.75
10"	4 FT	2ZR321F1004	\$210.50

Order No: 2ZR321F _ _ _ _ (dia/lgth)



Fixed Stainless Steel 45° Elbow

Dia.		Part ID	Each
3"	45° Elbow	2RE45XX03	\$34.96
4"	45° Elbow	2RE45XX04	\$40.45
5"	45° Elbow	2RE45XX05	\$45.47
6"	45° Elbow	2RE45XX06	\$50.72
7"	45° Elbow	2RE45XX07	\$52.78
8"	45° Elbow	2RE45XX08	\$60.87
9"	45° Elbow	2RE45XX09	\$70.63
10"	45° Elbow	2RE45XX10	\$75.69

Order No: 2RE45XX _ _ (dia)



Fixed Stainless Steel 90° Elbow

Dia.		Part ID	Each
3"	90° Elbow	2RE90XX03	\$53.52
4"	90° Elbow	2RE90XX04	\$56.20
5"	90° Elbow	2RE90XX05	\$61.61
6"	90° Elbow	2RE90XX06	\$72.28
7"	90° Elbow	2RE90XX07	\$93.74
8"	90° Elbow	2RE90XX08	\$112.50
9"	90° Elbow	2RE90XX09	\$125.06
10"	90° Elbow	2RE90XX10	\$133.91



Order No: 2RE90XX __ (dia)

Stainless Steel Rigid Stacking Tee with Cap and removable Long Spout

Note: This style tee is to be used with Z-Flex rigid liner or when stacking two tees together.

Refer to flex ready tee for use with Z-Flex flexible liner.

3" and 10" nose spouts are not removable.

Dia.		Part ID	Each
3"	SS Tee	2ZRBTX03	\$109.89
4"	SS Tee	2ZRBTX04	\$120.48
5"	SS Tee	2ZRBTX05	\$131.15
6"	SS Tee	2ZRBTX06	\$146.71
7"	SS Tee	2ZRBTX07	\$156.29
8"	SS Tee	2ZRBTX08	\$169.12
9"	SS Tee	2ZRBTX09	\$198.61
10"	SS Tee	2ZRBTX10	\$228.10



Order No: 2ZRBTX __ (dia)

Stainless Steel Increaser

Diameters	Part ID	Each
3" to 4" Increaser	2IN3I4X	\$60.49
4" to 5" Increaser	2IN4I5X	\$71.72
5" to 6" Increaser	2IN5I6X	\$82.92
6" to 7" Increaser	2IN6I7X	\$94.10
6" to 8" Increaser	2IN6I8X	\$105.30
7" to 8" Increaser	2IN7I8X	\$116.52
8" to 10" Increaser	2IN8I10X	\$127.72



Order No: 2IN _ I _ (sm) (lg)

Used to increase the liner size to accommodate a range of flue sizes, appliances and installations

Stainless Steel Reducer

Diameters	Part ID	Each
4" to 3" Reducer	2RD4R3X	\$60.49
5" to 4" Reducer	2RD5R4X	\$71.72
6" to 5" Reducer	2RD6R5X	\$82.92
7" to 6" Reducer	2RD7R6X	\$94.10
8" to 6" Reducer	2RD8R6X	\$105.30
8" to 7" Reducer	2RD8R7X	\$116.52
10" to 8" Reducer	2RD10R8X	\$127.72

Order No: 2RD _ R _ (lg) (sm)



Used to decrease the liner size to accommodate a range of flue sizes, appliances and

Nose Cone*

Diameter	Part ID	Each
3"	2NCXXX03	\$88.98
4"	2NCXXX04	\$91.69
5"	2NCXXX05	\$94.44
5.5"	2NCXXX05.5	\$95.77
6"	2NCXXX06	\$97.13
7"	2NCXXX07	\$153.29
8"	2NCXXX08	\$157.49
10"	2NCXXX10	\$168.86




*Nose cone used to snake flexible chimney liner down chimney flue. Tapered design self centers liner for smoother installation.



Flexible Direct Vent

For Natural Gas
and Propane



DVI Kits

Designed for use when converting existing wood-burning fireplace into gas fired.
Allows for completely sealed system that does not compromise indoor air quality.
Kit includes 2 Triple Lock® Gas Liners, one for flue exhaust, the other for outside combustion air.
Includes either extreme weather or decorative co-linear termination options.

FLUE Dia	INTAKE Dia	Order No: Part ID	Description	LIST Each
3	3	2DVI335D	DV Co-Linear 3/3 Decorative Kit x 35ft	\$1,081.17
3	3	2DVI335LP	DV Co-Linear 3/3 Low Profile Termination Kit x 35ft	\$1,261.26
3	3	2DVI335X	DV Co-Linear 3/3 Extreme Weather Kit x 35ft	\$903.94
4	3	2DVI435D	DV Co-Linear 4/3 Decorative Kit x 35ft	\$1,081.17
4	3	2DVI435LP	DV Co-Linear 4/3 Low Profile Termination Kit x 35ft	\$1,261.26
4	3	2DVI435X	DV Co-Linear 4/3 Extreme Weather Kit x 35ft	\$903.94

Kit includes:

- Chimney Liners (Exhaust and Intake)
- Extreme Weather Cap/Flashing OR Decorative Cap/Flashing
- Self Tapping Screws.


Extreme Weather Kit



Decorative Kit



Low Profile Kit



Part ID	Description	List Price
2DVCLTERM33FB	Extreme Weather Cap for Factory Built Chimney 3/3	\$344.64
2DVCLTERM34FB	Extreme Weather Cap for Factory Built Chimney 3/4	\$344.80
2DVCLTERMWG	Wind Guard Extreme Weather Cap	\$267.16
2DVCLTERMWGP	Wind Guard Decorative Cap	\$147.17
2DVCLTERMWGLP	Wind Guard Low Profile Cap	\$128.37
2DVACCL3346	Adaptor Coaxial to Colinear 3,3 to 4/6	\$267.16



Extreme Weather Cap for Factory Built Chimney


Jotul recommends the use of wind guards for all low profile and prairie (decorative style) caps where sustained winds are typical (~40mph)




Wind Guard for Extreme Weather Cap
(cap sold separately)



Wind Guard for Decorative Cap
(cap sold separately)



Wind Guard for Low Profile Cap
(cap sold separately)



Adaptor Coaxial to Colinear 3,3 to 4/6

Direct Vent Kit Vertical Extreme Weather Termination

Spacers, Supports, Fire Stop/Insulation Shield & Insulation Collar, Rigid Pipe with Roof Support, 0° to 30° Roof Flashing, Storm Collar/Support and Screws.


SIZE	ORDER #	LIST PRICE
4" x 7"	2DVK40705VX	\$1,420.81
4" x 7"	2DVK40710VX	\$1,591.97
4" x 7"	2DVK40720VX	\$1,796.39
4" x 7"	2DVK40740VX	\$2,275.51
5" x 8"	2DVK50805VX	\$1,869.94
5" x 8"	2DVK50810VX	\$1,983.78
5" x 8"	2DVK50820VX	\$2,203.93
5" x 8"	2DVK50840VX	\$2,704.09



Direct Vent Kit Horizontal ROUND Termination

Kit includes: Horizontal ROUND Termination, Coaxial Flexible Vent, Spacers, Supports and Screws.

SIZE	ORDER #	LIST PRICE
4" x 7"	2DVK40705HR	\$462.57
4" x 7"	2DVK40710HR	\$632.68
4" x 7"	2DVK40720HR	\$851.27
4" x 7"	2DVK40740HR	\$1,387.06
5" x 8"	2DVK50805HR	\$586.40
5" x 8"	2DVK50810HR	\$714.82
5" x 8"	2DVK50820HR	\$949.80
5" x 8"	2DVK50840HR	\$1,510.81






Direct Vent Kit Horizontal SQUARE Termination

Kit includes: Horizontal SQUARE Termination, Coaxial Flexible Vent, Spacers, Supports and Screws.

SIZE	ORDER #	LIST PRICE
4" x 7"	2DVK40705HT	\$393.29
4" x 7"	2DVK40710HT	\$597.05
4" x 7"	2DVK40720HT	\$883.04
4" x 7"	2DVK40740HT	\$1,418.84
5" x 8"	2DVK50805HT	\$569.78
5" x 8"	2DVK50810HT	\$665.93
5" x 8"	2DVK50820HT	\$968.30
5" x 8"	2DVK50840HT	\$1,529.32



Coaxial Flexible Extension Kit

Kit includes: Coaxial Flexible Coupling, 20' Coaxial Flexible Vent, Spacers, Supports, Sealant and Screws.


SIZE	ORDER #	LIST PRICE
4" x 7"	2DVK40720X	\$835.63
5" x 8"	2DVK50820X	\$877.23



Coaxial Flexible Coupling Kit


Kit includes: Coaxial Flexible Coupling, Sealant and Screws.

SIZE	ORDER #	LIST PRICE	A	B
4" x 7"	2DVK407C	\$174.21	3.95	6.95
5" x 8"	2DVK508C	\$183.70	4.95	7.95



Coaxial Flexible Spacer Kit (10/Kit)



SIZE	ORDER #	LIST PRICE	A	B
4" x 7"	2DVK47S	\$64.70	4	7
5" x 8"	2DVK58S	\$66.34	5	8



Adaptor DV 4/6.625 to Flex 4/7 Kit

Kit includes: Adaptor, Sealant & Screws.


SIZE	ORDER #	LIST PRICE
4" x 7"	2DVK407A	\$170.77



Adaptor DV 5/8 to Flex 5/8 Kit


Kit includes: Adaptor, Sealant & Screws.

SIZE	ORDER #	LIST PRICE
5" x 8"	2DVK508A	\$175.19




Coaxial Flexible Support Kit (5/Kit)

SIZE	ORDER #	LIST PRICE	A
4" x 7"	2DVK07SUP	\$113.18	7.5
5" x 8"	2DVK08SUP	\$116.04	8.5




4"-7" Thick Wall Thimble

SIZE	ORDER #	LIST PRICE	A	B	C
4" x 7"	2DVK07WT	\$135.54	7.75	10.5	13
5" x 8"	2DVK08WT	\$132.35	8.75	11.5	14




6"-11" Thick Wall Thimble Extended

SIZE	ORDER #	LIST PRICE	A	B	C
4" x 7"	2DVK07WTE	\$138.74	7.75	10.5	13
5" x 8"	2DVK08WTE	\$156.35	8.75	11.5	14




Siding Standoff

SIZE	ORDER #	LIST PRICE	A	B	C
4" x 7"	2DVK07SS	\$112.20	7.75	14	15
5" x 8"	2DVK08SS	\$120.26	8.75	15	16




Fire Stop

SIZE	ORDER #	LIST PRICE	A	B	C
4" x 7"	2DVK07FS	\$94.68	7.5	10.5	13
5" x 8"	2DVK08FS	\$101.48	8.5	11.5	14




Fire Stop/Insulation Shield & Insulation Collar Kit

SIZE	ORDER #	LIST PRICE	A	B	C	A (Collar)	B (Collar)
4" x 7"	2DVK07FSIS	\$283.87	7.75	10.5	13	7.25	10.75
5" x 8"	2DVK08FSIS	\$293.04	8.75	11.5	14	8.25	11.75



Flashing 30 to 45 Degree Pitched Roofs

SIZE	ORDER #	LIST PRICE	A	B	C
4" x 7"	2DVK07F	\$331.53	7.25	11.75	20
5" x 8"	2DVK08F	\$331.53	8.25	12.75	21



Rigid Extension Pipe Kit

Kit includes: 30" Long Rigid Outer & Flex Inner Pipe with Male Connector, Guy Band, Sealant & Screws.

SIZE	ORDER #	LIST PRICE	A
4" x 7"	2DVKRE47	\$367.15	6.95
5" x 8"	2DVKRE58	\$416.38	7.95



Sealant

ORDER #	LIST PRICE
2DVKS	\$59.86

Z-FLEX US®, INC Aluminum Chimney Liner Limited Twenty-Five Year Warranty

Z-Flex® (U.S.), Inc. ("seller") extends the following LIMITED WARRANTY on its aluminum chimney liners (the "Liners") to the original end-user of the Liner:

Seller warrants the Liners against all defects in workmanship and material for a period of twenty-five (25) years from the date of installation. This warranty shall apply only when the Liner has been installed according to UL and equipment manufacturer's installation instructions. Deviating from the installation and use instructions included with the Liner will void the warranty.

Under this Limited Warranty, Seller's sole responsibility and liability shall be to replace the Liner and/or accessories, if found by Seller to be defective, without charge to the end-user, and shall not include replacement installation or other costs. Seller shall not be responsible or liable for other expenses or damages, whether direct, incidental or consequential, to other areas of the property in which the Liner is installed, to the surrounding property or to any persons.

IMPORTANT: The Liners are designed for use with the following fuels only: natural gas and propane gas. No other fuels should be used with the Liner. Use of any fuel other than those recommended by Seller for use with its Liners will void the warranty. Excessive condensation with high chlorine content may corrode aluminum. Where these conditions prevail, Seller recommends AL29-4C® Stainless Steel Liners. Refer to equipment manufacturer's installation instructions for proper chimney liner material for appliances which produce condensation.

WARNING: THE LINER SYSTEM MUST BE INSPECTED ANNUALLY BY A QUALIFIED CHIMNEY TECHNICIAN. SULPHUR RESIDUE, CONDENSATION WITH HIGH CHLORINE CONTENT, OR THE USE OF UNAPPROVED CHEMICAL CLEANERS MAY WARP OR CORRODE THE LINER, WHICH MAY RESULT IN THE FAILURE OF THE LINER SYSTEM. FAILURE OF THE LINER SYSTEM MAY RESULT IN THE LEAKAGE OF HARMFUL CARBON MONOXIDE GASES CAUSING DEATH OR SERIOUS ILLNESS. IN THE EVENT OF A CHIMNEY FIRE, THE LINER SYSTEM SHOULD NOT BE USED UNTIL IT HAS BEEN

INSPECTED FOR DAMAGE OR FAILURE BY A QUALIFIED CHIMNEY TECHNICIAN. Such misuse of the Liner will void the warranty.

To activate the warranty, the end-user must complete and return the Z-Flex® Warranty Registration Card within ninety (90) days of installation of the Liner. Upon receipt of written notice of any defect, Z-Flex® reserves the right to examine or engage others to examine the Liner. Such examination must establish reasonable proof of defective material or workmanship justifying replacement.

NO OTHER EXPRESS WARRANTY HAS BEEN MADE OR WILL BE MADE ON BEHALF OF SELLER WITH RESPECT TO THE LINERS OR THE INSTALLATION OR REPLACEMENT OF THE LINERS. SELLER SHALL NOT BE RESPONSIBLE FOR ANY OTHER DAMAGE, LOSS OF USE OF THE PREMISES, INCONVENIENCE OR LOSS OR DAMAGE TO PERSONAL PROPERTY, WHETHER DIRECT OR INDIRECT, AND WHETHER ARISING IN CONTRACT OR TORT.

As some states do not allow the exclusion or limitation of incidental or consequential damages, the above limitations or exclusions may not apply to you.

IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, IMPOSED ON THIS SALE UNDER STATE/PROVINCIAL LAW, ARE LIMITED TO THE PERIOD DURING WHICH THE ORIGINAL END-USER OWNS OR OCCUPIES THE PREMISES IN WHICH THE LINER IS INSTALLED. AS SOME STATES DO NOT ALLOW LIMITATIONS ON THE LENGTH OF AN IMPLIED WARRANTY, THE ABOVE LIMITATION MAY NOT APPLY TO YOU!

Claims under this Warranty must be made within the warranty period in writing and directed to: in the USA; Warranty claims, Z-Flex® (US) Inc., 20 Commerce Park North, Bedford, New Hampshire 03110, (603)669-5136 or (800) 645-5600. In Canada: Warranty Claims, Z-Flex® Inc, 452 Attwell Drive, Etobicoke, Ontario M9W 5C3, (416)679-0045. This warranty gives you specific legal rights, and you may also have other rights that vary in different states/provinces.

Z-FLEX® US, INC Stainless Steel Chimney Liner Limited Lifetime Warranty

Z-Flex® (U.S.), Inc. ("Seller") extends the following LIMITED WARRANTY on its stainless steel chimney liners (the "Liners"):

Seller warrants the Liners against all defects in workmanship and material for as long as the original end-user owns or occupies the premises in which the Liner is installed. This warranty shall apply only when the Liner has been installed according to UL and equipment manufacturer's installation instructions. Deviating from the installation and use instructions included with the Liner will void the warranty.

Under this Limited Warranty, Seller's sole responsibility and liability shall be to replace the Liner and/or accessories, if found by Seller to be defective, without charge to the end-user, and shall not include replacement installation or other costs. Seller shall not be responsible or liable for other expenses or damages, whether direct, incidental or consequential, to other areas of the property in which the Liner is installed, to the surrounding property or to any persons.

IMPORTANT: The Liners are designed for use with the following fuels only: natural gas, propane gas, non-recycled standard heating oil and seasoned hardwood. No other fuels should be used with the Liner, including coal, ocean driftwood or garbage. Use of any fuel other than those recommended by Seller for use with its Liners will void the warranty. Excessive condensation with high chlorine content will corrode some stainless steel. Where these conditions prevail, Seller recommends AL29-4C™ Stainless Steel Liners. Refer to equipment manufacturer's installation instructions for proper chimney liner material for appliances which produce condensation.

WARNING: THE LINER SYSTEM MUST BE INSPECTED ANNUALLY BY A QUALIFIED CHIMNEY TECHNICIAN. CREOSOTE ACCUMULATION MAY CAUSE CHIMNEY FIRES WHICH MAY WARP OR DAMAGE THE CHIMNEY LINER. CONDENSATION WITH HIGH CHLORINE CONTENT, SULPHUR RESIDUE OR THE USE OF UNAPPROVED CHEMICAL CLEANERS MAY CAUSE CORROSION, WHICH MAY RESULT IN THE FAILURE OF THE LINER SYSTEM. FAILURE OF THE LINER SYSTEM MAY RESULT IN THE LEAKAGE OF HARMFUL CARBON MONOXIDE GASES CAUSING DEATH OR SERIOUS INJURY OR ILLNESS.

IN THE EVENT OF A CHIMNEY FIRE, THE LINER SYSTEM SHOULD NOT BE USED UNTIL IT HAS BEEN INSPECTED FOR DAMAGE OR FAILURE BY A QUALIFIED CHIMNEY TECHNICIAN. Such misuse of the Liner will void the warranty.

To activate the warranty, the end-user must complete and return the Z-Flex® Warranty Registration Card within ninety (90) days of installation of the Liner. Upon receipt of written notice of any defect, Z-Flex® reserves the right to examine or engage others to examine the Liner. Such examination must establish reasonable proof of defective material or workmanship justifying replacement.

NO OTHER EXPRESS WARRANTY HAS BEEN MADE OR WILL BE MADE ON BEHALF OF SELLER WITH RESPECT TO THE LINERS OR THE INSTALLATION OR REPLACEMENT OF THE LINERS. SELLER SHALL NOT BE RESPONSIBLE FOR ANY OTHER DAMAGE, LOSS OF USE OF THE PREMISES, INCONVENIENCE OR LOSS OR DAMAGE TO PERSONAL PROPERTY, WHETHER DIRECT OR INDIRECT, AND WHETHER ARISING IN CONTRACT OR TORT.

As some states do not allow the exclusion or limitation of incidental or consequential damages, the above limitations or exclusions may not apply to you.

IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, IMPOSED ON THIS SALE UNDER STATE/PROVINCIAL LAW, ARE LIMITED TO THE PERIOD DURING WHICH THE ORIGINAL END-USER OWNS OR OCCUPIES THE PREMISES IN WHICH THE LINER IS INSTALLED. AS SOME STATES DO NOT ALLOW LIMITATIONS ON THE LENGTH OF AN IMPLIED WARRANTY, THE ABOVE LIMITATION MAY NOT APPLY TO YOU.

Claims under this Warranty must be made within the warranty period in writing and directed to: in the USA; Warranty claims, Z-Flex® (US) Inc., 20 Commerce Park North, Bedford, New Hampshire 03110, (603)669-5136 or (800) 645-5600. In Canada: Warranty Claims, Z-Flex® Inc, 452 Attwell Drive, Etobicoke, Ontario M9W 5C3, (416)679-0045. This warranty gives you specific legal rights, and you may also have other rights that vary in different states/provinces.

Z-FLEX® US, INC Special Gas Vent (Z-VENT AL29-4C®) Limited Fifteen Year Warranty

Z-Flex® ("Seller") extends the following LIMITED WARRANTY for Z-VENT for the ("Z-VENT"): Seller warrants that at the time of purchase, the Z-VENT will be free of manufacturer's defects in material and/or workmanship. This warranty is valid for a period of fifteen (15) years from the date of purchase, provided that the Z-VENT has been installed according to Z-Flex® installation instructions. Deviating from the installation and use instructions included with the Z-VENT will void the warranty.

Under this Limited Warranty, Seller's sole responsibility and liability shall be to replace the Z-VENT and/or accessories if found by Seller to be defective according to the terms of the warranty, and shall not include replacement installation or other costs.

IMPORTANT: The Z-VENT is designed for use with Category II, III, and IV furnace and boiler venting should not be used with any other type of furnace and boiler venting. Use of the Z-VENT with any other furnace and boiler venting other than those recommended by Seller for use with its Z-VENT will void the warranty.

WARNING: CONDENSATION WITH HIGH ACID CONTENT MAY BE PRODUCED DUE TO UNFORESEEN CONDITIONS. YOUR HEATING APPLIANCE AND VENTING SYSTEM SHOULD BE INSPECTED BY A LICENSED CONTRACTOR ON AN ANNUAL BASIS FOR POSSIBLE SIGNS OF DETERIORATION DUE TO RUSTING OR PIN HOLES. CONDENSATION WITH HIGH ACID CONTENT MAY CAUSE LEAKAGE OF HARMFUL GASES WHICH CAN CAUSE NAUSEA, FAINTING OR DEATH, IF DETERIORATION IS DETECTED CEASE USE OF HEATING SYSTEM AND CALL FURNACE/BOILER INSTALLER FOR REMEDIAL ACTION.

To activate this warranty, the end-user must complete and return the Z-Flex® Warranty Registration Card within ninety (90) days of installation of the Z-VENT. Upon written notice of any defects, Z-Flex® reserves the right to examine or establish reasonable proof of defective material or workmanship justifying replacement. **NO OTHER EXPRESS WARRANTY HAS BEEN MADE TO WILL BE MADE ON BEHALF OF SELLER WITH RESPECT TO THE Z-VENT OR THE INSTALLATION OR REPLACEMENT OF THE Z-VENT. SELLER SHALL NOT BE LIABLE FOR ANY SPECIAL, INCIDENTAL, INDIRECT OR CONSEQUENTIAL DAMAGES.**

As some jurisdictions do not allow the exclusion or limitation of incidental or consequential damages, the above limitations or exclusions may not apply to you.

IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, IMPOSED ON THIS SALE UNDER STATE/PROVINCIAL LAW, ARE LIMITED TO THE PERIOD DURING WHICH THIS WARRANTY IS IN EFFECT. AS SOME JURISDICTIONS DO NOT ALLOW LIMITATIONS ON THE LENGTH OF AN IMPLIED WARRANTY, THE ABOVE LIMITATION MAY NOT APPLY TO YOU.

Claims under this warranty must be made within the warranty period in writing and directed to: in the USA; Warranty claims, Z-Flex® (US) Inc., 20 Commerce Park North, Bedford, New Hampshire 03110, (603)669-5136 or (800) 645-5600. In Canada: Warranty Claims, Z-Flex® Inc, 452 Attwell Drive, Etobicoke, Ontario M9W 5C3, (416)679-0045. This Warranty gives your specific legal rights and you may have other rights that vary in different states/provinces.

General Terms and Conditions

1. All prices are FOB point of shipment. Terms are NET 30. Minimum \$250.00 per order. Seller reserves the right to revoke extended credit to buyer because of failure to pay or any other reason deemed sufficient to seller.
2. The routing of a shipment is at the seller's option and will be prepaid and invoiced to the purchaser unless otherwise specified. A \$5.00 handling charge will be added to all UPS shipments. The seller shall have no liability for damage in transit.
3. Claims for corrections or deductions from invoices must be made within thirty (30) days.
4. Returns will not be accepted.
5. Sellers prices do not include sales, use, excise or similar taxes. The buyer shall be responsible for any present or future sales, excise or similar tax applicable to the sale or use of the products.
6. For a period of one month from date of shipment the seller will repair or replace goods which fail due to manufacturing defects, provided the goods are used as recommended by the seller.
7. All purchase orders accepted by the seller are considered firm commitments and are not subject to cancellation except upon terms acceptable to seller which will protect seller from loss.
8. The seller shall not be liable for any failure of delay in delivery due to any cause beyond its control.
9. The seller reserves the right to make minor changes to product without notice. All products should be tested in actual working environments. Information given is only a guide. Variables present in given applications make firm recommendations impossible. Adequate testing in actual service conditions must be carried out in order to establish definite suitability for end use.
10. The terms and conditions stated herein shall be binding and not modified unless agreed to in writing by a duly authorized representative of the seller.

Prices subject to change without prior notice – F.O.B. WAREHOUSE March 2026

Terms and Conditions of Sale

The items described in this document and other documents provided by NovaFlex Hose Inc., NovaFlex Industries Inc., Z-Flex U.S. Inc., their subsidiaries and their authorized representatives (“Seller”) are available for sale at prices established by Seller. An order from any customer (“Buyer”) shall be governed by all of the following terms and conditions of sale (“Terms and Conditions”). Upon Seller’s acceptance of Buyer’s purchase order the Terms and Conditions from part of the agreement between Buyer and Seller. All goods available for sale are referred to as “Products”. The Terms and Conditions are also available on our website at www.novaflex.com.

1. Prices; Price Adjustments; Payments. Prices stated in this document are valid for 30 days. Minimum purchase per order per location is \$250. After 30 days, Seller may change prices to reflect any increase in its costs resulting from state, provincial, federal or local legislation, price increases from its suppliers, or any change in the rate, charge, or classification of any carrier. The prices in this document do not include any sales, use, or other taxes unless so stated. Buyer shall be responsible for any present or future sales, exercise or similar tax applicable to the sale or use of the Products. Unless otherwise specified by Seller, all prices are F.O.B. Seller’s facility, and payment is due 30 days from the date of invoice. After 30 days, Buyer shall pay interest on any unpaid invoices at the rate of 1.5% per month.

2. Delivery Dates; Title and Risk; Shipment. All delivery dates are approximate and Seller shall not be responsible for any damages resulting from any delay due to a cause beyond its control. Regardless of manner of shipment, title to any Products and risk of loss or damage shall pass to Buyer upon tender to the carrier at Seller’s facility. Unless otherwise stated, Seller may exercise its judgment in choosing the carrier and means of delivery. At Seller’s option carrier charges shall be prepaid and invoiced to Buyer. A \$5.00 handling charge will be added to all UPS shipments. No deferment of shipment at Buyers’ request beyond the respective dates indicated will be made except on terms that will indemnify and hold Seller harmless against all loss and additional expense. Buyer shall be responsible for any additional shipping charges incurred by Seller due to Buyer’s changes in shipping or product specifications.

3. Buyer Responsibility and Acceptances. Buyer, and user, if different, through their own analysis and testing are solely responsible for making the final selection of Products and assuring that all performance, endurance, maintenance, safety and warning requirements are met. User must analyze all aspects of the application in the field and follow applicable industry standards and Product information. Adequate testing in actual service conditions must be carried out by Buyer and/or user to establish definite suitability for end use. If Seller suggests Products for an application based on data, drawings, designs, diagrams, specifications or other communications (“Information”) provided by Buyer or user, then Buyer and user are responsible for determining that the Information is suitable for use of the Product in the application. Submission of an order for production quantities of a Product following receipt of a final version of a prototype is (a) Buyer’s acceptance of the prototype as meeting all of Buyer’s requirements as set out in the Information supplied by Buyer and, (b) Buyer’s acceptance of the Products based on the prototype, provided the Products are manufactured within Seller’s standard tolerances.

4. Returns, Cancellations and Changes. Returns shall not be accepted. Orders shall not be subject to cancellation or change by Buyer for any

reason, except with Seller’s written consent on terms which protect Seller from any loss. Seller may change product features, specifications, designs and availability with notice to Buyer.

5. Claims. Buyer shall promptly inspect all Products upon delivery. No claims for corrections or deductions from invoices will be allowed unless reported to Seller within 7 days of delivery.

6. Contingencies. Seller shall not be liable for any default or delay in performance if caused by circumstances beyond the reasonable control of Seller.

7. Warranty. Seller warrants that the Products sold hereunder shall be free from defects in material or workmanship for a period of twelve months from the date of delivery to Buyer. This warranty is made only to Buyer and does not extend to anyone to whom Products are sold after purchased from Seller. The prices charged for Seller’s products are based upon the exclusive limited warranty stated above, and upon the following disclaimer: **DISCLAIMER OF WARRANTY: This warranty comprises the sole and entire warranty pertaining to Products. Seller disclaims all other warranties, express and implied, including merchantability and fitness for a particular purpose.**

8. Limitation of Liability. For a period of 30 days from delivery Seller will, upon notification, at its option, repair or replace a defective product, or refund the purchase price. **In no event shall Seller be liable to Buyer for any special, indirect, incidental or consequential damages arising out of, or as the result of, the sale, delivery, non-delivery, servicing, use or loss of use of the Products or any part thereof, or for any charges or expenses of any nature incurred without Seller’s written consent, even if Seller has been negligent, whether in contract, tort or other legal theory. In no event shall Seller’s liability under any claim made by Buyer exceed the purchase price of the Products.**

9. Improper Use and Indemnity. Buyer shall indemnify, defend, and hold Seller harmless from any claim, liability, damages, lawsuits, and costs (including lawyer’s fees), whether for personal injury, property damage, patent, trademark or copyright infringement or any other claim, brought by or incurred by Buyer, Buyer’s employees, or any other person, arising out of: (a) improper selection, improper application or other misuse of Products purchased by Buyer; (b) any act or omission, negligent or otherwise, of Buyer; (c) Seller’s use of Information furnished by Buyer to manufacture Products; or (d) Buyer’s failure to comply with the Terms and Conditions. Seller will not indemnify Buyer under any circumstances except as otherwise provided.

10. Limitation on Assignment. Buyer may not assign its rights or obligations under this agreement without the prior written consent of Seller.

11. Entire Agreement. This agreement contains the entire agreement between the Buyer and Seller with respect to the subject matter of this agreement and supersedes all prior agreements, understandings, negotiations and discussions whether written or not.

12. Waiver. Failure to enforce any provision of this agreement will not waive the provision nor prejudice Seller’s right to enforce the provision in the future.

13. Governing Law. This agreement shall be governed by and construed in accordance with the laws of the State of New Hampshire.



The Flexible Venting Solutions Specialist

Z-FLEX[®], part of the Novaflex Group of companies, is the leading manufacturer of specialty venting systems for furnaces, boilers, water heaters, oil heaters, fireplaces, and more.

Z-FLEX[®] has been providing flexible answers to gas oil, pellet and wood venting applications since 1979. We have pioneered flexible chimney liner solutions and special gas vent (AL 29-4C[®]).*

Constant innovations in materials and construction create products that deliver:

- Superior performance and increased efficiency
- Easier handling and faster, simpler installation
- Greater reliability, safety and increased service life

To that, we add responsive customer service and expert technical support.

The Novaflex Group[®] is a privately held company committed to continuous advancement in venting solutions. Novaflex[®] has one of the broadest product ranges available in the marketplace for the HVAC, industrial venting and hose industries. Throughout a more than forty year history, Novaflex[®] has earned a solid reputation for providing innovative and high quality products.

AL 29-4C[®] is a registered trademark of ATI Properties, Inc.



U.S.A.

20 Commerce Park North
Bedford, New Hampshire 03110-6911
tel: 603.669.5136 fax: 888.889.3539

CANADA

452 Attwell Drive
Etobicoke, ON M9W 5C3
tel: 416.679.0045 fax: 416.679.0051