

## Carol Rose Coastal Collection Outdoor Loft Burners

Approximate Turndown 33%

Decorative Glass not available on this model

Min Opening OLI24: 18 H x 34 W x 18 D

Min Opening OLI30: 18 H x 36 W x 18 D



### Outdoor Loft Series Stainless Steel Burners

Intermittent Ignition Control include Variable Remote Control

Model	BTU Max/Min	Description	Wt	List
OLI24P	36,000/28,000	IP, Variable Remote, 24, Propane	16	\$ 1,299.00
OLI24N	36,000/27,000	IP, Variable Remote, 24, Nat	16	\$ 1,299.00
OLI30P	40,000/28,000	IP, Variable Remote, 30, Propane	18	\$ 1,379.00
OLI30N	36,000/27,000	IP, Variable Remote, 30, Nat	18	\$ 1,379.00

### Gas Supply Timer Options

Model	BTU Max/Min	Description	Wt	List
GT060		E-Stop Gas Timer, 1 to 60 min.	3	\$ 194.00
GT150		E-Stop Gas Timer, 1 to 150 min.	3	\$ 194.00
GTCCS		E-Stop Timer Compartment, Stainless Steel	1.5	\$ 134.00

## Carol Rose Coastal Collection Outdoor Refractory Log Sets & Burners

Min Opening OLX24: 24 3/16 H x 34 3/16 W x 15 9/16 D  
 Min Opening OLX30: 24 3/16 H x 38 5/16 W x 15 9/16 D



### Outdoor Wildwood Refractory Log Set (Req Burner)

Model	Pallet Qty	Description	Wt	List
OLX24WR	25/pallet	7-pc., 24-in., Refractory	66	\$ 379.00
OLX30WR	25/pallet	7-pc., 30-in., Refractory	70	\$ 419.00

### Outdoor Harmony Stainless Steel Burners Millivolt Control with On/Off Switch

Model	BTU Max/Min	Description	Wt	List
ONR24P	50,000/38,000	MV, 24-in., Propane	24	\$ 939.00
ONR24N	50,000/38,000	MV, 24-in., Nat	24	\$ 939.00
ONR30P	50,000/38,000	MV, 30-in., Propane	25	\$ 1,019.00
ONR30N	50,000/38,000	MV, 30-in., Nat	25	\$ 1,019.00

### Outdoor Harmony Stainless Steel Burners, Intermittent Ignition System includes Variable Remote Control

Model	BTU Max/Min	Description	Wt	List
ONI24P	50,000/34,000	IP Variable Remote, 24, Propane	24	\$ 1,309.00
ONI24N	50,000/32,000	IP Variable Remote, 24, Nat	24	\$ 1,309.00
ONI30P	50,000/34,000	IP Variable Remote, 30, Propane	25	\$ 1,379.00
ONI30N	50,000/32,000	IP Variable Remote, 30, Nat	25	\$ 1,379.00

### Control Options for MV

Model	Description	Wt	List
FRBC	Remote, Battery Receiver/Remote, On/Off	1	\$ 174.00
FWS1	Wall Switch, On/Off	1	\$ 28.00

### Gas Supply Timer Options

Model	Description	Wt	List
GT060	E-Stop Gas Timer, 1 to 60 min.	3	\$ 194.00
GT150	E-Stop Gas Timer, 1 to 150 min.	3	\$ 194.00
GTCSS	E-Stop Timer Compartment, Stainless Steel	1.5	\$ 134.00

## Carol Rose Coastal Collection Outdoor Firebox, Premium 36

Ventless Firebox for outdoor installation  
 Opening 15 9/16 x 36  
 Framing 36 H x 41 W x 19 1/4 D (see manual before framing)



**Includes:**

- Stainless Steel Hood and Mesh Curtain

**Requires:**

- Burner and Log Set

### Outdoor Stainless Steel Firebox 36

Model	Description	Wt	List
OP36FB2MF	Flush Front, Refractory Liner	150	\$ 1,279.00

### Accessories

Model	Description	Wt	List
BD36SS	Doors, Glass Bi-Fold, SS	14	\$ 549.00
DT36SS	Drain Tray, 36-in., Stainless Steel	12	\$ 349.00
WD36SS	Weather Door, 36-in., Stainless Steel	17	\$ 289.00

### Gas Supply Timer Options

Model	Description	Wt	List
GT060	E-Stop Gas Timer, 1 to 60 min.	3	\$ 194.00
GT150	E-Stop Gas Timer, 1 to 150 min.	3	\$ 194.00
GTCSS	E-Stop Timer Compartment, Stainless Steel	1.5	\$ 134.00

## Carol Rose Coastal Collection Outdoor Firebox, Premium 42

Ventless Firebox for outdoor installation  
 Opening 15 9/16 x 42  
 Framing 36 H x 45 W x 19 1/4 D (see manual before framing)



**Includes:**

- Stainless Steel Hood and Mesh Curtain

**Requires:**

- Burner and Log Set

### Outdoor Stainless Steel Firebox 42

Model	Description	Wt	List
OP42FB2MF	Flush Front, Refractory Liner	160	\$ 1,399.00

### Accessories

Model	Description	Wt	List
BD42SS	Doors, Glass Bi-Fold, SS	15	\$ 639.00
DT42SS	Drain Tray, 42-in., Stainless Steel	15	\$ 419.00
WD42SS	Weather Door, 42-in., Stainless Steel	20	\$ 319.00

### Gas Supply Timer Options

Model	Description	Wt	List
GT060	E-Stop Gas Timer, 1 to 60 min.	3	\$ 194.00
GT150	E-Stop Gas Timer, 1 to 150 min.	3	\$ 194.00
GTCSS	E-Stop Timer Compartment, Stainless Steel	1.5	\$ 134.00

## Carol Rose Coastal Collection Outdoor Fireplace, Premium 36

Ventless Fireplace for outdoor installation  
 Opening 24 1/4 x 36  
 Framing 36 H x 41 W x 19 1/4 D (see manual before framing)



### Includes:

- Stainless Steel Hood and Mesh Curtain
- Refractory Liner

### Requires:

- Outdoor Wildwood Refractory Log Set

### Outdoor Stainless Steel Fireplace - Millivolt

Refractory Liner, Millivolt Control with On/Off Switch, Standing Pilot, Remote Ready

Model	BTU Max/Min	Description	Wt	List
OP36FP32MP	50,000/36,000	MV, Refractory Liner, Propane	162	\$ 2,349.00
OP36FP32MN	50,000/38,000	MV, Refractory Liner, Nat	162	\$ 2,349.00

### Carol Rose Collection Outdoor Stainless Steel Fireplace - Intermittent Ignition

Refractory Liner, Intermittent Ignition includes Variable Remote Control

Model	BTU Max/Min	Description	Wt	List
OP36FP72MP	50,000/36,000	Int Ign, Refractory Liner, Propane	161	\$ 2,639.00
OP36FP72MN	50,000/38,000	Int Ign, Refractory Liner, Nat	161	\$ 2,639.00

### Outdoor Wildwood Refractory Log Set (Req)

Model		Description	Wt	List
OLX24WR	25/pallet	7-pc., 24-in., Refractory	66	\$ 379.00

### Accessories

Model		Description	Wt	List
BD36SS		Doors, Glass Bi-Fold, SS	14	\$ 549.00
DT36SS		Drain Tray, 36-in., Stainless Steel	12	\$ 349.00
WD36SS		Weather Door, 36-in., Stainless Steel	17	\$ 289.00

### Control Options for MV

Model		Description	Wt	List
FRBC		Remote, Battery Receiver/Remote, On/Off	1	\$ 174.00
FWS1		Wall Switch, On/Off	1	\$ 28.00

### Gas Supply Timer Options

Model		Description	Wt	List
GT060		E-Stop Gas Timer, 1 to 60 min.	3	\$ 194.00
GT150		E-Stop Gas Timer, 1 to 150 min.	3	\$ 194.00
GTCSS		E-Stop Timer Compartment, Stainless Steel	1.5	\$ 134.00

### Conversion Kits

Model		Description	Wt	List
31996		Nat to Propane - MV	1	\$ 54.00
31997		Propane to Nat - MV	1	\$ 54.00
31992		Nat to Propane - IP	1	\$ 64.00
31993		Propane to Nat - IP	1	\$ 64.00

## Carol Rose Coastal Collection Outdoor Fireplace, Premium 42

Ventless Fireplace for outdoor installation  
 Opening 24 1/4 x 42  
 Framing 36 H x 45 W x 19 1/4 D (see manual before framing)



### Includes:

- Stainless Steel Hood and Mesh Curtain
- Refractory Liner

### Requires:

- Outdoor Wildwood Refractory Log Set

### Outdoor Stainless Steel Fireplace - Millivolt

Refractory Liner, Millivolt Control with On/Off Switch, Standing Pilot, Remote Ready

Model	BTU Max/Min	Description	Wt	List
OP42FP32MP	50,000/36,000	MV, Refractory Liner, Propane	168	\$ 2,579.00
OP42FP32MN	50,000/38,000	MV, Refractory Liner, Nat	164	\$ 2,579.00

### Outdoor Stainless Steel Fireplace - Intermittent Ignition

Refractory Liner, Intermittent Ignition includes Variable Remote Control

Model	BTU Max/Min	Description	Wt	List
OP42FP72MP	50,000/36,000	Int Ign, Refractory Liner, Propane	170	\$ 2,879.00
OP42FP72MN	50,000/38,000	Int Ign, Refractory Liner, Nat	165	\$ 2,879.00

### Outdoor Wildwood Refractory Log Set (Req)

Model		Description	Wt	List
OLX30WR	25/pallet	7-pc., 30-in., Refractory	70	\$ 419.00

### Accessories

Model		Description	Wt	List
BD42SS		Doors, Glass Bi-Fold, SS	15	\$ 639.00
DT42SS		Drain Tray, 42-in., Stainless Steel	15	\$ 419.00
WD42SS		Weather Door, 42-in., Stainless Steel	20	\$ 319.00

### Control Options for MV

Model		Description	Wt	List
FRBC		Remote, Battery Receiver/Remote, On/Off	1	\$ 174.00
FWS1		Wall Switch, On/Off	1	\$ 28.00

### Gas Supply Timer Options


Model		Description	Wt	List
GT060		E-Stop Gas Timer, 1 to 60 min.	3	\$ 194.00
GT150		E-Stop Gas Timer, 1 to 150 min.	3	\$ 194.00
GTCSS		E-Stop Timer Compartment, Stainless Steel	1.5	\$ 134.00

### Conversion Kits

Model		Description	Wt	List
31998		Nat to Propane - MV	1	\$ 54.00
31999		Propane to Nat - MV	1	\$ 54.00
31994		Nat to Propane - IP	1	\$ 64.00
31995		Propane to Nat - IP	1	\$ 64.00

## Carol Rose Coastal Collection Outdoor Fire Pit, Linear 48

For outdoor installation  
 Available with Pre-Programmed-Color  
 LED Lighting beneath burner  
 Opening 13 11/16 x 46 7/8  
 See manual before framing



### Includes:

- Manual Electronic Ignition with AA Battery
- 3-Stage Manually Variable Flame

### Requires:

- Crushed Glass (6 sq. ft.)  
 (Glass Drops or Droplets may be added to area surrounding burner)

## Outdoor Stainless Steel Linear Fire Pit

Model	BTU Max/Min	Description	Wt	List
OL48TP10P	55,000/35,500	48-in., Manual, Propane	62	\$ 1,929.00
OL48TP10N	55,000/39,500	48-in., Manual, Nat	62	\$ 1,929.00
OL48TP18P	55,000/35,500	48-in., Manual, Multicolor LED Lighting, Propane	62	\$ 2,409.00
OL48TP18N	55,000/39,500	48-in., Manual, Multicolor LED Lighting, Nat	62	\$ 2,409.00

## Accessories

Model	Description	Wt	List
BBA	Stainless Steel Tilt-out Propane Tank Door	19	\$ 379.00
BRB	Stainless Steel Register Kit (2 registers, for island ventilation)	1	\$ 69.00
DT48LSS	Drain Tray, 48/60 Linear, Stainless Steel	10.5	\$ 339.00
WC48LSS	Weather Cover	14	\$ 399.00
WG484LT	Wind Deflector Glass, Tall	35	\$ 269.00

## Crushed Glass (translucent) - place over LED lighting

Model	Description	Wt	List
DG1BZR	Crushed Glass, Bronze Reflective, approx. 1 sq. ft.	2.5	\$ 71.00
DG1BCR	Crushed Glass, Copper Reflective, approx. 1 sq. ft.	2.5	\$ 71.00
DG1CLF	Crushed Glass, Clear Frost, approx. 1 sq. ft.	2.5	\$ 71.00

## Crushed Glass (opaque), Glass Drops, and Glass Droplets – for accent only

Model	Description	Wt	List
DG1BKP	Crushed Glass, Black Polished, approx. 1 sq. ft.	2.5	\$ 71.00
DG1BUC	Crushed Glass, Blue Clear, approx. 1 sq. ft.	2.5	\$ 71.00
DG1NXS	Drops 1-in., Onyx Solid, approx. 1 sq. ft.	3.75	\$ 58.00
DG1GC	Droplets, 1/2-in., Glacier Ice, approx. 1 sq. ft.	3	\$ 40.00

## Gas Supply Timer Options


Model	Description	Wt	List
GT060	E-Stop Gas Timer, 1 to 60 min.	3	\$ 194.00
GT150	E-Stop Gas Timer, 1 to 150 min.	3	\$ 194.00
GTCSS	E-Stop Timer Compartment, Stainless Steel	1.5	\$ 134.00

## Conversion Kits

Model	Description	Wt	List
37991	Propane to Nat	1	\$ 149.00
37992	Nat to Propane	1	\$ 149.00

## Carol Rose Coastal Collection Outdoor Fire Pit, Linear 60

For outdoor installation  
 Available with Pre-Programmed-Color  
 LED Lighting beneath burner  
 Opening 13 11/16 x 58 7/8  
 See manual before framing



### Includes:

- Manual Electronic Ignition with AA Battery
- 3-Stage Manually Variable Flame

### Requires:

- Crushed Glass (7 sq. ft.)  
 (Glass Drops or Droplets may be added to area surrounding burner)

### Outdoor Stainless Steel Linear Fire Pit

Model	BTU Max/Min	Description	Wt	List
OL60TP10P	65,000/38,000	60-in., Manual, Propane	99	\$ 2,159.00
OL60TP10N	65,000/46,500	60-in., Manual, Nat	99	\$ 2,159.00
OL60TP18P	65,000/38,000	60-in., Manual, Multicolor LED Lighting, Propane	99	\$ 2,639.00
OL60TP18N	65,000/46,500	60-in., Manual, Multicolor LED Lighting, Nat	99	\$ 2,639.00

### Accessories

Model	Description	Wt	List
BBA	Stainless Steel Tilt-out Propane Tank Door	19	\$ 379.00
BRB	Stainless Steel Register Kit (2 registers, for island ventilation)	1	\$ 69.00
DT48LSS	Drain Tray, 48/60 Linear, Stainless Steel	10.5	\$ 339.00
WC60LSS	Weather Cover	16	\$ 449.00
WG604LT	Wind Deflector Glass, Tall	43	\$ 359.00

### Crushed Glass (translucent) - place over LED lighting

Model	Description	Wt	List
DG1BZR	Crushed Glass, Bronze Reflective, approx. 1 sq. ft.	2.5	\$ 71.00
DG1BCR	Crushed Glass, Copper Reflective, approx. 1 sq. ft.	2.5	\$ 71.00
DG1CLF	Crushed Glass, Clear Frost, approx. 1 sq. ft.	2.5	\$ 71.00

### Crushed Glass (opaque), Glass Drops, and Glass Droplets – for accent only

Model	Description	Wt	List
DG1BKP	Crushed Glass, Black Polished, approx. 1 sq. ft.	2.5	\$ 71.00
DG1BUC	Crushed Glass, Blue Clear, approx. 1 sq. ft.	2.5	\$ 71.00
DG1NXS	Drops 1-in., Onyx Solid, approx. 1 sq. ft.	3.75	\$ 58.00
DG1GC	Droplets, 1/2-in., Glacier Ice, approx. 1 sq. ft.	3	\$ 40.00

### Gas Supply Timer Options

Model	Description	Wt	List
GT060	E-Stop Gas Timer, 1 to 60 min.	3	\$ 194.00
GT150	E-Stop Gas Timer, 1 to 150 min.	3	\$ 194.00
GTCSS	E-Stop Timer Compartment, Stainless Steel	1.5	\$ 134.00

### Conversion Kits

Model	Description	Wt	List
37993	Propane to Nat	1	\$ 149.00
37994	Nat to Propane	1	\$ 149.00



## Carol Rose Coastal Collection Outdoor Fireplace, Linear 48

Ventless Fireplace for outdoor installation  
 Opening 16 3/16 x 48  
 Framing 40 13/16 H x 52 W x 19 1/4 D (see manual before framing)

### Includes:

- Pre-Programmed-Color LED Lighting beneath burner
- Manual Electronic Ignition with AA Battery
- 3-Stage Manually Variable Flame Height
- Weather Deflector Glass Panels (Taller panel available for windy applications)

### Requires:

- Crushed Glass (8 sq. ft.)  
 (Glass Drops or Droplets may be added to area surrounding burner)



## Outdoor Stainless Steel Linear Fireplace

Model	BTU Max/Min	Description	Wt	List
OLL48FP12SP	55,000/35,000	48-in., Manual, Propane	178	\$ 3,389.00
OLL48FP12SN	55,000/35,000	48-in., Manual, Nat	178	\$ 3,389.00

## Accessories

Model	Description	Wt	List
DT48LSS	Drain Tray, 48/60 Linear, Stainless Steel	10.5	\$ 339.00
WD48LSS	Weather Door, 48-in. Linear, Stainless Steel	12	\$ 264.00
WG48LT1	Deflector Glass, 48-in. Linear	27	\$ 234.00

## Gas Supply Timer Options

Model	Description	Wt	List
GT060	E-Stop Gas Timer, 1 to 60 min.	3	\$ 194.00
GT150	E-Stop Gas Timer, 1 to 150 min.	3	\$ 194.00
GTCSS	E-Stop Timer Compartment, Stainless Steel	1.5	\$ 134.00

## Conversion Kits

Model	Description	Wt	List
33814	Propane to Nat - Manual	1	\$ 149.00
33815	Nat to Propane - Manual	1	\$ 149.00

## Crushed Glass (translucent) - place over LED lighting

Model	Description	Wt	List
DG1BZR	Crushed Glass, Bronze Reflective, approx. 1 sq. ft.	2.5	\$ 71.00
DG1BCR	Crushed Glass, Copper Reflective, approx. 1 sq. ft.	2.5	\$ 71.00
DG1CLF	Crushed Glass, Clear Frost, approx. 1 sq. ft.	2.5	\$ 71.00

## Crushed Glass (opaque), Glass Drops, and Glass Droplets – for accent only

Model	Description	Wt	List
DG1BKP	Crushed Glass, Black Polished, approx. 1 sq. ft.	2.5	\$ 71.00
DG1BUC	Crushed Glass, Blue Clear, approx. 1 sq. ft.	2.5	\$ 71.00
DG1NXS	Drops 1-in., Onyx Solid, approx. 1 sq. ft.	3.75	\$ 58.00
DG1GC	Droplets, 1/2-in., Glacier Ice, approx. 1 sq. ft.	3	\$ 40.00

## Carol Rose Coastal Collection Outdoor Fireplace, Linear 60

Ventless Fireplace for outdoor installation  
 Opening 16 3/16 x 60  
 Framing 31 H x 64 W x 19 1/4 D (see manual before framing)

### Includes:

- Pre-Programmed-Color LED Lighting beneath burner
- Manual Electronic Ignition with AA Battery
- 3-Stage Manually Variable Flame Height
- Weather Deflector Glass Panels (Taller panel available for windy applications)

### Requires:

- Crushed Glass (10 sq. ft.)  
 (Glass Drops or Droplets may be added to area surrounding burner)



### Outdoor Stainless Steel Linear Fireplace

Model	BTU Max/Min	Description	Wt	List
OLL60FP12SP	65,000/39,000	60-in., Manual, Propane	253	\$ 4,319.00
OLL60FP12SN	65,000/39,000	60-in., Manual, Nat	253	\$ 4,319.00

ACCESSORIES	Description	Wt	List
DT48LSS	Drain Tray, 48/60 Linear, Stainless Steel	10.5	\$ 339.00
WD60LSS	Weather Door, 60-in. Linear, Stainless Steel	14.5	\$ 329.00
WG60LT1	Deflector Glass, 60-in. Linear	37	\$ 279.00

### Gas Supply Timer Options

Model	Description	Wt	List
GT060	E-Stop Gas Timer, 1 to 60 min.	3	\$ 194.00
GT150	E-Stop Gas Timer, 1 to 150 min.	3	\$ 194.00
GTCSS	E-Stop Timer Compartment, Stainless Steel	1.5	\$ 134.00

### Conversion Kits

Model	Description	Wt	List
35829	Nat to Propane - Manual	1	\$ 37.00
35830	Propane to Nat - Manual	1	\$ 37.00

### Crushed Glass (translucent) - place over LED lighting

Model	Description	Wt	List
DG1BZR	Crushed Glass, Bronze Reflective, approx. 1 sq. ft.	2.5	\$ 71.00
DG1BCR	Crushed Glass, Copper Reflective, approx. 1 sq. ft.	2.5	\$ 71.00
DG1CLF	Crushed Glass, Clear Frost, approx. 1 sq. ft.	2.5	\$ 71.00

### Crushed Glass (opaque), Glass Drops, and Glass Droplets – for accent only

Model	Description	Wt	List
DG1BKP	Crushed Glass, Black Polished, approx. 1 sq. ft.	2.5	\$ 71.00
DG1BUC	Crushed Glass, Blue Clear, approx. 1 sq. ft.	2.5	\$ 71.00
DG1NXS	Drops 1-in., Onyx Solid, approx. 1 sq. ft.	3.75	\$ 58.00
DG1GC	Droplets, 1/2-in., Glacier Ice, approx. 1 sq. ft.	3	\$ 40.00

## Carol Rose Coastal Collection Outdoor Fireplace, Linear See-Through 48

Ventless Fireplace for outdoor installation  
 Opening 16 3/16 x 48  
 Framing 40 13/16 H x 52 W x 22 5/16 D (see manual before framing)



### Includes:

- Pre-Programmed-Color LED Lighting beneath burner
- Manual Electronic Ignition with AA Battery
- 3-Stage Manually Variable Flame Height
- Weather Deflector Glass Panels (Taller panel available for windy applications)

### Requires:

- Crushed Glass (8 sq. ft.)  
 (Glass Drops or Droplets may be added to area surrounding burner)

### Outdoor Stainless Steel Linear Fireplace

Model	BTU Max/Min	Description	Wt	List
OLL48SP12SP	55,000/35,000	See-Through, 48-in., Manual, Propane	198	\$ 3,619.00
OLL48SP12SN	55,000/35,000	See-Through 48-in., Manual, Nat	198	\$ 3,619.00

ACCESSORIES	Description	Wt	List
DT48LSS	Drain Tray, 48/60 Linear, Stainless Steel	10.5	\$ 339.00
WD48LSS	Weather Door, 48-in. Linear, Stainless Steel	12	\$ 264.00
WG48LT1	Deflector Glass, 48-in. Linear	27	\$ 234.00

Order Two Weather Doors and Deflector Glass Kits for See-Through Fireplace

### Gas Supply Timer Options

Model	Description	Wt	List
GT060	E-Stop Gas Timer, 1 to 60 min.	3	\$ 194.00
GT150	E-Stop Gas Timer, 1 to 150 min.	3	\$ 194.00
GTCSS	E-Stop Timer Compartment, Stainless Steel	1.5	\$ 134.00

### Conversion Kits

Model	Description	Wt	List
33814	Propane to Nat - Manual	1	\$ 149.00
33815	Nat to Propane - Manual	1	\$ 149.00

### Crushed Glass (translucent) - place over LED lighting

Model	Description	Wt	List
DG1BZR	Crushed Glass, Bronze Reflective, approx. 1 sq. ft.	2.5	\$ 71.00
DG1BCR	Crushed Glass, Copper Reflective, approx. 1 sq. ft.	2.5	\$ 71.00
DG1CLF	Crushed Glass, Clear Frost, approx. 1 sq. ft.	2.5	\$ 71.00

### Crushed Glass (opaque), Glass Drops, and Glass Droplets – for accent only

Model	Description	Wt	List
DG1BKP	Crushed Glass, Black Polished, approx. 1 sq. ft.	2.5	\$ 71.00
DG1BUC	Crushed Glass, Blue Clear, approx. 1 sq. ft.	2.5	\$ 71.00
DG1NXS	Drops 1-in., Onyx Solid, approx. 1 sq. ft.	3.75	\$ 58.00
DG1GC	Droplets, 1/2-in., Glacier Ice, approx. 1 sq. ft.	3	\$ 40.00

## Carol Rose Coastal Collection Outdoor Fireplace, Linear See-Through 60

Ventless Fireplace for outdoor installation  
 Opening 16 3/16 x 60  
 Framing 31 H x 64 W x 22 1/2 D (see manual before framing)



### Includes:

- Pre-Programmed-Color LED Lighting beneath burner
- Manual Electronic Ignition with AA Battery
- 3-Stage Manually Variable Flame Height
- Weather Deflector Glass Panels (Taller panel available for windy applications)

### Requires:

- Crushed Glass (10 sq. ft.)  
 (Glass Drops or Droplets may be added to area surrounding burner)

### Outdoor Stainless Steel Linear Fireplace

Model	BTU Max/Min	Description	Wt	List
OLL60SP12SP	65,000/39,000	See-Through, 60-in., Manual, Propane	296	\$ 4,699.00
OLL60SP12SN	65,000/39,000	See-Through 60-in., Manual, Nat	296	\$ 4,669.00

ACCESSORIES	Description	Wt	List
DT48LSS	Drain Tray, 48/60 Linear, Stainless Steel	10.5	\$ 339.00
WD60LSS	Weather Door, 60-in. Linear, Stainless Steel	14.5	\$ 329.00
WG60LT1	Deflector Glass, 60-in. Linear	37	\$ 279.00

Order Two Weather Doors and Deflector Glass Kits for See-Through Fireplace

### Gas Supply Timer Options

Model	Description	Wt	List
GT060	E-Stop Gas Timer, 1 to 60 min.	3	\$ 194.00
GT150	E-Stop Gas Timer, 1 to 150 min.	3	\$ 194.00
GTCSS	E-Stop Timer Compartment, Stainless Steel	1.5	\$ 134.00

### Conversion Kits

Model	Description	Wt	List
35829	Nat to Propane - Manual	1	\$ 149.00
35830	Propane to Nat - Manual	1	\$ 149.00

### Crushed Glass (translucent) - place over LED lighting

Model	Description	Wt	List
DG1BZR	Crushed Glass, Bronze Reflective, approx. 1 sq. ft.	2.5	\$ 71.00
DG1BCR	Crushed Glass, Copper Reflective, approx. 1 sq. ft.	2.5	\$ 71.00
DG1CLF	Crushed Glass, Clear Frost, approx. 1 sq. ft.	2.5	\$ 71.00

### Crushed Glass (opaque), Glass Drops, and Glass Droplets – for accent only

Model	Description	Wt	List
DG1BKP	Crushed Glass, Black Polished, approx. 1 sq. ft.	2.5	\$ 71.00
DG1BUC	Crushed Glass, Blue Clear, approx. 1 sq. ft.	2.5	\$ 71.00
DG1NXS	Drops 1-in., Onyx Solid, approx. 1 sq. ft.	3.75	\$ 58.00
DG1GC	Droplets, 1/2-in., Glacier Ice, approx. 1 sq. ft.	3	\$ 40.00